



- Clamshell design for easypaper loading
- Embedded power supply
- 2-color, high-quality graphics print
- Spill-proof & heat-resistant
- Swappable interfaces available
- Wall mount
- External buzzer option



When Thermal Isn't An Option – Use The New SP700 From Star Micronics

An easy-to-integrate, innovative kitchen printer that can take the heat.

The SP700 impact printer is the latest addition to Star Micronics' robust line of printers. Built specifically to work in environments where heat and humidity can erode the type on the kitchen order, the SP700 is an ideal solution. This fast, two-color printer offers crisp, easy to read type for quick viewing, clamshell design for easy paper loading and an embedded power supply for space efficiency.

The SP700 was designed to make installation, utilization and maintenance as easy as possible for any user. The SP700 is ready to be used right "out-of-the-box." A CD with WHQL drivers XP®, 2K®, Vista®, Linux and Mac® OSX and documentation is included with the printer, making it ready for operation immediately after purchase.



Always Leading - Always Innovating

SP700 Specifications

The Complete POS Solution!		
Features	Hardware You really can have it all! All in ONE Box (except cables, all is included with the printer) Ultra fast & reliable Spill-proof design Clamshell design Embedded Power Supply Small footprint 2-color printing ESC/POS emulation supported	Software (included in Windows™ Drivers) The included Receipt Redesign Software allows you to EASILY: Add images (Logos, Coupons, and more!) Create a Virtual Serial Port for legacy applications XP & Vista WHQL Certified Also included: Ethernet setup utility Memory Switch setting utility
Connectivity Note: Connections in bold are supported; grayed-out connection types may be supported by special demand.	25-pin serial Parallel USB Ethernet Wifi	Virtual Serial Port to USB Virtual Serial Port to Ethernet Virtual Parallel Port to USB Powered USB Dual 9-PinSerial/USB
Drivers Note: Drivers in bold are immediately available; grayed-out operating systems may be supported on request.	Windows 98, ME NT 4.0 WEPOS 2000, XP CE (based on project requirements) XP Embedded VISTA (32- and 64-bit)	OPOS JavaPOS Linux Mac OSX
What's Included	SP700 Cutter, Tear Bar or Journal Model 5 ft. power cord Embedded Power Supply 58 mm guide Power switch cover	CD w/drivers with Software Utilities Setup guide
Optional Accessories	Ticket Alarm Buzzer (BU01-24-A) Wall Mount Brackets (WB-S700) Vertical Stand Kit (VS-S700)	Putty or Gray color housing Tear-Bar, Auto-Cutter or Journal (Rewinder) Models
Technical Specifications	Print Method: 9 Pin Impact Dot Matrix Print Speed: 13 RPM (Receipts Per Minute), (4.7 LPS) Paper Width: (standard) / 70 & 58 mm (with paper guide) Emulation: Star Mode, ESC/POS Buffer: 8Kbytes	Power: 110 to 230 VAC MCBF: 22 million lines Cutter: 1 million cuts Dimensions: W=160mm, H=152, D=245mm Ribbons: RC700B = 3 Million Characters RC700BR = 1.5 Mil. Characters, BLK .075 Mil. Characters, Red
Warranty	For US and Canada: 3-year Limited Warranty, plus optional Extended Services Agreement Policies (Extend-A-Star and Swap-A-Star)	
For Further Information	Sales: 1-800-782-7636 x107 Technical Support: 1-800-782-7636 x105	Web: http://www.starmicronics.com





www.L-TronDirect.com

800-830-9523

info@L-Tron.com

596 Fishers Station Dr | Victor, NY | 14564 | Suite 1 A

www.L-Tron.com

