



Havis Docking Station for Dell Latitude Rugged Extreme

DS-DELL-400 Series

The Havis Docking Station for the Dell Latitude 14 Rugged and Latitude 12 & 14 Rugged Extreme Notebooks brings you the best computing solution for all your business needs. The DS-DELL-400 Series Docking Station offers computer charging, security, and connection to peripherals in medical, enterprise, and in-vehicle workplaces. Maximize your productivity with this rugged yet lightweight dock, which has been built with theft deterrence, longevity and stability in mind.



- Adjustable to secure the Latitude 14 Rugged notebook, Latitude 12 Rugged Extreme convertible notebook, and the Latitude 14 Rugged Extreme notebook.
- Constant connectivity is maintained with a guided, floating docking connector.
- Docking station was engineered with fully functional front- and rear-facing connectors.
- Mounting bracket and integrated cable strain relief allows for ease of installation and faster rollouts.
- Theft deterrence is accomplished through Havis' rugged locking system and front hooks, which keep your Latitude Rugged Extreme Notebook safe and secure.
- Strain relief for connectors prevents loose connections and accidental disconnects.
- Scalable connectivity provides a flexible solution.
- Havis offers a full line of accessories to complete any solution.



Havis Docking Station for Dell Latitude Rugged Extreme



Front- and rear-facing port replication protects cable connections while integrated strain relief protects from accidental disconnects



Floating Docking Connector and brass mounting pins protect against damage.

Port Replication

- Best-in-class circuit and power system supports fully powered USB 2.0/USB 3.0
- USB: Fully-Powered USB 3.0 (3)
- USB: Fully-Powered USB 2.0 (1, front-facing)
- Serial DB9 (2)
- Ethernet: RJ45 Ethernet (1)
- VGA (1)
- HDMI (1)
- Antenna: (optional)
- Speaker & Mic: Stereo (1 each, front-facing)
- Input Voltage: 19 V DC

Specifications

Height: 10.8" (27.6 cm)

Width: 12.4" (31.5 cm)

Depth: 2.7" (6.9 cm)

Weight: 5.25 lbs (2.38 kg)

Certifications & Testing

- Vibration Testing: MIL-STD 810G 514.5
- Impact Test: Crash Simulation per SAE J1455 (Forward/Rearward/Side Impact Directions)
- Cycle Test: Latch tested to 30,000 cycles
- Environmental Testing: Hot/Cold Operation and Storage
- CE, FCC
- RoHS

Related Products

- DS-DA-412, Screen Stiffener
- LPS-105, Power Supply
- DS-DA-102, Night Eyes keyboard light

| Part Number | USB 3.0 | USB 2.0 | Ethernet | Serial | VGA | HDMI | Speaker / Mic | Integrated Power | Antenna |
|---------------|---------|---------|----------|--------|-----|------|---------------|------------------|------------------|
| DS-DELL-401 | 3 | 1 | 1 | 2 | 1 | 1 | Yes | No | None |
| DS-DELL-401-3 | 3 | 1 | 1 | 2 | 1 | 1 | Yes | No | Triple High-Gain |
| DS-DELL-402 | 3 | 1 | 1 | 2 | 1 | 1 | Yes | Yes | None |
| DS-DELL-402-3 | 3 | 1 | 1 | 2 | 1 | 1 | Yes | Yes | Triple High-Gain |
| DS-DELL-403* | 0 | 0 | 0 | 0 | 0 | 0 | 0 | No | None |
| DS-DELL-405 | 3 | 1 | 1 | 0 | 0 | 0 | Yes | No | None |
| DS-DELL-405-3 | 3 | 1 | 1 | 0 | 0 | 0 | Yes | No | Triple High-Gain |
| DS-DELL-406 | 3 | 1 | 1 | 0 | 0 | 0 | Yes | Yes | None |
| DS-DELL-406-3 | 3 | 1 | 1 | 0 | 0 | 0 | Yes | Yes | Triple High-Gain |

* Cradle only option (no electronics)



www.L-TronDirect.com

800-830-9523

info@L-Tron.com

596 Fishers Station Dr | Victor, NY | 14564 | Suite 1 A

www.L-Tron.com

