

# Zebra ZipShip Ribbons



Zebra has the right thermal transfer ribbon for your application. For standard printing on paper labels, Zebra's wax ribbons are unsurpassed for performance and value. When better image durability is required, Zebra's wax/resin ribbons will meet your requirements. For the ultimate in chemical and heat resistance, Zebra's resin ribbons can handle the harshest environments. You can be assured that when used together, our ribbons and labels will provide optimal performance with your Zebra printer and extend the life of your printhead.

Zebra's Zip Ship stocking program includes popular sizes of the most frequently ordered ribbons. Our policy is to ship orders within the next working business day. There is a minimum invoice amount of \$50 per shipment destination (waived for Sample Program orders). Products purchased in less than full inner carton quantities are subject to a \$75 broken carton charge, per destination. For custom sizes, please contact your Zebra Supplies Specialist.

Zebra Ribbons									
Wax		Wax/Resin			Resin				
2000 Standard		5555 Enhanced			5095 Performance				
2100 Enhanced		3200 Performance			5100 Premium				
5319 Performance		5586 Premium			Image Lock				
Ribbon	Material Compatibility	Darkness Setting		Print Speed		Smear/Scratch Resistance		Chemical Resistance	
		Low	High	Low	High	Low	High	Low	High
2000 Standard	Coated Paper	█	█	█	█	█	█	█	█
2100 Enhanced	Coated Paper	█	█	█	█	█	█	█	█
5319 Performance	Uncoated/Coated Paper	█	█	█	█	█	█	█	█
5555 Enhanced	Coated Paper/Matte Synthetics	█	█	█	█	█	█	█	█
3200 Performance	Coated Paper/Matte Synthetics	█	█	█	█	█	█	█	█
5586 Premium	Matte Synthetics	█	█	█	█	█	█	█	█
5095 Performance	Matte/Gloss Synthetics	█	█	█	█	█	█	█	█
5100 Premium	Gloss Synthetics	█	█	█	█	█	█	█	█



## Printer Ribbon Specifications

		Ribbon					
	Printer	Core Size		Max Length		Max Width	
Tabletop Printers	S600™	1"	25.4mm	1476'	450m	4.5"	114mm
	S4M™	1"	25.4mm	1476'/984'	450m/300m	4.3"	110mm
	Z4MPlus™/ZM400™	1"	25.4mm	1476'	450m	4.3"	110mm
	Z6MPlus™/ZM600™	1"	25.4mm	1476'	450m	6.9"	174mm
	105SL™	1"	25.4mm	1476'/984'	450m/300m	4.5"	114mm
	2746e™	1"	25.4mm	1183'	362m	4.3"	110mm
	110XIIIPlus™ / 110Xi4™	1"	25.4mm	1476'/984'	450m/300m	4.3"	110mm
	140XIIIPlus™ / 140Xi4™	1"	25.4mm	1476'/984'	450m/300m	5.1"	130mm
	170XIIIPlus™ / 170Xi4™	1"	25.4mm	1476'/984'	450m/300m	6.7"	170mm
	220XIIIPlus™ / 220Xi4™	1"	25.4mm	1476'/984'	450m/300m	8.6"	220mm
Desktop Printers	LP 2824™ Series / LP 2824 Plus™	Direct Thermal		N/A	N/A	N/A	N/A
	TLP 2824™ Series / TLP 2824 Plus™	0.5"	12.7mm	244'	74m	2.2"	58mm
	LP 2844™ Series	Direct Thermal		N/A	N/A	N/A	N/A
	TLP 2844™	0.5"	12.7mm	242'	74m	4.3"	110mm
	TLP 2844-Z™	0.5"	12.7mm	244'	74m	4.3"	110mm
	TLP 3842™	0.5"	12.7mm	244'	74m	4.3"	110mm
	TLP 3844-Z™	0.5"	12.7mm	244'	74m	4.3"	110mm
	H 2824-Z™	Direct Thermal		N/A	N/A	N/A	N/A
	G-Series™	0.5"	12.7mm	244'	74m	4.3"	110mm
Mobile Printers	Cameo® 2 / Cameo® 3	Direct Thermal		N/A	N/A	N/A	N/A
	QL™ Series / QL Plus™ Series	Direct Thermal		N/A	N/A	N/A	N/A
	MZ™ Series	Direct Thermal		N/A	N/A	N/A	N/A
	RW™ Series / RW420 Print Station	Direct Thermal		N/A	N/A	N/A	N/A
	EM220™	Direct Thermal		N/A	N/A	N/A	N/A
	PA403™	Direct Thermal		N/A	N/A	N/A	N/A
	PS 2122™	Direct Thermal		N/A	N/A	N/A	N/A
	PT400™ / PT403™	Snap-in ribbon cartridge		52'	16m	4.3"	110mm
	P4T™	Snap-in ribbon cartridge		98.4'	30m	4.3"	110mm
Specialty Printers	R110Xi™	1"	25.4mm	1476'	450m	4.3"	110mm
	R170Xi™	1"	25.4mm	1476'	450m	6.7"	110mm
	R-140™	1"	25.4mm	1476'	450m	5.1"	110mm
	R402™	0.5"	12.7mm	244'	74m	4.3"	110mm
	R110PAX3™	1"	25.4mm	2995'	900m	4.3"	110mm
	R2844-Z™	0.5"	12.7mm	244'	74m	4.3"	110mm
	R4Mplus™	1"	25.4mm	1476'	450m	4.3"	110mm
	110PAX4™	1"	25.4mm	2995'	900m	4.3"	110mm
	170PAX4™	1"	25.4mm	2995'	900m	7.1"	180mm
	RP4T™	Snap-in ribbon cartridge		98.4'	30m	4.3"	110mm

# Zebra ZipShip Ribbons



## For use with Zebra Tabletop Printers\*

### 2000 Standard Wax Ribbon

A standard thermal transfer wax ink formulation for printing high-quality, durable bar codes on Zebra's coated paper label stock. This wax ribbon can print at speeds up to 12 inches per second.

Length: 1,476 ft. (450m) Core: 1" ID

Width		Quantity Per		Part #	Outer Box Weight
(Inches)	(mm)	Carton	Outer Box		
1.57"	40mm	24	24	02000BK04045	12 lbs.
2.36"	60mm	24	24	02000BK06045	23 lbs.
3.27"	83mm	24	24	02000BK08345	24 lbs.
3.50"	89mm	24	24	02000BK08945	25 lbs.
4.02"	102mm	24	24	02000BK10245	26 lbs.
4.16"	106mm	24	24	02000BK10645	30 lbs.
4.33"	110mm	24	24	02000BK11045	32 lbs.
5.16"	131mm	24	24	02000BK13145	36 lbs.
6.16"	156mm	12	12	02000BK15645	24 lbs.
6.85"	174mm	12	12	02000BK17445	25 lbs.
8.66"	220mm	12	12	02000BK22045	30 lbs.

### 2100 Enhanced Wax Ribbon

A thermal transfer formulation that provides excellent print quality for normal and rotated bar codes on coated and uncoated labels and tags. Its low printhead energy requirements for image transfer make it the ideal choice for high-speed printing, up to 12 inches per second.

Length: 1,476 ft. (450m) Core: 1" ID

Width		Quantity Per		Part #	Outer Box Weight
(Inches)	(mm)	Carton	Outer Box		
1.57"	40mm	24	24	02100BK04045	14 lbs.
2.36"	60mm	24	24	02100BK06045	23 lbs.
3.15"	80mm	24	24	02100BK08045	24 lbs.
3.50"	89mm	24	24	02100BK08945	25 lbs.
4.02"	102mm	24	24	02100BK10245	29 lbs.
4.16"	106mm	24	24	02100BK10645	30 lbs.
4.33"	110mm	24	24	02100BK11045	31 lbs.
5.16"	131mm	12	12	02100BK13145	34 lbs.
6.16"	156mm	12	12	02100BK15645	23 lbs.
6.85"	174mm	12	12	02100BK17445	25 lbs.
8.66"	220mm	12	12	02100BK22045	30 lbs.

# Zebra ZipShip Ribbons



## For use with Zebra Tabletop Printers\*

### 5319 Performance Wax Ribbon

A best-in-class, performance wax ribbon formulated for high-quality printing on both Zebra coated and uncoated paper facestocks. Offers unmatched printing for both visible light and infrared scannability. Recommended for use on tough-to-print uncoated and uneven tag stocks, including Tyvek. Prints at speeds up to 8 inches per second. UL recognized and CSA component acceptable when used with Zebra approved labels.

Length: 1,476 ft. (450m) Core: 1" ID

Width		Quantity Per		Part #	Outer Box Weight
(Inches)	(mm)	Carton	Outer Box		
0.94"	24mm	6	24	05319BK02445	14 lbs.
1.57"	40mm	6	24	05319BK04045	23 lbs.
2.36"	60mm	6	24	05319BK06045	24 lbs.
3.27"	83mm	6	24	05319BK08345	24 lbs.
3.50"	89mm	6	24	05319BK08945	28 lbs.
4.02"	102mm	6	24	05319BK10245	29 lbs.
4.33"	110mm	6	24	05319BK11045	30 lbs.
5.16"	131mm	6	24	05319BK13145	38 lbs.
6.06"	154mm	6	12	05319BK15445	25 lbs.
6.85"	174mm	6	12	05319BK17445	27 lbs.
8.66"	220mm	6	12	05319BK22045	30 lbs.

# Zebra ZipShip Ribbons



## For use with Zebra Tabletop Printers\*

### 5555 Enhanced Wax/Resin Ribbon

A thermal transfer wax/resin ink formulation for printing bar codes on Zebra coated paper. Provides a clear image under harsh conditions. Prints at speeds up to 6 inches per second.

Length: 1,476 ft. (450m) Core: 1" ID

Width		Quantity Per		Part #	Outer Box Weight
(Inches)	(mm)	Carton	Outer Box		
1.57"	40mm	6	24	05555BK04045	16 lbs.
2.36"	60mm	6	24	05555BK06045	23 lbs.
3.27"	83mm	6	24	05555BK08345	22 lbs.
3.50"	89mm	6	24	05555BK08945	25 lbs.
4.33"	110mm	6	24	05555BK11045	27 lbs.
5.16"	131mm	6	24	05555BK13145	34 lbs.
6.06"	154mm	6	12	05555BK15445	25 lbs.
6.85"	174mm	6	12	05555BK17445	25 lbs.
8.66"	220mm	6	12	05555BK22045	27 lbs.

### 3200 Performance Wax/Resin Ribbon

A special ink formulation for use with Zebra thermal transfer printers. Provides outstanding bar code print quality. Chemical resistant when printed on Zebra paper and synthetic label stocks. Smear- and scratch-resistant, this ribbon offers excellent staying power and durability in harsh environments. UL Recognized and CSA component acceptable when used with Zebra approved labels.

Length: 1,476 ft. (450m) Core: 1" ID

Width		Quantity Per		Part #	Outer Box Weight
(Inches)	(mm)	Carton	Outer Box		
1.57"	40mm	6	24	03200BK04045	12 lbs.
2.36"	60mm	6	24	03200BK06045	23 lbs.
3.15"	80mm	6	24	03200BK08045	24 lbs.
3.50"	89mm	6	24	03200BK08945	25 lbs.
4.02"	102mm	6	24	03200BK10245	29 lbs.
4.33"	110mm	6	24	03200BK11045	32 lbs.
5.16"	131mm	6	24	03200BK13145	36 lbs.
6.16"	156mm	6	12	03200BK15645	23 lbs.
6.85"	174mm	6	12	03200BK17445	25 lbs.
8.66"	220mm	6	12	03200BK22045	30 lbs.

# Zebra ZipShip Ribbons



## For use with Zebra Tabletop Printers\*

### 5586 Premium Wax/Resin Ribbon

A premium wax/resin ribbon that provides outstanding print quality in a variety of environmental conditions. Provides outstanding smear and scratch resistance on Zebra paper, many Zebra synthetic materials, a variety of coated paper, and matte synthetics.

Length: 1,476 ft. (450m) Core: 1" ID

Width		Quantity Per		Part #	Outer Box Weight
(Inches)	(mm)	Carton	Outer Box		
1.57"	40mm	6	24	05586BK04045	16 lbs.
2.36"	60mm	6	24	05586BK06045	23 lbs.
3.27"	83mm	6	24	05586BK08345	24 lbs.
3.50"	89mm	6	24	05586BK08945	25 lbs.
4.02"	102mm	6	24	05586BK10245	29 lbs.
4.33"	110mm	6	24	05586BK11045	27 lbs.
5.16"	131mm	6	24	05586BK13145	34 lbs.
6.06"	154mm	6	12	05586BK15445	25 lbs.
6.85"	174mm	6	12	05586BK17445	25 lbs.
8.66"	220mm	6	12	05586BK22045	27 lbs.

## For use with Zebra Tabletop Printers\*

### 5095 Performance Resin Ribbon

A performance resin ribbon for printing high-density bar codes and high-resolution graphics on a wide range of materials from matte to gloss synthetics. Offers exceptional print quality, durability and chemical resistance. UL recognized and CSA component acceptable when used with Zebra approved labels.

Length: 1,476 ft. (450m) Core: 1" ID

Width		Quantity Per		Part #	Outer Box Weight
(Inches)	(mm)	Carton	Outer Box		
1.57"	40mm	6	24	05095BK04045	16 lbs.
2.36"	60mm	6	24	05095BK06045	23 lbs.
3.27"	83mm	6	24	05095BK08345	22 lbs.
3.50"	89mm	6	24	05095BK08945	25 lbs.
4.33"	110mm	6	24	05095BK11045	27 lbs.
5.16"	131mm	6	24	05095BK13145	34 lbs.
6.06"	154mm	6	12	05095BK15445	25 lbs.
6.85"	174mm	6	12	05095BK17445	25 lbs.
8.66"	220mm	6	12	05095BK22045	27 lbs.

# Zebra ZipShip Ribbons



## For use with Zebra Tabletop Printers\*

### 5100 Premium Resin Ribbon

A premium resin ribbon for printing images in harsh environments. Provides unparalleled resistance and dense black images. Produces images resistant to the harshest environments. This ribbon is recommended for use with Z-Supreme products in printed circuit board applications. UL recognized and CSA component acceptable when used with Zebra approved labels.

Length: 1,476 ft. (450m) Core: 1" ID

Width		Quantity Per		Part #	Outer Box Weight
(Inches)	(mm)	Carton	Outer Box		
1.57"	40mm	6	24	05100BK04045	16 lbs.
2.36"	60mm	6	24	05100BK06045	23 lbs.
3.27"	83mm	6	24	05100BK08345	22 lbs.
3.50"	89mm	6	24	05100BK08945	25 lbs.
4.33"	110mm	6	24	05100BK11045	27 lbs.
5.16"	131mm	6	24	05100BK13145	34 lbs.
6.06"	154mm	6	12	05100BK15445	25 lbs.
6.85"	174mm	6	12	05100BK17445	25 lbs.
8.66"	220mm	6	12	05100BK22045	27 lbs.

### Image Lock Resin Ribbon

A premium resin ribbon that offers exceptional abrasion and solvent resistance on a wide variety of substrates while still providing excellent edge definition. This ribbon is an excellent choice for printing extremely dense barcodes and high-resolution graphics. Its unique resin base provides excellent resistance to outdoor elements and chemical solvents.

Length: 984 ft. (300m) Core: 1" ID

Width		Quantity Per		Part #	Outer Box Weight
(Inches)	(mm)	Carton	Outer Box		
1.57"	40mm	6	6	74775*	10 lbs.
2.36"	60mm	6	6	74776*	19 lbs.
3.15"	80mm	6	6	74777*	20 lbs.
3.94"	100mm	6	6	74778*	26 lbs.

M= MTO (Delivery in 2 weeks) Note: Minimum Order – 6 rolls

### Nylon Resin Ribbon

A resin ribbon for printing high resolution and high quality images on fabrics, films, synthetics and satins that are formulated to withstand washing, dry cleaning, ironing, and steam.

Length: 1,476 ft. (450m) Core: 1" ID

Width		Quantity Per		Part #	Outer Box Weight
(Inches)	(mm)	Carton	Outer Box		
1.57"	40mm	6	24	74935*	23 lbs.
2.36"	60mm	6	24	74936*	24 lbs.
3.15"	80mm	6	24	74937*	24 lbs.

\* Delivery in 2 weeks Note: Minimum Order – 48 rolls

# Zebra ZipShip Ribbons



For use with TLP 2746e printer

## 5319 Wax Ribbons

A best-in-class, performance wax ribbon formulated for high-quality printing on both Zebra coated and uncoated paper facestocks. Offers unmatched printing for both visible light and infrared scannability. Recommended for use on tough-to-print uncoated and uneven tag stocks, including Tyvek. Prints at speeds up to 8 inches per second. UL recognized and CSA component acceptable when used with Zebra approved labels.

Length: 1,187 ft. (362m) Core: 1" ID

Width		Quantity Per		Part #	Outer Box Weight
(Inches)	(mm)	Carton	Outer Box		
2.50"	64mm	6	24	800010-002	4.5 lbs.
3.30"	84mm	6	24	800010-003	5.5 lbs.
4.33"	110mm	6	24	800010-004	6.5 lbs.

Note: Minimum Order – 24 rolls

## 3200 Performance Wax/Resin Ribbon

A special ink formulation for use with Zebra thermal transfer printers. Provides outstanding bar code print quality. Chemical resistant when printed on Zebra paper and synthetic label stocks. Smear- and scratch-resistant, this ribbon offers excellent staying power and durability in harsh environments. UL Recognized and CSA component acceptable when used with Zebra approved labels.

Length: 1,187 ft. (362m) Core: 1" ID

Width		Quantity Per		Part #	Outer Box Weight
(Inches)	(mm)	Carton	Outer Box		
2.50"	64mm	6	36	800011-002	4.5 lbs.
3.30"	84mm	6	36	800011-003	5.5 lbs.
4.33"	110mm	6	36	800011-004	6.5 lbs.

## 5095 Performance Resin Ribbon

A performance resin ribbon for printing high-density bar codes and high-resolution graphics on a wide range of materials from matte to gloss synthetics. Offers exceptional print quality, durability and chemical resistance. UL recognized and CSA component acceptable when used with Zebra approved labels.

Length: 1,187 ft. (362m) Core: 1" ID

Width		Quantity Per		Part #	Outer Box Weight
(Inches)	(mm)	Carton	Outer Box		
4.33"	110mm	6	24	800005-004	6.5 lbs.



# Zebra ZipShip Ribbons



## For use with Zebra Tabletop Printers\*

### 5319 Performance Wax Ribbon

A best-in-class, performance wax ribbon formulated for high-quality printing on both Zebra coated and uncoated paper facestocks. Offers unmatched printing for both visible light and infrared scannability. Recommended for use on tough-to-print uncoated and uneven tag stocks, including Tyvek. Prints at speeds up to 8 inches per second. UL recognized and CSA component acceptable when used with Zebra approved labels. Available in blue, red, maroon, and green.

Length: 1,476 ft. (450m) Core: 1" ID

Width		Quantity Per		Part #	Color/ PMS	Outer Box Weight
(Inches)	(mm)	Carton	Outer Box			
2.36"	60mm	6	24	05319BL06045*	Blue 286C	23 lbs.
2.36"	60mm	6	24	05319RD06045*	Red 186C	23 lbs.
2.36"	60mm	6	24	05319MN06045*	Maroon 194C	23 lbs.
2.36"	60mm	6	24	05319GN06045*	Green 340C	23 lbs.
4.33"	110mm	6	24	05319BL11045*	Blue 286C	23 lbs.
4.33"	110mm	6	24	05319RD11045*	Red 186C	23 lbs.
4.33"	110mm	6	24	05319MN11045*	Maroon 194C	23 lbs.
4.33"	110mm	6	24	05319GN11045*	Green 340C	23 lbs.

# Zebra ZipShip Ribbons



## For use with Zebra Desktop Printers\*

### 5319 Wax Ribbons

A best-in-class, performance wax ribbon formulated for high-quality printing on both Zebra coated and uncoated paper facestocks. Offers unmatched printing for both visible light and infrared scannability. Recommended for use on tough-to-print uncoated and uneven tag stocks, including Tyvek. Prints at speeds up to 8 inches per second. UL recognized and CSA component acceptable when used with Zebra approved labels.

Length: 244 ft. (74m) Core: 0.5" ID

Width		Quantity Per		Part #	Outer Box Weight
(Inches)	(mm)	Carton	Outer Box		
2.50"	64mm	12	48	05319GS06407	3.5 lbs.
3.30"	84mm	12	48	05319GS08407	4.5 lbs.
4.33"	110mm	12	48	05319GS11007	5.5 lbs.

### 3200 Wax/Resin Ribbons

A special ink formulation for use with Zebra thermal transfer printers. Provides outstanding bar code print quality. Chemical resistant when printed on Zebra paper and synthetic label stocks. Smear- and scratch-resistant, this ribbon offers excellent staying power and durability in harsh environments. UL Recognized and CSA component acceptable when used with Zebra approved labels.

Length: 244 ft. (74m) Core: 0.5" ID

Width		Quantity Per		Part #	Outer Box Weight
(Inches)	(mm)	Carton	Outer Box		
2.50"	64mm	12	12	03200GS06407	3.5 lbs.
3.30"	84mm	12	12	03200GS08407	4.5 lbs.
4.33"	110mm	12	12	03200GS11007	5.5 lbs.

### 5555 Wax/Resin Ribbons

A thermal transfer wax/resin ink formulation for printing bar codes on Zebra coated paper. Provides a clear image under harsh conditions. Prints at speeds up to 6 inches per second.

Length: 244 ft. (74m) Core: 0.5" ID

Width		Quantity Per		Part #	Outer Box Weight
(Inches)	(mm)	Carton	Outer Box		
2.50"	64mm	12	48	05555GS06407	3.5 lbs.
3.30"	84mm	12	48	05555GS08407	4.5 lbs.
4.33"	110mm	12	48	05555GS11007	5.5 lbs.

### 5586 Wax/Resin Ribbons

A premium wax/resin ribbon that provides outstanding print quality in a variety of environmental conditions. Provides outstanding smear and scratch resistance on Zebra paper, many Zebra synthetic materials, a variety of coated paper, and matte synthetics.

Length: 244 ft. (74m) Core: 0.5" ID

Width		Quantity Per		Part #	Outer Box Weight
(Inches)	(mm)	Carton	Outer Box		
2.50"	64mm	12	48	05586GS06407	3.5 lbs.
3.30"	84mm	12	48	05586GS08407	4.5 lbs.
4.33"	110mm	12	48	05586GS11007	5.5 lbs.

# Zebra ZipShip Ribbons



## For use with Zebra Desktop Printers\*

### 5095 Resin Ribbons

A performance resin ribbon for printing high-density bar codes and high-resolution graphics on a wide range of materials from matte to gloss synthetics. Offers exceptional print quality, durability and chemical resistance. UL recognized and CSA component acceptable when used with Zebra approved labels.

Length: 244 ft. (74m) Core: 0.5" ID

Width		Quantity Per		Part #	Outer Box Weight
(Inches)	(mm)	Carton	Outer Box		
2.50"	64mm	12	48	05095GS06407	3.5 lbs.
3.30"	84mm	12	48	05095GS08407	4.5 lbs.
4.33"	110mm	12	48	05095GS11007	5.5 lbs.

### 5100 Resin Ribbons

A premium resin ribbon for printing images in harsh environments. Provides unparalleled resistance and dense black images. Produces images resistant to the harshest environments. This ribbon is recommended for use with Z-Supreme products in printed circuit board applications. UL recognized and CSA component acceptable when used with Zebra approved labels.

Length: 244 ft. (74m) Core: 0.5" ID

Width		Quantity Per		Part #	Outer Box Weight
(Inches)	(mm)	Carton	Outer Box		
2.50"	64mm	12	48	05100GS06407*	3.5 lbs.
3.30"	84mm	12	48	05100GS08407*	4.5 lbs.
4.33"	110mm	12	48	05100GS11007*	5.5 lbs.

\* Delivery in 2 weeks

### Image Lock Resin Ribbon

A premium resin ribbon that offers exceptional abrasion and solvent resistance on a wide variety of substrates while still providing excellent edge definition. This ribbon is an excellent choice for printing extremely dense barcodes and high-resolution graphics. Its unique resin base provides excellent resistance to outdoor elements and chemical solvents.

Length: 244 ft. (74m) Core: 0.5" ID

Width		Quantity Per		Part #	Outer Carton Weight
(Inches)	(mm)	Carton	Outer Box		
2.50"	64mm	12	48	74941*	3 lbs.
3.30"	84mm	12	48	74942*	3.5 lbs.
4.33"	110mm	12	48	74943*	4.5 lbs.

\* Delivery in 2 weeks Note: Minimum Order – 12 rolls

### Nylon Resin Ribbon

A resin ribbon for printing high resolution and high quality images on fabrics, films, synthetics and satins that are formulated to withstand washing, dry cleaning, ironing, and steam.

Length: 244 ft. (74m) Core: 0.5" ID

Width		Quantity Per		Part #	Outer Box Weight
(Inches)	(mm)	Carton	Outer Box		
1.57"	40mm	48	48	74938*	3 lbs.
2.36"	60mm	48	48	74939*	3.5 lbs.
3.15"	80mm	48	48	74940*	4.5 lbs.

\* Delivery in 2 weeks Note: Minimum Order – 48 rolls

# Zebra ZipShip Ribbons



## For use with TLP 2824

### 5319 Wax Ribbons

A best-in-class, performance wax ribbon formulated for high-quality printing on both Zebra coated and uncoated paper facestocks. Offers unmatched printing for both visible light and infrared scannability. Recommended for use on tough-to-print uncoated and uneven tag stocks, including Tyvek. Prints at speeds up to 8 inches per second. UL recognized and CSA component acceptable when used with Zebra approved labels.

Length: 244 ft. (74m) Core: 0.5" ID

Width		Quantity Per		Part #	Outer Box Weight
(Inches)	(mm)	Carton	Outer Box		
1.30"	33mm	12	48	800132-001	2.5 lbs.
2.25"	56.9mm	12	48	800132-002	3 lbs.

### 3200 Wax/Resin Ribbons

A special ink formulation for use with Zebra thermal transfer printers. Provides outstanding bar code print quality. Chemical resistant when printed on Zebra paper and synthetic label stocks. Smear- and scratch-resistant, this ribbon offers excellent staying power and durability in harsh environments. UL Recognized and CSA component acceptable when used with Zebra approved labels.

Length: 244 ft. (74m) Core: 0.5" ID

Width		Quantity Per		Part #	Outer Box Weight
(Inches)	(mm)	Carton	Outer Box		
1.30"	33mm	12	12	800132-101	2.5 lbs.
2.25"	56.9mm	12	12	800132-102	3 lbs.

### 5095 Resin Ribbons

A performance resin ribbon for printing high-density bar codes and high-resolution graphics on a wide range of materials from matte to gloss synthetics. Offers exceptional print quality, durability and chemical resistance. UL recognized and CSA component acceptable when used with Zebra approved labels.

Length: 244 ft. (74m) Core: 0.5" ID

Width		Quantity Per		Part #	Outer Box Weight
(Inches)	(mm)	Carton	Outer Box		
1.30"	33mm	12	48	800132-201	2.5 lbs.
2.25"	56.9mm	12	48	800132-202	3 lbs.

### 5100 Resin Ribbons

A premium resin ribbon for printing images in harsh environments. Provides unparalleled resistance and dense black images. Produces images resistant to the harshest environments. This ribbon is recommended for use with Z-Supreme products in printed circuit board applications. UL recognized and CSA component acceptable when used with Zebra approved labels.

Length: 244 ft. (74m) Core: 0.5" ID

Width		Quantity Per		Part #	Outer Box Weight
(Inches)	(mm)	Carton	Outer Box		
1.30"	33mm	12	48	05100NT03307	2.5 lbs.
2.25"	56.9mm	12	48	05100NT05707	3 lbs.

NT: No Reflective Trailer

# Zebra ZipShip Ribbons



## For use with P4T and RP4T printers

### 5555 Wax/Resin Ribbon

A thermal transfer wax/resin ink formulation for printing bar codes on Zebra coated paper. Provides a clear image under harsh conditions. Prints at speeds up to 6 inches per second.

Length: 98 ft. (30m)

Width		Quantity Per		Part #	Outer Box Weight
(Inches)	(mm)	Carton	Outer Box		
4.33"	110mm	10	10	05555BK110D	2 lbs.

### 5095 Resin Ribbon

A performance resin ribbon for printing high-density bar codes and high-resolution graphics on a wide range of materials from matte to gloss synthetics. Offers exceptional print quality, durability and chemical resistance. UL recognized and CSA component acceptable when used with Zebra approved labels.

Length: 98 ft. (30m)

Width		Quantity Per		Part #	Outer Box Weight
(Inches)	(mm)	Carton	Outer Box		
4.33"	110mm	10	10	05095BK110D	2 lbs.

## For use with PT 400 and PT 403 printers

### 5555 Wax/Resin Ribbon

A thermal transfer wax/resin ink formulation for printing bar codes on Zebra coated paper. Provides a clear image under harsh conditions. Prints at speeds up to 6 inches per second.

Length: 52 ft. (16m)

Width		Quantity Per		Part #	Outer Box Weight
(Inches)	(mm)	Carton	Outer Box		
4.33"	110mm	10	10	05555BK110C	1lb.

### 5100 Resin Ribbon

A premium resin ribbon for printing images in harsh environments. Provides unparalleled resistance and dense black images. Produces images resistant to the harshest environments. This ribbon is recommended for use with Z-Supreme products in printed circuit board applications. UL recognized and CSA component acceptable when used with Zebra approved labels.

Length: 52 ft. (16m)

Width		Quantity Per		Part #	Outer Box Weight
(Inches)	(mm)	Carton	Outer Box		
4.33"	110mm	10	10	05100BK110C	1lb.

# Zebra ZipShip Ribbons



## For use with PAX4 printers

### 2100 Enhanced Wax Ribbon

A thermal transfer formulation that provides excellent print quality for normal and rotated bar codes on coated and uncoated labels and tags. Its low printhead energy requirements for image transfer make it the ideal choice for high-speed printing, up to 12 inches per second.

Length: 2,955 ft. (900m)

Width		Quantity Per		Part #	Outer Box
(inches)	(mm)	Carton	Outer Box		Weight
2.36"	60mm	6	12	02100BK06090*	15 lbs.
3.15"	80mm	6	12	02100BK08090*	20 lbs.
4.33"	110mm	6	12	02100BK11090*	30 lbs.
5.16"	131mm	6	12	02100BK13190*	33 lbs.
6.16"	156mm	6	12	02100BK15690*	39 lbs.
6.85"	174mm	6	12	02100BK17490*	44 lbs.



[www.L-TronDirect.com](http://www.L-TronDirect.com)

800-830-9523

[info@L-Tron.com](mailto:info@L-Tron.com)

596 Fishers Station Dr | Victor, NY | 14564 | Suite 1 A

[www.L-Tron.com](http://www.L-Tron.com)

Get in touch with us  
on social media!

