



# Zebra<sup>®</sup> Supplies ZipShip<sup>SM</sup>



SEE MORE. DO MORE.



Zebra is one of the largest converters of thermal supplies in North America. Featuring the largest selection of pre-tested, high-quality labels, tags, receipt paper, wristbands, cards and ribbons, Zebra can provide a solution for virtually any application.

With over 500 ZipShip supplies, Zebra offers one of the largest selections of in-stock thermal supplies.

Effective December 2, 2013

## Zebra™ Zip Ship<sup>SM</sup> Ships from Four Convenient Locations



### Zebra™ Genuine Supplies

#### Zebra makes selling supplies easy.

- With more than 1,000 combinations of high-quality and reliable labels, tags, receipts, wristbands and ribbons we can meet the needs of most applications and budgets.
- We have over 500 ZipShip™ products in stock and available for immediate shipment, ensuring quick and low-cost delivery.
- We have a dedicated Supplies R&D team and lab with a combined 30 years of experience committed to developing unique solutions for customers, in addition to providing diagnostic testing services.
- Can't find the product you need in stock? We pride ourselves on our extensive manufacturing capabilities, including printing, converting and finishing.
- We are ISO 9001:2008 certified. We have standard consistent processes in place that we must follow to ensure the creation of finished products that deliver high customer satisfaction.
- Our knowledgeable sales team has been extensively trained which allows them to quickly recommend materials and solutions that are best suited for the end-user's application.
- We offer several inventory management options, so you don't have to manage inventory.
- The Printhead Protection Program allows end-users to get free printheads when they exclusively utilize genuine Zebra supplies, giving you an advantage over the competition.

*For information on your printer media specifications, please refer to page 5.*

*Stock - ships within one business day, Made to order (MTO) - ships within 6 business days.*

*Prices effective December 2, 2013 - All prices and stocking locations are subject to change without notice.*

## Price List Updates

### **New Items**

#### Tabletop/Industrial Printer Media

Z-Perform 1000D Fanfold (page 6)  
10015366

Z-Perform 2000D (page 6)  
10015365

Z-Perform 2000D with Rubber Adhesive (page 6)  
10018341

Z-Perform 2000T with Rubber Adhesive (page 7)  
10018340

Z-Ultimate 2000T White (page 12)  
10018339  
10017522  
10017521

Z-Supreme 2000T White (page 14)  
10015787

Z-Slip (page 16)  
10006703

#### Desktop Printer Media

Z-Perform 2000D White Labels (page 18)  
10015781, 10015782, 10015783, 10015784, 10015785, 10015786

Z-Select 4000D 7.5 mil Tag (page 21)  
10015364

#### Mobile Printer Media

8000D Lab (page 30)  
10015772, 10015773, 10015774, 10017573, 10017574

PolyPro 4000D (page 31)  
10015778, 10015779, 10017577, 10017578, 10017581, 10017582

PolyPro 4000T (page 32)  
10015776, 10015777, 10017575, 10017576

#### Wristband Media – Tabletop/Industrial Printers

Z-Band Fusion (page 35)  
FID-ADULT-L3-3-500T

#### Wristband Media – RFID

UHF RFID Wristbands (page 45)  
10018345  
10018346K

HF RFID Wristbands (page 45)  
10018343  
10018344K

*For information on your printer media specifications, please refer to page 5.*

*Stock - ships within one business day, Made to order (MTO) - ships within 6 business days.*

*Prices effective December 2, 2013 - All prices and stocking locations are subject to change without notice.*

## Price List Updates

### ***New Items (cont.)***

#### **Wristband Media – Desktop Printers**

##### **Z-Band UltraSoft (page 38)**

10018856, 10018855, 10018857, 10019015

##### **Z-Band Fusion (page 39)**

FID-ADULT-L3-1-200T, FID-ADULT-L3C-1-200T, FID-PED-L3-1-200T, FID-BABY-L3-1-200T

#### **Wristband Media – HC100 Desktop Printers**

##### **Z-Band UltraSoft (page 41)**

10015355K, 10015356K, 10015357K, 10015358K, 10015355-2K, 10015355-3K, 10015355-5K

##### **Z-Band Fun (page 44)**

10012713-WK

#### **Wristband Media – Non-Printable**

##### **Alert Solutions**

###### **Spot Alert Labels (page 46)**

LB-ALERT-ALLERGY, LB-ALERT-FALLRISK, LB-ALERT-LATEXALLERGY,  
LB-ALERT-DNR-PUR, LB-ALERT-LIMBALERT, LB-ALERT-AZ

###### **Slim Alert Wristbands (page 46)**

PS-ALLERGY-RED, PS-FALLRISK-YEL, PS-LATEXALLERGY-GRE, PS-DNR-PUR,  
PS-LIMBALERT-PNK, PS-BLANK-PUR

###### **Tyvek® Alert Wristbands (page 46)**

TY-ALLERGY, TY-FALLRISK, TY-LATEXALLERGY, TY-DNR-PUR, TY-LIMBALERT,  
TY-ISOLATION, TY-NOSTICKNOBP, TY-OSARISK, TY-BLANK-SIL

##### **STATBand**

###### **Triage Band (page 47)**

SB-TRIAGE

###### **EMS Band (page 47)**

SB-EMS

###### **Evacuation Band (page 47)**

SB-E-VAC

###### **Rapid ID Band (page 47)**

SB-RAPID

##### **OmniBand (page 48)**

LB2-ADULT-WL3, LB2-ADULT-WL3-RED, LB2-ADULT-WL3-BLU, LB2-ADULT-WL3-ORA,  
LB2-PED-WL3

*For information on your printer media specifications, please refer to page 5.  
Stock - ships within one business day, Made to order (MTO) - ships within 6 business days.  
Prices effective December 2, 2013 - All prices and stocking locations are subject to change without notice.*

## Table of Contents

|                                   |       |
|-----------------------------------|-------|
| Printer Media Specifications..... | 5     |
| Tabletop/Industrial Media.....    | 6-16  |
| RFID Media.....                   | 17    |
| Desktop Media.....                | 18-24 |
| Kiosk Media.....                  | 25    |
| Mobile Media Reference Guide..... | 26-28 |
| Mobile Media .....                | 29-34 |
| Wristband Media.....              | 35-48 |
| Ribbon Overview.....              | 50-51 |
| Tabletop/Industrial Ribbons.....  | 52-58 |
| Desktop Ribbons.....              | 59-63 |
| Mobile Ribbons.....               | 64    |
| Specialty Ribbons.....            | 65    |
| Sample Media and Ribbons.....     | 66-67 |

## Printer Media Specifications

|                     |                                | Core Size  | Max OD | Min Media Width | Max Media Width | Min Label Caliper | Max Label Caliper |
|---------------------|--------------------------------|------------|--------|-----------------|-----------------|-------------------|-------------------|
|                     | Printer                        | Inches     | Inches | Inches          | Inches          | Mil*              | Mil*              |
| Tabletop/Industrial | S4M™                           | 1/3        | 6/8    | 0.75            | 4.50            | 3                 | 10                |
|                     | Z4MPlus™                       | 3          | 8      | 1.00            | 4.50            | 2.3               | 10                |
|                     | Z6MPlus™                       | 3          | 8      | 2.00            | 7.00            | 2.3               | 10                |
|                     | ZM400™                         | 3          | 8      | 1.00            | 4.25            | 2.3               | 10                |
|                     | ZM600™                         | 3          | 8      | 2.00            | 6.75            | 2.3               | 10                |
|                     | 105SL™ / 105SLPlus™            | 3          | 8      | 0.79            | 4.50            | 3                 | 12                |
|                     | 110XiIIIPlus™ / 110Xi4™        | 3          | 8      | 0.79            | 4.50            | 3                 | 12                |
|                     | 140XiIIIPlus™ / 140Xi4™        | 3          | 8      | 1.57            | 5.50            | 3                 | 12                |
|                     | 170XiIIIPlus™ / 170Xi4™        | 3          | 8      | 2.00            | 7.10            | 3                 | 12                |
|                     | 220XiIIIPlus™ / 220Xi4™        | 3          | 8      | 4.25            | 8.80            | 3                 | 12                |
| ZT220™ / ZT230™     | 1/3                            | 6/8        | 0.75   | 4.50            | 3               | 10                |                   |
| Desktop             | LP/TLP 2824™ Series            | 1/1.5      | 5      | 1.00            | 2.36            | 3                 | 7.5               |
|                     | LP/TLP 2824 Plus™              | 1/1.5      | 5      | 1.00            | 2.36            | 3                 | 7                 |
|                     | LP/TLP 2844™ Series            | 1/1.5      | 5      | 1.00            | 4.25            | 3                 | 7.5               |
|                     | TLP 3842™                      | 1          | 5      | 1.00            | 4.25            | 3                 | 7.5               |
|                     | TLP 3844-Z™                    | 1/1.5      | 5      | 1.00            | 4.25            | 3                 | 7.5               |
|                     | GK-Series™/GX-Series™          | 1/1.5      | 5      | 0.75            | 4.25            | 3                 | 7.5               |
|                     | GC420d™/GC420t™                | 1/1.5      | 5      | 1.00            | 4.25            | 3                 | 7                 |
| GT800™^             | 1/1.5                          | 5          | 0.75   | 4.49            | 3               | 7                 |                   |
| Mobile              | QL 220™ / QL 220 Plus™         | 0.75       | 2.2    | 0.63            | 2.18            | 2.5               | 6.5               |
|                     | QL 320 Plus™                   | 0.75       | 2.63   | 1.25            | 3.12            | 2.5               | 6.5               |
|                     | QL 420 Plus™                   | 0.75       | 2.63   | 2.00            | 4.12            | 2.5               | 6.5               |
|                     | RW 220™                        | 0.75       | 2.25   | 1.00            | 2.37            | 2                 | 6.3               |
|                     | RW 420™ / RW420™ Print Station | 0.75       | 2.25   | 2.00            | 4.12            | 2                 | 6.3               |
|                     | P4T™                           | 0.75       | 2.6    | 2.00            | 4.12            | 3.2               | 8.5               |
|                     | EM220™                         | 0.5        | 1.57   | 2.08            | 2.28            | 2                 | 4                 |
|                     | MZ 220™/iMZ220™                | 0.5/0.75   | 1.88   | 1.00            | 2.00            | 2                 | 4                 |
|                     | MZ 320™/iMZ320™                | 0.5/0.75   | 1.88   | 1.00            | 3.00            | 2                 | 4                 |
|                     | QLn220™                        | 0.75/1.375 | 2.2    | 0.63            | 2.18            | 2.3               | 5.5               |
|                     | QLn320™                        | 0.75/1.375 | 2.6    | 1.00            | 3.12            | 2.3               | 6.5               |
| QLn420™             | 0.75/1.375                     | 2.6        | 2.00   | 4.40            | 3.2             | 7.5               |                   |
| Specialty           | R110Xi™ / R110Xi HF™           | 3          | 8      | 0.79            | 4.50            | 3                 | 12                |
|                     | R170Xi™                        | 3          | 8      | 2               | 6.60            | 3                 | 12                |
|                     | R110PAX4™ / 110PAX4™           | 3          | Varies | 0.63            | 4.50            | 5.8               | 10                |
|                     | R2844-Z™                       | 1/1.5      | 5      | 1               | 4.25            | 3                 | 7.5               |
|                     | R4Mplus™                       | 3          | 8      | 1               | 4.25            | 2.3               | 10                |
|                     | RZ400                          | 3          | 8      | 1               | 4.25            | 2.3               | 10                |
|                     | RZ600                          | 3          | 8      | 1               | 6.75            | 2.3               | 10                |
|                     | 170PAX4™                       | 3          | Varies | 3               | 7.10            | 3                 | 12                |
|                     | ZE500™                         | Varies     | Varies | 0.63            | 4.50            | 5.3               | 10                |
|                     | ZD500R™                        | 1          | 5      | 0.75            | 4.25            | 3                 | 12                |
| RP4T™               | 1.375                          | 2.6        | 2      | 4.12            | 3.2             | 8.5               |                   |

Please contact your media specialist for specific questions regarding printers not listed above & check printer specifications before ordering supplies. Kiosk printers include TTP 1000, 2000, 7000, & 8000 Series, TTP 5250, KR203 and KR403. Kiosk printers can accommodate various roll sizes and widths depending on the configuration.

\*1 mil = 0.001 inches

^Available in Latin America and China only

For information on your printer media specifications, please refer to page 5.

Stock - ships within one business day, Made to order (MTO) - ships within 6 business days.

Prices effective December 2, 2013 - All prices and stocking locations are subject to change without notice.

Need a custom solution? Call for a quote today: +1 866 230 9495

Part #13746L

## Tabletop/Industrial Printers

### Z-Perform 1000D

A standard, direct thermal, bright white, uncoated, paper label with a permanent acrylic adhesive. Ideal for direct thermal paper applications that require limited durability.

3" ID 8" OD

| Size |   |      | Part #     | Labels   | Rolls/ | Carton  | WI | GA | TX | CA |
|------|---|------|------------|----------|--------|---------|----|----|----|----|
| W    | x | L    |            | Per Roll | Carton | Weight  |    |    |    |    |
| 3    | x | 1    | 10000303*  | 5,500    | 6      | 26 lbs. | x  |    | x  | x  |
| 4    | x | 2    | 10003051*  | 2,760    | 4      | 26 lbs. | x  | x  | x  | x  |
| 4    | x | 3    | 10000302*  | 2,000    | 4      | 26 lbs. | x  |    | x  | x  |
| 4    | x | 6    | 10000301*  | 1,000    | 4      | 26 lbs. | x  | x  | x  | x  |
| 4    | x | 6    | 10015366** | 2,000    | 2      | 30 lbs. | x  |    |    |    |
| 4    | x | 6.50 | 10000300*  | 900      | 4      | 26 lbs. | x  |    |    |    |

\* Perforation between labels    \*\* Fanfold

### Z-Perform 2000D

A standard, direct thermal, bright white, coated, paper label with an all-temp permanent acrylic adhesive that survives at temperatures as low as -65° F and can be applied at temperatures as low as -40° F.

3" ID 8" OD

| Size |   |      | Part #    | Labels   | Rolls/ | Carton  | WI | GA | TX | CA |
|------|---|------|-----------|----------|--------|---------|----|----|----|----|
| W    | x | L    |           | Per Roll | Carton | Weight  |    |    |    |    |
| 2    | x | 1    | 10000298* | 5,500    | 8      | 26 lbs. | x  | x  |    | x  |
| 2.25 | x | 1.25 | 10000297* | 4,350    | 8      | 27 lbs. |    | x  |    |    |
| 3    | x | 1    | 10000296* | 5,500    | 6      | 26 lbs. | x  | x  |    | x  |
| 3    | x | 2    | 10000295* | 2,750    | 6      | 26 lbs. |    | x  |    | x  |
| 4    | x | 2    | 10012164  | 2,720    | 4      | 26 lbs. |    |    |    | x  |
| 4    | x | 2    | 10015365* | 2,719    | 4      | 26 lbs. | x  |    |    |    |
| 4    | x | 2.50 | 10000294* | 2,280    | 4      | 26 lbs. | x  | x  |    | x  |
| 4    | x | 3    | 10000293* | 2,000    | 4      | 26 lbs. | x  | x  | x  | x  |
| 4    | x | 4    | 10000292* | 1,500    | 4      | 26 lbs. |    | x  | x  | x  |
| 4    | x | 6    | 10000290* | 1,000    | 4      | 26 lbs. | x  | x  | x  | x  |
| 4    | x | 6.50 | 10000289* | 900      | 4      | 26 lbs. | x  | x  |    | x  |

\* Perforation between labels

### Z-Perform 2000D with Rubber Adhesive

A direct thermal, smooth paper label with a permanent rubber adhesive. Ideal for applications such as packaging, compliance labeling and work-in-process labeling.

3" ID 8" OD

| Size |   |   | Part #    | Labels   | Rolls/ | Carton  | WI | GA | TX | CA |
|------|---|---|-----------|----------|--------|---------|----|----|----|----|
| W    | x | L |           | Per Roll | Carton | Weight  |    |    |    |    |
| 4    | x | 6 | 10018341* | 1,000    | 4      | 26 lbs. | x  | x  | x  | x  |

\* Perforation between labels

For information on your printer media specifications, please refer to page 5.

Stock - ships within one business day, Made to order (MTO) - ships within 6 business days.

Prices effective December 2, 2013 - All prices and stocking locations are subject to change without notice.

## Tabletop/Industrial Printers

### Z-Perform 2000T

A standard, thermal transfer, bright white, coated, smooth paper label with a permanent acrylic adhesive. Offers excellent print quality for printing up to 12 inches per second.

3" ID 8" OD

| W   | Size |      | Part #     | Labels<br>Per Roll | Rolls/<br>Carton | Carton<br>Weight | WI | GA | TX | CA |
|-----|------|------|------------|--------------------|------------------|------------------|----|----|----|----|
|     | x    | L    |            |                    |                  |                  |    |    |    |    |
| 2   | x    | 1    | 10000288*  | 5,500              | 10               | 31 lbs.          | x  | x  | x  | x  |
| 3   | x    | 1    | 10000287*  | 5,500              | 6                | 27 lbs.          | x  | x  | x  | x  |
| 3   | x    | 2    | 10000286*  | 2,750              | 6                | 27 lbs.          | x  | x  | x  | x  |
| 3   | x    | 5    | 10010242*  | 1,200              | 6                | 27 lbs.          | x  |    | x  | x  |
| 3.5 | x    | 1    | 10010243*  | 5,470              | 4                | 27 lbs.          | x  |    |    |    |
| 4   | x    | 1    | 10010244*  | 5,470              | 4                | 27 lbs.          | x  |    |    | x  |
| 4   | x    | 2    | 10000285*  | 2,750              | 4                | 23 lbs.          | x  | x  | x  | x  |
| 4   | x    | 3    | 10000284*  | 2,000              | 4                | 27 lbs.          | x  | x  | x  | x  |
| 4   | x    | 4    | 10000283*  | 1,500              | 4                | 27 lbs.          | x  | x  | x  | x  |
| 4   | x    | 6    | 10000281*  | 1,000              | 4                | 27 lbs.          | x  | x  | x  | x  |
| 4   | x    | 6    | 10000299** | 2,000              | 2                | 26 lbs.          | x  | x  |    | x  |
| 4   | x    | 6.50 | 10000280*  | 900                | 4                | 27 lbs.          | x  | x  | x  | x  |
| 4   | x    | 8    | 10014013*  | 750                | 4                | 27 lbs.          | x  |    |    | x  |

\* Perforation between labels    \*\* Fanfold

### Z-Perform 2000T with Rubber Adhesive

A standard, thermal transfer, smooth paper label with a permanent rubber adhesive. Recommended for printing applications up to 12 inches per second.

3" ID 8" OD

| W | Size |   | Part #    | Labels<br>Per Roll | Rolls/<br>Carton | Carton<br>Weight | WI | GA | TX | CA |
|---|------|---|-----------|--------------------|------------------|------------------|----|----|----|----|
|   | x    | L |           |                    |                  |                  |    |    |    |    |
| 4 | x    | 6 | 10018340* | 1,000              | 4                | 26 lbs.          | x  | x  | x  | x  |

\* Perforation between labels

For information on your printer media specifications, please refer to page 5.

Stock - ships within one business day, Made to order (MTO) - ships within 6 business days.

Prices effective December 2, 2013 - All prices and stocking locations are subject to change without notice.



## Tabletop/Industrial Printers

### Z-Perform 2000T Floodcoated

A standard, thermal transfer, bright white, coated, smooth paper label with a permanent acrylic adhesive. Offers excellent print quality for printing up to 8 inches per second.

3" ID 8" OD

| Size |   |     | Part #      | Color  | Labels<br>Per Roll | Rolls/<br>Carton | Carton<br>Weight | WI | GA | TX | CA |
|------|---|-----|-------------|--------|--------------------|------------------|------------------|----|----|----|----|
| W    | x | L   |             |        |                    |                  |                  |    |    |    |    |
| 4    | x | 3   | 10006209-1* | Yel.   | 1,840              | 4                | 27 lbs.          | x  | x  |    |    |
| 4    | x | 3   | 10006209-3* | Pink   | 1,840              | 4                | 27 lbs.          | x  |    |    |    |
| 4    | x | 6   | 10006208*   | Blue   | 1,000              | 4                | 27 lbs.          | x  | x  |    |    |
| 4    | x | 6   | 10006208-1* | Yel.   | 1,000              | 4                | 27 lbs.          | x  | x  |    |    |
| 4    | x | 6   | 10006208-2* | Grn.   | 1,000              | 4                | 27 lbs.          | x  |    |    |    |
| 4    | x | 6   | 10006208-4* | Org.   | 1,000              | 4                | 27 lbs.          | x  | x  |    |    |
| 4    | x | 6   | 10006208-5* | Red    | 1,000              | 4                | 27 lbs.          | x  |    |    |    |
| 4    | x | 6   | 10006208-7* | Fl.Or. | 1,000              | 4                | 27 lbs.          | x  |    |    |    |
| 4    | x | 6.5 | 10005725-1* | Yel.   | 900                | 4                | 27 lbs.          | x  |    |    |    |

\* Perforation between labels      Colors/PMS: Fluorescent Orange/804, Blue/ 290, Yellow/Pantone Yellow, Green/ 365, Red/185, Pink/1767, Orange/021

### Z-Perform 1000T 7.5 mil Tag

A standard, thermal transfer, bright white, uncoated, 7.5 mil paper tag.

3" ID 8" OD

| Size |   |      | Part #   | Tags<br>Per Roll | Rolls/<br>Carton | Carton<br>Weight | WI | GA | TX | CA |
|------|---|------|----------|------------------|------------------|------------------|----|----|----|----|
| W    | x | L    |          |                  |                  |                  |    |    |    |    |
| 3    | x | 1.25 | 67251**^ | 3,750            | 6                | 24 lbs.          | x  | x  |    |    |
| 3.25 | x | 5    | 65156*   | 1,030            | 6                | 26 lbs.          | x  |    |    |    |

All tags contain side sensing notch.    ^ Contains a left-centered hole and right vertical perforation    \*Perforation between tags

| Size |   |      | Part # | Tags<br>Per Roll | Rolls/<br>Carton | Carton<br>Weight | WI | GA | TX | CA |
|------|---|------|--------|------------------|------------------|------------------|----|----|----|----|
| W    | x | L    |        |                  |                  |                  |    |    |    |    |
| 3.25 | x | 7.38 | 67850* | 860              | 4                | 25 lbs.          | x  |    |    |    |

Fanfold and side sensing notch \*Perforation between tags

## Tabletop/Industrial Printers

### Z-Select 4000D

A premium, direct thermal, bright white, coated, paper label with an all-temp permanent acrylic-based adhesive that survives at temperatures as low as -65° F and can be applied at temperatures as low as -20° F.

3" ID 8" OD

| Size |   |      | Part #      | Labels   | Rolls/ | Carton  | WI | GA | TX | CA |
|------|---|------|-------------|----------|--------|---------|----|----|----|----|
| W    | x | L    |             | Per Roll | Carton | Weight  |    |    |    |    |
| 1.50 | x | 1    | 88686       | 5,120    | 14     | 29 lbs. | x  | x  |    | x  |
| 2    | x | 1    | 72275       | 4,620    | 8      | 22 lbs. | x  |    | x  | x  |
| 2.25 | x | 1.25 | 72276       | 3,770    | 8      | 24 lbs. | x  |    | x  | x  |
| 2.25 | x | 1.25 | 10002635*   | 3,770    | 8      | 16 lbs. | x  |    | x  |    |
| 2.25 | x | 2.50 | 72277       | 1,980    | 8      | 24 lbs. | x  |    |    |    |
| 2.25 | x | 4    | 72278       | 1,260    | 8      | 25 lbs. | x  | x  |    |    |
| 3    | x | 1    | 74569       | 5,120    | 6      | 24 lbs. | x  |    | x  |    |
| 3    | x | 2    | 98958*      | 2,710    | 6      | 26 lbs. | x  |    | x  |    |
| 3    | x | 3    | 84086       | 1,840    | 6      | 27 lbs. | x  |    |    | x  |
| 3.50 | x | 1    | 75856       | 5,120    | 6      | 29 lbs. | x  |    | x  | x  |
| 4    | x | 1.50 | 10015348*   | 4,225    | 4      | 25 lbs. | x  |    |    | x  |
| 4    | x | 2.50 | 72344       | 2,220    | 4      | 25 lbs. | x  |    | x  | x  |
| 4    | x | 3    | 800740-305* | 2,238    | 4      | 25 lbs. | x  |    | x  |    |
| 4    | x | 4    | 82801       | 1,400    | 4      | 25 lbs. |    |    | x  | x  |
| 4    | x | 6    | 72345       | 950      | 4      | 25 lbs. | x  | x  |    | x  |
| 4    | x | 6    | 98959*      | 940      | 4      | 25 lbs. | x  |    | x  | x  |
| 4    | x | 6    | 83398**     | 720      | 6      | 28 lbs. | x  |    |    |    |
| 4    | x | 6.50 | 117945      | 870      | 4      | 25 lbs. |    |    | x  |    |

\* Perforation between labels      \*\* Fanfold

For information on your printer media specifications, please refer to page 5.  
 Stock - ships within one business day, Made to order (MTO) - ships within 6 business days.  
 Prices effective December 2, 2013 - All prices and stocking locations are subject to change without notice.

## Tabletop/Industrial Printers

### Z-Select 4000T

A premium, thermal transfer, bright white, coated, ultra-smooth, paper label with a permanent acrylic adhesive.

3" ID 8" OD

| Size |   |       | Part #      | Labels   | Rolls/ | Carton  | WI | GA | TX | CA |
|------|---|-------|-------------|----------|--------|---------|----|----|----|----|
| W    | x | L     |             | Per Roll | Carton | Weight  |    |    |    |    |
| 1.50 | x | 1     | 72280       | 5,180    | 14     | 30 lbs. | x  | x  |    | x  |
| 2    | x | 1     | 72281       | 5,180    | 10     | 29 lbs. | x  | x  | x  | x  |
| 2.25 | x | 0.75  | 800622-075* | 7,995    | 4      | 14 lbs. | x  |    |    |    |
| 2.25 | x | 1.25  | 800622-125* | 5,087    | 4      | 16 lbs. | x  |    |    | x  |
| 2.25 | x | 1.25  | 72283       | 4,240    | 8      | 26 lbs. | x  | x  |    | x  |
| 2.25 | x | 2     | 800622-205* | 3,292    | 4      | 16 lbs. | x  |    |    |    |
| 2.75 | x | 1.25  | 72282       | 4,240    | 8      | 31 lbs. | x  | x  |    | x  |
| 3    | x | 1     | 72284       | 5,180    | 6      | 25 lbs. | x  | x  |    | x  |
| 3    | x | 2     | 72285       | 2,740    | 6      | 27 lbs. | x  | x  |    | x  |
| 3    | x | 5     | 72993       | 1,100    | 6      | 28 lbs. | x  | x  |    | x  |
| 3    | x | 6     | 81397*      | 910      | 6      | 26 lbs. | x  |    | x  |    |
| 3.25 | x | 2     | 72974       | 2,700    | 6      | 30 lbs. | x  |    |    |    |
| 3.25 | x | 5.50  | 72286       | 1,040    | 6      | 30 lbs. | x  | x  |    | x  |
| 3.25 | x | 5,831 | 72287       | Cont.    | 6      | 35 lbs. |    | x  |    |    |
| 3.50 | x | 1     | 72288       | 5,180    | 6      | 28 lbs. | x  | x  |    |    |
| 4    | x | 1     | 92071*      | 4,970    | 4      | 23 lbs. | x  | x  | x  |    |
| 4    | x | 1.50  | 800640-155* | 4,225    | 4      | 23 lbs. | x  | x  | x  | x  |
| 4    | x | 2     | 72289       | 2,740    | 4      | 23 lbs. | x  | x  |    | x  |
| 4    | x | 2.50  | 94681*      | 2,130    | 4      | 23 lbs. | x  |    | x  |    |
| 4    | x | 2.50  | 72290       | 2,220    | 4      | 25 lbs. | x  | x  |    | x  |
| 4    | x | 3     | 72291       | 1,870    | 4      | 25 lbs. | x  | x  |    | x  |
| 4    | x | 3     | 800640-305* | 2,238    | 4      | 25 lbs. | x  |    |    | x  |
| 4    | x | 4     | 800640-405* | 1,696    | 4      | 26 lbs. | x  |    | x  | x  |
| 4    | x | 4     | 72292       | 1,410    | 4      | 26 lbs. | x  | x  |    | x  |
| 4    | x | 5     | 800640-505* | 1,365    | 4      | 26 lbs. | x  |    | x  |    |
| 4    | x | 6     | 72353       | 950      | 4      | 26 lbs. | x  | x  |    | x  |
| 4    | x | 6     | 72295**     | 900      | 6      | 35 lbs. | x  |    | x  |    |
| 4    | x | 6     | 72294*      | 950      | 4      | 26 lbs. | x  | x  | x  | x  |
| 4    | x | 6.50  | 73298*      | 840      | 4      | 26 lbs. | x  | x  | x  |    |
| 4    | x | 6.50  | 72296       | 880      | 4      | 26 lbs. |    | x  |    | x  |
| 4    | x | 8     | 98963*      | 690      | 4      | 26 lbs. |    | x  | x  |    |
| 4    | x | 10    | 94682*      | 550      | 4      | 26 lbs. | x  |    |    |    |
| 4    | x | 13    | 72297       | 440      | 4      | 26 lbs. | x  |    |    | x  |
| 4    | x | 5,592 | 98962       | Cont.    | 4      | 26 lbs. | x  |    |    |    |
| 5    | x | 2.50  | 72298       | 2,220    | 4      | 32 lbs. | x  |    |    |    |
| 5    | x | 6     | 72301       | 960      | 4      | 32 lbs. | x  |    | x  | x  |
| 5    | x | 5,831 | 72300       | Cont.    | 4      | 32 lbs. | x  |    |    |    |
| 6    | x | 4     | 72354       | 1,410    | 2      | 18 lbs. | x  |    |    |    |
| 6    | x | 4     | 73909*      | 1,360    | 2      | 18 lbs. | x  |    |    |    |
| 6    | x | 8     | 94683*      | 690      | 2      | 18 lbs. | x  |    | x  |    |
| 6.50 | x | 4     | 72302       | 1,410    | 2      | 18 lbs. | x  |    |    | x  |

\* Perforation between labels    \*\* Fanfold

For information on your printer media specifications, please refer to page 5.

Stock - ships within one business day, Made to order (MTO) - ships within 6 business days.

Prices effective December 2, 2013 - All prices and stocking locations are subject to change without notice.

## Tabletop/Industrial Printers

### Z-Select 4000T Removable

A premium, thermal transfer, bright white, coated paper label with a removable acrylic adhesive.

3" ID 8" OD

| Size |   |   | Part #    | Labels   | Rolls/ | Carton  | WI | GA | TX | CA |
|------|---|---|-----------|----------|--------|---------|----|----|----|----|
| W    | x | L |           | Per Roll | Carton | Weight  |    |    |    |    |
| 4    | x | 6 | 10005486* | 1000     | 4      | 27 lbs. | x  |    |    |    |

\* Perforation between labels

### Z-Select 4000T 7.0 mil Tag

A premium, thermal transfer, bright white, coated, 7.0 mil, paper tag.

3" ID 8" OD

| Size |   |   | Part # | Tags     | Rolls/ | Carton  | WI | GA | TX | CA |
|------|---|---|--------|----------|--------|---------|----|----|----|----|
| W    | x | L |        | Per Roll | Carton | Weight  |    |    |    |    |
| 4    | x | 6 | 72352* | 860      | 4      | 22 lbs. | x  | x  | x  | x  |

Tags have side sensing notch. \* Perforation between tags.

### Z-Select 4000T All-Temp

A premium, thermal transfer, bright white, coated, ultra-smooth, paper label with an all-temp permanent acrylic adhesive that survives at temperatures as low as -65° F and can be applied at temperatures as low as -20° F.

3" ID 8" OD

| Size |   |       | Part # | Labels   | Rolls/ | Carton  | WI | GA | TX | CA |
|------|---|-------|--------|----------|--------|---------|----|----|----|----|
| W    | x | L     |        | Per Roll | Carton | Weight  |    |    |    |    |
| 2    | x | 5.50  | 72305  | 1,050    | 10     | 31 lbs. |    | x  |    |    |
| 2.75 | x | 1.25  | 72369  | 4,240    | 8      | 32 lbs. | x  |    |    |    |
| 3    | x | 5     | 97477* | 1,100    | 6      | 26 lbs. | x  |    |    |    |
| 3.25 | x | 5.50  | 72371  | 1,040    | 6      | 32 lbs. | x  |    |    |    |
| 3.25 | x | 5.831 | 72372  | Cont.    | 6      | 35 lbs. | x  |    |    |    |
| 3.50 | x | 1     | 72373  | 5,180    | 6      | 30 lbs. | x  |    |    |    |
| 4    | x | 2.50  | 72374  | 2,220    | 4      | 25 lbs. | x  |    |    |    |
| 4    | x | 6     | 72377  | 950      | 4      | 25 lbs. | x  |    |    |    |
| 4    | x | 6     | 72376* | 950      | 4      | 25 lbs. | x  | x  |    | x  |
| 4    | x | 6.50  | 72378  | 880      | 4      | 25 lbs. | x  |    |    |    |
| 5    | x | 3     | 94684* | 1,760    | 4      | 28 lbs. | x  |    |    |    |

\* Perforation between labels

For information on your printer media specifications, please refer to page 5.  
 Stock - ships within one business day, Made to order (MTO) - ships within 6 business days.  
 Prices effective December 2, 2013 - All prices and stocking locations are subject to change without notice.

## Tabletop/Industrial Printers

### Z-Ultimate 2000T White

A thermal transfer, pearl white, gloss polyester label with a high performance permanent acrylic adhesive that provides unparalleled smear and scratch resistance, resistance to moderate chemicals and up to 3 years outdoors. UL recognized for indoor use when used with compatible genuine Zebra resin ribbons.

3" ID 8" OD Max

| Size   |   |        | Part #    | Labels |          | Rolls/<br>Carton | Carton<br>Weight | WI | GA | TX | CA |
|--------|---|--------|-----------|--------|----------|------------------|------------------|----|----|----|----|
| W      | x | L      |           | Across | Per Roll |                  |                  |    |    |    |    |
| 0.25   | x | 0.25   | 10011965* | 8      | 10,000   | 4                | 12 lbs.          | M  |    |    |    |
| 0.25   | x | 0.25   | 10011966* | 3      | 10,002   | 4                | 9 lbs.           | M  |    |    |    |
| 0.3125 | x | 0.3125 | 10011967* | 2      | 10,000   | 4                | 9 lbs.           | M  |    |    |    |
| 0.375  | x | 0.375  | 10011968* | 6      | 11,964   | 4                | 16 lbs.          | M  |    |    |    |
| 0.5    | x | 0.25   | 10011969* | 6      | 9,996    | 4                | 16 lbs.          | M  |    |    |    |
| 0.5    | x | 0.4375 | 10011970* | 4      | 10,000   | 4                | 12 lbs.          |    |    |    | M  |
| 0.5    | x | 0.5    | 10011971* | 4      | 10,000   | 4                | 12 lbs.          | M  |    |    |    |
| 0.75   | x | 0.25   | 10011972* | 4      | 10,000   | 4                | 20 lbs.          | M  |    |    |    |
| 0.75   | x | 0.75   | 10011973* | 4      | 10,000   | 4                | 20 lbs.          | M  |    |    |    |
| 1      | x | 0.25   | 10011974* | 3      | 10,002   | 4                | 20 lbs.          | M  |    |    |    |
| 1      | x | 0.25   | 10011975* | 1      | 16,456   | 4                | 9 lbs.           | M  |    |    |    |
| 1      | x | 0.375  | 10011976* | 3      | 10,002   | 4                | 20 lbs.          | M  |    |    |    |
| 1      | x | 0.5    | 10008510* | 1      | 9,420    | 4                | 9 lbs.           | x  | x  |    |    |
| 1      | x | 1      | 10011977* | 3      | 16,455   | 4                | 20 lbs.          | M  |    |    |    |
| 1.25   | x | 0.375  | 10011978* | 1      | 12,342   | 4                | 20 lbs.          | M  |    |    |    |
| 1.5    | x | 0.25   | 10011979* | 3      | 10,002   | 4                | 30 lbs.          |    |    |    | M  |
| 1.5    | x | 0.5    | 10008511* | 1      | 9,420    | 4                | 9 lbs.           | x  |    |    |    |
| 1.5    | x | 1      | 10011981* | 1      | 5,486    | 4                | 9 lbs.           | M  |    |    |    |
| 1.75   | x | 0.25   | 10011982* | 1      | 16,456   | 4                | 9 lbs.           | M  |    |    |    |
| 2      | x | 0.25   | 10011983* | 1      | 16,456   | 4                | 12 lbs.          | M  |    |    |    |
| 2      | x | 0.375  | 10011984* | 2      | 10,000   | 4                | 30 lbs.          |    |    |    | M  |
| 2      | x | 0.5    | 10011985* | 1      | 9,874    | 4                | 12 lbs.          | M  |    |    |    |
| 2      | x | 1      | 10008512* | 1      | 5,570    | 4                | 12 lbs.          | x  | x  |    |    |
| 2.75   | x | 1.25   | 10008513* | 1      | 4,270    | 4                | 16 lbs.          | x  | x  |    | x  |
| 3      | x | 1      | 10011691* | 1      | 5,240    | 4                | 20 lbs.          | x  |    | x  | x  |
| 3      | x | 2      | 10008514* | 1      | 2,950    | 4                | 20 lbs.          | x  |    | x  | x  |
| 3      | x | 3      | 10008515* | 1      | 1,880    | 4                | 20 lbs.          | x  |    |    |    |
| 4      | x | 1      | 10017522* | 1      | 5,500    | 4                | 32 lbs.          | x  |    |    |    |
| 4      | x | 1.5    | 10018339* | 1      | 3,800    | 4                | 32 lbs.          | x  |    |    |    |
| 4      | x | 2      | 10002634* | 1      | 2,950    | 4                | 32 lbs.          | x  | x  |    |    |
| 4      | x | 2.5    | 10008516* | 1      | 2,240    | 4                | 32 lbs.          | x  | x  | x  |    |
| 4      | x | 3      | 10017521* | 1      | 2,000    | 4                | 32 lbs.          | x  |    |    |    |
| 4      | x | 4      | 10008517* | 1      | 1,520    | 4                | 32 lbs.          | x  |    |    |    |
| 4      | x | 6      | 10008518* | 1      | 960      | 4                | 32 lbs.          | x  |    |    |    |

\* Perforation between labels

M = Made to order  
(1 case minimum order)

## Tabletop/Industrial Printers

### Z-Ultimate 3000T White

A thermal transfer, pearl white, gloss polyester label with a high performance permanent acrylic adhesive that provides unparalleled smear and scratch resistance, resistance to moderate chemicals and up to 3 years outdoors. UL/cUL recognized for indoor and outdoor use when used with compatible genuine Zebra resin ribbons.

3" ID 8" OD

| Size |   |       | Part #    | Labels   | Rolls/ | Carton  | WI | GA | TX | CA |
|------|---|-------|-----------|----------|--------|---------|----|----|----|----|
| W    | x | L     |           | Per Roll | Carton | Weight  |    |    |    |    |
| 1.25 | x | 0.25  | 10011692  | 15,710   | 4      | 8 lbs.  | x  |    |    | x  |
| 1.50 | x | 0.50  | 10011693  | 9,420    | 4      | 8 lbs.  | x  | x  |    | x  |
| 1.75 | x | 0.75  | 10011694* | 7,160    | 4      | 8 lbs.  | x  |    |    |    |
| 2    | x | 0.375 | 10011695  | 10,000   | 4      | 10 lbs. | x  |    |    |    |
| 2    | x | 0.50  | 10011696  | 10,000   | 4      | 10 lbs. | x  |    |    |    |
| 2    | x | 1     | 10011697* | 5,570    | 4      | 10 lbs. | x  |    |    | x  |
| 2    | x | 1.25  | 10011698  | 4,270    | 4      | 10 lbs. |    | x  |    | x  |
| 2    | x | 4     | 10011699  | 1,570    | 4      | 10 lbs. | x  |    |    |    |
| 2.50 | x | 0.50  | 10011700* | 10,020   | 4      | 16 lbs. | x  |    |    |    |
| 2.75 | x | 1.25  | 10011701  | 4,270    | 4      | 16 lbs. | x  | x  |    | x  |
| 3    | x | 1     | 10011702  | 5,240    | 4      | 20 lbs. | x  | x  | x  | x  |
| 3    | x | 2     | 10011703* | 2,950    | 4      | 20 lbs. | x  |    |    | x  |
| 3    | x | 3     | 10011704  | 1,880    | 4      | 20 lbs. |    | x  | x  | x  |
| 3.50 | x | 1     | 10011705* | 5,570    | 4      | 20 lbs. | x  |    |    |    |
| 4    | x | 2     | 18951*    | 2,950    | 4      | 32 lbs. | x  | x  |    | x  |
| 4    | x | 2.50  | 65816     | 2,240    | 4      | 32 lbs. | x  |    |    | x  |
| 4    | x | 4     | 94688*    | 1,520    | 4      | 32 lbs. | x  |    |    |    |
| 4    | x | 6     | 66458     | 960      | 4      | 32 lbs. | x  | x  |    | x  |

\* Perforation between labels

### Z-Ultimate 4000T White

A thermal transfer, pearl white, gloss polyester label with a high performance permanent acrylic adhesive that provides unparalleled smear and scratch resistance, resistance to moderate chemicals and up to 3 years outdoors. UL/cUL recognized for indoor and outdoor use when used with compatible genuine Zebra resin ribbons.

3" ID 8" OD

| Size |   |      | Part #    | Labels   | Rolls/ | Carton  | WI | GA | TX | CA |
|------|---|------|-----------|----------|--------|---------|----|----|----|----|
| W    | x | L    |           | Per Roll | Carton | Weight  |    |    |    |    |
| 1.50 | x | 0.50 | 10011706* | 9,420    | 4      | 8 lbs.  | x  |    |    |    |
| 2    | x | 0.50 | 10011707* | 10,000   | 4      | 10 lbs. | x  |    |    |    |
| 2    | x | 1    | 10011708* | 5,570    | 4      | 10 lbs. | x  |    | x  |    |
| 3    | x | 1    | 10011709* | 5,240    | 4      | 20 lbs. | x  |    |    | x  |
| 3    | x | 3    | 10011710* | 1,880    | 4      | 20 lbs. | x  |    |    |    |
| 4    | x | 2.50 | 10002627* | 2,240    | 4      | 32 lbs. | x  |    |    |    |
| 4    | x | 6    | 10002628* | 960      | 4      | 32 lbs. | x  | x  |    | x  |

\* Perforation between labels

For information on your printer media specifications, please refer to page 5.  
 Stock - ships within one business day, Made to order (MTO) - ships within 6 business days.  
 Prices effective December 2, 2013 - All prices and stocking locations are subject to change without notice.

## Tabletop/Industrial Printers

### Z-Ultimate 4000T High Tack White

A thermal transfer, pearl white, gloss polyester label with a high-tack permanent acrylic adhesive that provides unparalleled smear and scratch resistance, resistance to moderate chemicals and up to 3 years outdoors. UL/cUL recognized for indoor and outdoor use when used with compatible genuine Zebra resin ribbons.

3" ID 8" OD

| W | Size |   | Part #    | Labels   |  | Rolls/<br>Carton | Carton<br>Weight | WI | GA | TX | CA |
|---|------|---|-----------|----------|--|------------------|------------------|----|----|----|----|
|   | x    | L |           | Per Roll |  |                  |                  |    |    |    |    |
| 2 | x    | 1 | 10008521* | 4,300    |  | 4                | 12 lbs.          | x  |    |    |    |
| 3 | x    | 1 | 10014014* | 4,300    |  | 4                | 20 lbs.          | x  |    |    |    |
| 3 | x    | 2 | 10008520* | 2,280    |  | 4                | 20 lbs.          | x  |    |    | x  |
| 4 | x    | 6 | 10008519* | 790      |  | 4                | 32 lbs.          | x  |    |    | x  |

\* Perforation between labels

### Z-Supreme 2000T White

A thermal transfer, white gloss, polyimide label with a high-temp permanent acrylic adhesive that provides resistance to temperatures up to 500°F. UL recognized for indoor use when used with compatible genuine Zebra resin ribbons. Recommended for use with 110XiIII Plus™/110Xi4™ 600 dpi printers.

3" ID 8" OD

| W    | Size |      | Part #    | Labels |          | Rolls/<br>Carton | Carton<br>Weight | WI | GA | TX | CA |
|------|------|------|-----------|--------|----------|------------------|------------------|----|----|----|----|
|      | x    | L    |           | Across | Per Roll |                  |                  |    |    |    |    |
| 0.25 | x    | 0.25 | 10015787* | 7      | 10,003   | 1                | 2 lbs.           |    |    | x  |    |
| 0.75 | x    | 0.25 | 10015764* | 1      | 10,000   | 1                | 2 lbs.           | x  |    |    |    |
| 1    | x    | 0.25 | 10015765* | 1      | 10,000   | 1                | 2 lbs.           | x  |    |    |    |
| 1.5  | x    | 0.25 | 10015766* | 1      | 10,000   | 1                | 2 lbs.           | x  |    |    |    |

\* Perforation between labels

For information on your printer media specifications, please refer to page 5.

Stock - ships within one business day, Made to order (MTO) - ships within 6 business days.

Prices effective December 2, 2013 - All prices and stocking locations are subject to change without notice.

## Tabletop/Industrial Printers

### PolyPro 3000T

A thermal transfer, white, matte polypropylene label with a permanent acrylic adhesive. Offers some flexibility for labeling curved surfaces, resistant to scratching and smearing, temperatures up to 200°F and 1-2 years outdoors.

3" ID 8" OD Max

| Size |   |      | Part #    | Labels |          | Rolls/<br>Carton | Carton<br>Weight | WI | GA | TX | CA |
|------|---|------|-----------|--------|----------|------------------|------------------|----|----|----|----|
| W    | x | L    |           | Across | Per Roll |                  |                  |    |    |    |    |
| 0.75 | x | 0.25 | 10011986* | 4      | 10,000   | 4                | 20 lbs.          | M  |    |    |    |
| 1    | x | 0.5  | 10011987* | 3      | 10,002   | 4                | 20 lbs.          |    | x  |    |    |
| 1.75 | x | 0.75 | 10011988* | 2      | 11,888   | 4                | 20 lbs.          |    |    |    | M  |
| 2.75 | x | 1.25 | 10011989* | 1      | 3,923    | 4                | 20 lbs.          | M  |    |    |    |
| 3    | x | 1    | 10011990* | 1      | 4,610    | 4                | 30 lbs.          | x  | x  |    |    |
| 3    | x | 2    | 10011991* | 1      | 2,440    | 4                | 30 lbs.          | x  |    |    |    |
| 3    | x | 5    | 10011992* | 1      | 1,015    | 4                | 30 lbs.          | x  | x  |    | x  |
| 3.25 | x | 2    | 10011993* | 1      | 2,448    | 4                | 30 lbs.          |    |    |    | M  |
| 4    | x | 2    | 10011994* | 1      | 2,441    | 4                | 32 lbs.          |    |    |    | x  |

\* Perforation between labels

M = Made to order  
(1 case minimum order)

### PolyPro 4000T

A thermal transfer, white, Kimdura® matte polypropylene label with a permanent acrylic adhesive. Offers some flexibility for labeling curved surfaces, resistant to scratching and smearing, temperatures up to 250°F and 1-2 years outdoors.

3" ID 8" OD

| Size |   |      | Part #    | Per Roll | Rolls/<br>Carton | Carton<br>Weight | WI | GA | TX | CA |
|------|---|------|-----------|----------|------------------|------------------|----|----|----|----|
| W    | x | L    |           |          |                  |                  |    |    |    |    |
| 2    | x | 1    | 10014716* | 3,940    | 4                | 10 lbs.          | x  | x  | x  |    |
| 2.75 | x | 1.25 | 10014717  | 3,210    | 4                | 28 lbs.          | x  | x  |    |    |
| 3    | x | 1    | 10011688  | 4,350    | 4                | 20 lbs.          |    | x  |    | x  |
| 3    | x | 2    | 10011689  | 2,230    | 4                | 20 lbs.          | x  |    |    | x  |
| 3.25 | x | 5.50 | 10011690  | 870      | 4                | 20 lbs.          | x  | x  |    | x  |
| 4    | x | 3    | 10008531* | 1,420    | 4                | 32 lbs.          | x  |    |    |    |
| 4    | x | 6    | 10008530* | 720      | 4                | 32 lbs.          | x  |    | x  |    |
| 5    | x | 8    | 10014715* | 560      | 4                | 24 lbs.          | x  |    |    |    |

\* Perforation between labels

For information on your printer media specifications, please refer to page 5.  
Stock - ships within one business day, Made to order (MTO) - ships within 6 business days.  
Prices effective December 2, 2013 - All prices and stocking locations are subject to change without notice.



## Tabletop/Industrial Printers

### 8000T Tuff 7.0 mil Tag

#### Nursery Tags

A thermal transfer, white, V-Max polyolefin 7.5 mil tag that provides tear strength and outdoor use up to 1-2 years. Offers good durability and chemical resistance.

3" ID 8" OD

| Size |   |    | Part # | Tags     | Rolls/ | Carton  | WI | GA | TX | CA |
|------|---|----|--------|----------|--------|---------|----|----|----|----|
| W    | x | L  |        | Per Roll | Carton | Weight  |    |    |    |    |
| 1    | x | 10 | 69531* | 1,920    | 4      | 21 lbs. | x  |    |    |    |

\* Perforation between tags (4 across)

### Z-Slip

A direct thermal, coated, ultra-smooth paper and polypropylene combination label with a permanent acrylic adhesive. Offers excellent adhesion to corrugated packaging. Recommended for a wide variety of applications, for example, enclosing packing slips, invoices, material safety data sheets, and certificates of conformance.

3" ID 8" OD

| Size  |   |       | Part #    | Labels   | Rolls/ | Carton  | WI | GA | TX | CA |
|-------|---|-------|-----------|----------|--------|---------|----|----|----|----|
| W     | x | L     |           | Per Roll | Carton | Weight  |    |    |    |    |
| 6.625 | x | 6     | 10004425* | 660      | 2      | 20 lbs. | x  |    |    |    |
| 4.375 | x | 6.875 | 10006703* | 580      | 4      | 32 lbs. | x  |    |    |    |

\* Perforation between labels

### 8000T Heat Seal Kit

A glossy, white, thermoplastic label with excellent smear/scratch resistance that can withstand heat up to 290° F. This kit comes with a specially matched resin ribbon that will survive 50 industrial bleach wash cycles.

3" ID 8" OD

| W    | x | L    | Part #    | Labels Per Roll | Rolls/Kit | WI | GA | TX | CA |
|------|---|------|-----------|-----------------|-----------|----|----|----|----|
| 2.50 | x | 0.75 | 10002539* | 4,800           | 3         | M  |    |    |    |
| 3.25 | x | 1.13 | 10002540* | 3,200           | 3         | M  |    |    |    |

\*Labels have perforations and sensing notches. Kit includes 3 rolls of labels and 1 resin ribbon roll

M= Made to order (1 kit minimum required)

### 8000T Vinyl Clear

#### Self-Laminating Wire Wrap Label

A thermal transfer, clear vinyl label with a white printable area and a permanent acrylic adhesive that provides excellent durability and chemical resistance. The conformable vinyl material utilizes a self-laminating design that provides additional image durability.

3" ID 8" OD Max

| Size |   |       | Part #     | Print Area  | Labels | Rolls/ | Labels   | Carton | WI | GA | TX | CA |
|------|---|-------|------------|-------------|--------|--------|----------|--------|----|----|----|----|
| W    | x | L     |            | Height (in) | Across | Carton | Per Roll | Weight |    |    |    |    |
| 0.5  | x | 1     | 10015768*^ | 0.375       | 4      | 1      | 5,000    | 4 lbs. | x  |    | x  |    |
| 1    | x | 1.437 | 10015769*^ | 0.50        | 3      | 1      | 7,500    | 4 lbs. | x  |    | x  |    |
| 1    | x | 2.25  | 10015770*^ | 0.75        | 2      | 1      | 3,000    | 4 lbs. | x  |    | x  |    |

\* Perforation between labels

^ Labels are equipped with black mark sensing

For information on your printer media specifications, please refer to page 5.

Stock - ships within one business day, Made to order (MTO) - ships within 6 business days.

Prices effective December 2, 2013 - All prices and stocking locations are subject to change without notice.

## RFID Printers

### Belt RFID Label

*For use with R110xi4, RZ400 and RZ600 printers*

A thermal transfer RFID paper label with a permanent acrylic adhesive. The EPC Class 1 Gen 2, 128 bit inlay operates at a frequency of 860-960 MHz. This item is suitable for apparel and supply chain management applications, including the labeling of corrugate and plastic packaging materials. These labels can also be used for close coupling. Pair with genuine Zebra 3200 wax/resin ribbon.

3" ID 8" OD

| Size  |   |      | Part #   | Labels<br>Per Roll | Rolls/<br>Carton | Carton<br>Weight | WI | GA | TX | CA |
|-------|---|------|----------|--------------------|------------------|------------------|----|----|----|----|
| W     | x | L    |          |                    |                  |                  |    |    |    |    |
| 2.874 | x | .669 | 10015350 | 5,000              | 1                | 5 lbs.           |    | x  |    |    |

### DogBone RFID Label

*For use with R110xi4, RZ400 and RZ600 printers*

A thermal transfer RFID paper label with a permanent acrylic adhesive. The EPC Class 1 Gen 2, 128 bit inlay operates at a frequency of 860-960 MHz. This item is suitable for apparel and supply chain management applications, including the labeling of glass, ceramic, and plastic packaging materials. Pair with genuine Zebra 3200 wax/resin ribbon.

3" ID 8" OD

| Size  |   |       | Part #   | Labels<br>Per Roll | Rolls/<br>Carton | Carton<br>Weight | WI | GA | TX | CA |
|-------|---|-------|----------|--------------------|------------------|------------------|----|----|----|----|
| W     | x | L     |          |                    |                  |                  |    |    |    |    |
| 3.819 | x | 1.063 | 10015351 | 3,000              | 1                | 6 lbs.           |    | x  |    |    |

### ShortDipole RFID Label

*For use with R110xi4, RZ400 and RZ600 printers*

A thermal transfer RFID paper label with a permanent acrylic adhesive. The EPC Class 1 Gen 2, 128 bit inlay operates at a frequency of 860-960 MHz. This item is suitable for apparel and supply chain management applications, including the labeling of corrugate, glass, ceramic, and plastic packaging materials. Pair with genuine Zebra 3200 wax/resin ribbon.

3" ID 8" OD

| Size  |   |      | Part #   | Labels<br>Per Roll | Rolls/<br>Carton | Carton<br>Weight | WI | GA | TX | CA |
|-------|---|------|----------|--------------------|------------------|------------------|----|----|----|----|
| W     | x | L    |          |                    |                  |                  |    |    |    |    |
| 3.819 | x | .591 | 10015352 | 5,000              | 1                | 6 lbs.           |    | x  |    |    |

*For information on your printer media specifications, please refer to page 5.  
Stock - ships within one business day, Made to order (MTO) - ships within 6 business days.  
Prices effective December 2, 2013 - All prices and stocking locations are subject to change without notice.*

## Desktop Printers

### Z-Perform 2000D

A standard, direct thermal, coated paper label with an all-temp permanent acrylic adhesive that survives at temperatures as low as -65° F and can be applied at temperatures as low as -40° F.

1" ID 5" OD

| Size |   |      | Part #    | Labels   | Rolls/ | Carton  | WI | GA | TX | CA |
|------|---|------|-----------|----------|--------|---------|----|----|----|----|
| W    | x | L    |           | Per Roll | Carton | Weight  |    |    |    |    |
| 1.25 | x | 1    | 10015784* | 2,340    | 6      | 6 lbs.  |    | x  |    |    |
| 2    | x | 1    | 10010028* | 2,340    | 6      | 10 lbs. | x  | x  | x  | x  |
| 2.25 | x | 0.75 | 10015785* | 3,315    | 12     | 20 lbs. | x  | x  |    |    |
| 2.25 | x | 1.25 | 10015781* | 1,240    | 12     | 20 lbs. | x  | x  |    | x  |
| 3    | x | 1    | 10015782* | 2,340    | 6      | 11 lbs. | x  | x  |    | x  |
| 3    | x | 2    | 10010029* | 1,240    | 6      | 11 lbs. | x  | x  | x  | x  |
| 3    | x | 3    | 10010030* | 840      | 6      | 11 lbs. | x  |    |    |    |
| 4    | x | 1    | 10015783* | 2,340    | 6      | 12 lbs. | x  | x  |    |    |
| 4    | x | 1.5  | 10015786* | 1,620    | 6      | 12 lbs. | x  | x  |    |    |
| 4    | x | 2    | 10010031* | 1,240    | 6      | 14 lbs. | x  |    |    | x  |
| 4    | x | 2    | 10012163  | 1,240    | 6      | 12 lbs. |    |    |    | x  |
| 4    | x | 3    | 10010032* | 840      | 6      | 15 lbs. | x  | x  |    | x  |
| 4    | x | 4    | 10010033* | 640      | 6      | 15 lbs. | x  |    | x  |    |
| 4    | x | 6    | 10010034* | 430      | 6      | 15 lbs. | x  | x  | x  | x  |

\* Perforation between labels

### Z-Perform 2000D Floodcoated

A standard, direct thermal, coated paper label with an all-temp permanent acrylic adhesive that survives at temperatures as low as -65° F and can be applied at temperatures as low as -40° F.

1" ID 5" OD

| Size |   |   | Part #      | Color | Labels   | Rolls/ | Carton  | WI | GA | TX | CA |
|------|---|---|-------------|-------|----------|--------|---------|----|----|----|----|
| W    | x | L |             |       | Per Roll | Carton | Weight  |    |    |    |    |
| 4    | x | 6 | 10010035*   | Yel.  | 430      | 6      | 15 lbs. | x  |    |    |    |
| 4    | x | 6 | 10010035-1* | Grn.  | 430      | 6      | 15 lbs. | x  |    |    |    |
| 4    | x | 6 | 10010035-2* | Org.  | 430      | 6      | 15 lbs. | x  |    |    |    |
| 4    | x | 6 | 10010035-3* | Red   | 430      | 6      | 15 lbs. | x  |    |    |    |

\* Perforation between labels Colors/PMS: Yellow/Pantone Yellow, Green/ 365, Red/185, Orange/021

### Z-Perform 2000T

A standard, thermal transfer, bright white, coated, smooth paper label with a permanent acrylic adhesive. Offers excellent print quality for printing up to 8 inches per second.

1" ID 5" OD

| Size |   |   | Part #    | Labels   | Rolls/ | Carton  | WI | GA | TX | CA |
|------|---|---|-----------|----------|--------|---------|----|----|----|----|
| W    | x | L |           | Per Roll | Carton | Weight  |    |    |    |    |
| 2    | x | 1 | 10005850* | 2,490    | 6      | 6 lbs.  | x  | x  | x  | x  |
| 4    | x | 2 | 10005851* | 1,320    | 6      | 15 lbs. | x  |    | x  |    |
| 4    | x | 3 | 10005852* | 890      | 6      | 15 lbs. | x  |    | x  | x  |
| 4    | x | 6 | 10005853* | 460      | 6      | 15 lbs. | x  |    | x  | x  |

\* Perforation between labels

For information on your printer media specifications, please refer to page 5.

Stock - ships within one business day, Made to order (MTO) - ships within 6 business days.

Prices effective December 2, 2013 - All prices and stocking locations are subject to change without notice.

## Desktop Printers

### Z-Select 4000D

A premium, direct thermal, bright white, coated, paper label with an all-temp permanent acrylic-based adhesive that survives at temperatures as low as -65°F and can be applied at temperatures as low as -20° F.

1" ID 5" OD

| Size |   |      | Part #    | Labels<br>Per Roll | Rolls/<br>Carton | Carton<br>Weight | WI | GA | TX | CA |
|------|---|------|-----------|--------------------|------------------|------------------|----|----|----|----|
| W    | x | L    |           |                    |                  |                  |    |    |    |    |
| 1    | x | 3    | 10010036* | 840                | 6                | 6 lbs.           | x  | x  | x  | x  |
| 1.20 | x | 0.85 | 10010037* | 2,710              | 6                | 6 lbs.           | x  | x  | x  | x  |
| 1.25 | x | 1    | 10010038* | 2,340              | 6                | 6 lbs.           | x  | x  | x  | x  |
| 2    | x | 1    | 10010039* | 2,340              | 4                | 6 lbs.           | x  | x  | x  | x  |
| 2.25 | x | 0.50 | 10010040* | 4,200              | 4                | 6 lbs.           | x  | x  |    | x  |
| 2.25 | x | 0.75 | 10015340* | 3,315              | 12               | 20 lbs.          | x  | x  | x  | x  |
| 2.25 | x | 1.25 | 10015341* | 2,100              | 12               | 20 lbs.          | x  | x  | x  | x  |
| 2.25 | x | 2    | 10015342* | 1,370              | 12               | 20 lbs.          | x  | x  | x  | x  |
| 2.25 | x | 2.50 | 10010041* | 1,000              | 4                | 6 lbs.           | x  | x  | x  | x  |
| 2.25 | x | 3    | 10010042* | 840                | 6                | 10 lbs.          | x  | x  |    | x  |
| 2.25 | x | 4    | 10015343* | 700                | 12               | 20 lbs.          | x  | x  | x  | x  |
| 3    | x | 1    | 10010043* | 2,340              | 6                | 11 lbs.          | x  | x  | x  | x  |
| 3    | x | 2    | 10010044* | 1,240              | 6                | 11 lbs.          | x  | x  | x  | x  |
| 4    | x | 1    | 10010045* | 2,340              | 6                | 12 lbs.          | x  | x  | x  | x  |
| 4    | x | 1.25 | 10015349* | 2,100              | 12               | 28 lbs.          | x  | x  | x  | x  |
| 4    | x | 1.50 | 10010046* | 1,620              | 6                | 12 lbs.          | x  | x  |    | x  |
| 4    | x | 2    | 10010047* | 1,240              | 6                | 12 lbs.          | x  | x  | x  | x  |
| 4    | x | 2.50 | 10010048* | 1,000              | 6                | 12 lbs.          | x  | x  |    | x  |
| 4    | x | 3    | 10015344* | 930                | 12               | 30 lbs.          | x  | x  | x  | x  |
| 4    | x | 4    | 10015345* | 700                | 12               | 30 lbs.          | x  | x  | x  | x  |
| 4    | x | 5    | 10015346* | 565                | 12               | 30 lbs.          | x  | x  | x  | x  |
| 4    | x | 6    | 10010049  | 475                | 6                | 15 lbs.          | x  | x  |    | x  |
| 4    | x | 6    | 10015347* | 475                | 12               | 30 lbs.          | x  | x  | x  | x  |

\* Perforation between labels

| Size |   |   | Part #    | Labels<br>Per Roll | Rolls/<br>Carton | Carton<br>Weight | WI | GA | TX | CA |
|------|---|---|-----------|--------------------|------------------|------------------|----|----|----|----|
| W    | x | L |           |                    |                  |                  |    |    |    |    |
| 2.38 | x | 1 | 10010050* | 2,340              | 6                | 10 lbs.          | x  | x  | x  | x  |

Labels have a center vertical slit creating two 1.1875" x 1.00" labels. \* Perforation between labels

| Size |   |      | Part #    | Labels<br>Per Roll | Rolls/<br>Carton | Carton<br>Weight | WI | GA | TX | CA |
|------|---|------|-----------|--------------------|------------------|------------------|----|----|----|----|
| W    | x | L    |           |                    |                  |                  |    |    |    |    |
| 2.25 | x | 1.25 | 10010051* | 1,910              | 6                | 10 lbs.          | x  | x  |    | x  |

Labels have a center vertical slit creating two 1.125" x 1.25" labels. \* Perforation between labels

### Z-Select 4000D Removable

A premium, direct thermal, bright white, coated, paper label with a removable acrylic adhesive.

1" ID 5" OD

| Size  |   |   | Part #    | Labels<br>Per Roll | Rolls/<br>Carton | Carton<br>Weight | WI | GA | TX | CA |
|-------|---|---|-----------|--------------------|------------------|------------------|----|----|----|----|
| W     | x | L |           |                    |                  |                  |    |    |    |    |
| 2.375 | x | 1 | 10010052* | 2,260              | 6                | 6 lbs.           | x  | x  | x  | x  |

Labels have a center vertical slit creating two 1.1875" x 1.00" labels. \* Perforation between labels

For information on your printer media specifications, please refer to page 5.

Stock - ships within one business day, Made to order (MTO) - ships within 6 business days.

Prices effective December 2, 2013 - All prices and stocking locations are subject to change without notice.

## Desktop Printers

### Z-Select 4000T

A premium, thermal transfer, bright white, coated, ultra-smooth, paper label with a permanent acrylic adhesive. Offers excellent print quality for printing up to 12 inches per second.

1" ID 5" OD

| Size  |   |      | Part #      | Labels   | Rolls/ | Carton  | WI | GA | TX | CA |
|-------|---|------|-------------|----------|--------|---------|----|----|----|----|
| W     | x | L    |             | Per Roll | Carton | Weight  |    |    |    |    |
| 1.188 | x | 0.84 | 10009522*   | 3,000    | 6      | 6 lbs.  | x  | x  |    | x  |
| 1.25  | x | 1    | 10009523*   | 2,580    | 6      | 10 lbs. | x  | x  | x  | x  |
| 1.5   | x | 1    | 83258*      | 2,260    | 8      | 8 lbs.  | x  | x  |    | x  |
| 2     | x | 1    | 83259*      | 2,260    | 8      | 8 lbs.  | x  | x  | x  | x  |
| 2.25  | x | 0.75 | 10009524*   | 3,320    | 6      | 10 lbs. | x  | x  | x  | x  |
| 2.25  | x | 1.25 | 800272-125* | 2,100    | 12     | 20 lbs. | x  | x  | x  | x  |
| 2.25  | x | 2    | 10009525*   | 1370     | 6      | 11 lbs. | x  | x  |    | x  |
| 2.25  | x | 3    | 10009526*   | 930      | 6      | 12 lbs. | x  | x  | x  | x  |
| 2.25  | x | 4    | 10009527*   | 700      | 6      | 13 lbs. | x  | x  |    | x  |
| 2.75  | x | 1.25 | 83260*      | 1,850    | 4      | 7 lbs.  | x  |    |    |    |
| 3     | x | 1    | 10009528*   | 2,580    | 6      | 8 lbs.  | x  | x  | x  | x  |
| 3     | x | 2    | 10009529*   | 1,370    | 6      | 15 lbs. | x  | x  | x  | x  |
| 4     | x | 1    | 83340*      | 2,260    | 4      | 8 lbs.  | x  | x  | x  | x  |
| 4     | x | 1.50 | 800274-155* | 1,790    | 12     | 30 lbs. | x  |    | x  | x  |
| 4     | x | 2    | 10009530*   | 1,370    | 6      | 15 lbs. | x  | x  | x  | x  |
| 4     | x | 3    | 800274-305* | 930      | 12     | 30 lbs. | x  | x  | x  | x  |
| 4     | x | 3    | 83262       | 810      | 4      | 9 lbs.  | x  |    |    |    |
| 4     | x | 4    | 800274-405* | 700      | 12     | 30 lbs. | x  | x  | x  | x  |
| 4     | x | 5    | 10009531*   | 570      | 6      | 15 lbs. | x  | x  |    | x  |
| 4     | x | 6    | 82868       | 420      | 4      | 15 lbs. |    | x  |    | x  |
| 4     | x | 6    | 800274-605* | 475      | 12     | 30 lbs. | x  | x  | x  | x  |
| 4     | x | 6.50 | 83257*      | 380      | 4      | 15 lbs. |    | x  | x  |    |

\* Perforation between labels

| Size |   |   | Part #    | Labels   | Rolls/ | Carton | WI | GA | TX | CA |
|------|---|---|-----------|----------|--------|--------|----|----|----|----|
| W    | x | L |           | Per Roll | Carton | Weight |    |    |    |    |
| 2.38 | x | 1 | 10005848* | 2,580    | 6      | 5 lbs. | x  | x  |    | x  |

Labels have a center vertical slit creating two 1.1875" x 1" labels. \* Perforation between labels

### Z-Select 4000T Removable

A premium, thermal transfer, bright white, coated paper label with a removable acrylic adhesive.

1" ID 5" OD

| Size |   |   | Part #    | Labels   | Rolls/ | Carton  | WI | GA | TX | CA |
|------|---|---|-----------|----------|--------|---------|----|----|----|----|
| W    | x | L |           | Per Roll | Carton | Weight  |    |    |    |    |
| 4    | x | 6 | 10005849* | 430      | 6      | 15 lbs. | x  |    |    |    |

\* Perforation between labels

For information on your printer media specifications, please refer to page 5.

Stock - ships within one business day, Made to order (MTO) - ships within 6 business days.

Prices effective December 2, 2013 - All prices and stocking locations are subject to change without notice.

## Desktop Printers

### Z-Select 4000D 7.5 mil Tag

A premium, direct thermal, bright white, coated, 7.5 mil, paper tag.

1" ID 5" OD

| Size |   |       | Part #     | Tags     | Rolls/ | Carton  | WI | GA | TX | CA |
|------|---|-------|------------|----------|--------|---------|----|----|----|----|
| W    | x | L     |            | Per Roll | Carton | Weight  |    |    |    |    |
| 1.25 | x | 2.25  | 10010053*^ | 980      | 6      | 4 lbs.  | x  | x  |    | x  |
| 2.25 | x | 1.37  | 10010054*^ | 1,600    | 6      | 6 lbs.  | x  | x  | x  | x  |
| 3.25 | x | 1.875 | 10010055*  | 1,170    | 6      | 8 lbs.  | x  | x  | x  |    |
| 4    | x | 3     | 10010056*  | 730      | 4      | 10 lbs. | x  |    |    | x  |
| 4    | x | 6     | 10015364*  | 365      | 4      | 14 lbs. | x  |    |    |    |

All tags have a sensing notch    ^ Stringhole in tag    \* Perforation between labels

### Z-Perform 1000D 2.4 mil Receipt

A standard, direct thermal, bright white, uncoated, 2.4 mil paper receipt. Ideal for applications requiring limited durability and maximum roll footage per roll.

1" ID 5" OD

| W | x | L     | Part #     | Length | Rolls/ | Carton  | WI | GA | TX | CA |
|---|---|-------|------------|--------|--------|---------|----|----|----|----|
| 2 | x | Cont. | 10010057^^ | 574'   | 6      | 18 lbs. | x  |    |    |    |
| 4 | x | Cont. | 10010058^^ | 574'   | 6      | 20 lbs. | x  |    |    |    |

^^Last 3 feet of media marked with a pink stripe to indicate end of roll

## Desktop Printers

### Z-Ultimate 3000T White

A thermal transfer, pearl white, gloss polyester label with a high performance permanent acrylic adhesive that provides unparalleled smear and scratch resistance, resistance to moderate chemicals and up to 3 years outdoors. UL/cUL recognized for indoor and outdoor use when used with compatible genuine Zebra resin ribbons.

1" ID 5" OD

| W | Size |      | Part # | Labels   | Rolls/ | Carton  | WI | GA | TX | CA |
|---|------|------|--------|----------|--------|---------|----|----|----|----|
|   | x    | L    |        | Per Roll | Carton | Weight  |    |    |    |    |
| 2 | x    | 0.50 | 18943* | 4,550    | 8      | 20 lbs. |    | x  |    |    |
| 2 | x    | 1    | 17157* | 2,530    | 12     | 18 lbs. | x  |    |    | x  |
| 2 | x    | 1.25 | 18940* | 2,070    | 8      | 12 lbs. | x  | x  | x  |    |
| 3 | x    | 1    | 18939* | 2,530    | 8      | 12 lbs. | x  | x  |    | x  |
| 3 | x    | 3    | 18942* | 910      | 8      | 13 lbs. | x  |    |    |    |
| 4 | x    | 2    | 18950* | 1,340    | 4      | 15 lbs. | x  | x  |    | x  |
| 4 | x    | 6    | 18941* | 460      | 4      | 15 lbs. | x  | x  |    | x  |

\* Perforation between labels

### Z-Ultimate 4000T White

A thermal transfer, pearl white, gloss polyester label with a high performance permanent acrylic adhesive that provides unparalleled smear and scratch resistance, resistance to moderate chemicals and up to 3 years outdoors. UL/cUL recognized for indoor and outdoor use when used with compatible genuine Zebra resin ribbons.

1" ID 5" OD

| W | Size |   | Part #    | Labels   | Rolls/ | Carton  | WI | GA | TX | CA |
|---|------|---|-----------|----------|--------|---------|----|----|----|----|
|   | x    | L |           | Per Roll | Carton | Weight  |    |    |    |    |
| 2 | x    | 1 | 10002629* | 2,530    | 8      | 12 lbs. | x  | x  |    |    |
| 3 | x    | 1 | 10002630* | 2530     | 6      | 12 lbs. | x  |    |    |    |
| 4 | x    | 2 | 10002631* | 1340     | 4      | 15 lbs. | x  |    |    |    |

\* Perforation between labels

For information on your printer media specifications, please refer to page 5.

Stock - ships within one business day, Made to order (MTO) - ships within 6 business days.

Prices effective December 2, 2013 - All prices and stocking locations are subject to change without notice.

## Desktop Printers

### PolyPro 3000T

A thermal transfer, white, matte polypropylene label with a permanent acrylic adhesive. Offers some flexibility for labeling curved surfaces, resistant to scratching and smearing, temperatures up to 200°F and 1-2 years outdoors.

1" ID 5" OD

| Size |   |      | Part # | Labels   | Rolls/ | Carton  | WI | GA | TX | CA |
|------|---|------|--------|----------|--------|---------|----|----|----|----|
| W    | x | L    |        | Per Roll | Carton | Weight  |    |    |    |    |
| 1.50 | x | 0.50 | 18930* | 3,780    | 8      | 12 lbs. | x  | x  |    |    |
| 2    | x | 0.50 | 18928* | 3,780    | 8      | 12 lbs. | x  |    |    |    |
| 2    | x | 1    | 17154* | 2,100    | 8      | 12 lbs. | x  | x  |    |    |
| 2    | x | 1.25 | 18925* | 1,720    | 8      | 12 lbs. | x  |    |    |    |
| 3    | x | 1    | 18924* | 2,100    | 8      | 12 lbs. | x  | x  |    |    |
| 3    | x | 3    | 18927* | 760      | 8      | 13 lbs. | x  |    |    |    |
| 4    | x | 2    | 18932* | 1,110    | 4      | 13 lbs. | x  | x  | x  | x  |
| 4    | x | 2.50 | 18929* | 900      | 4      | 13 lbs. |    | x  |    | x  |
| 4    | x | 6    | 18926* | 390      | 4      | 13 lbs. | x  | x  |    | x  |

\* Perforation between labels

### PolyPro 4000D

A direct thermal, white, matte direct thermal polypropylene label with a high-performance acrylic adhesive offering some flexibility for labeling curved surfaces, resistant to scratching and smearing and temperatures up to 131°F.

1" ID 5" OD

| Size |   |      | Part #    | Labels   | Rolls/ | Carton  | WI | GA | TX | CA |
|------|---|------|-----------|----------|--------|---------|----|----|----|----|
| W    | x | L    |           | Per Roll | Carton | Weight  |    |    |    |    |
| 2.25 | x | 1.25 | 10010063* | 2,000    | 6      | 11 lbs. | x  | x  | x  | x  |

\* Perforation between labels

### PolyPro 4000D

#### *Jewelry Butterfly Label*

A direct thermal, white, matte direct thermal polypropylene label with a high-performance acrylic adhesive offering some flexibility for labeling curved surfaces, resistant to scratching and smearing and temperatures up to 131°F.

1" ID 5" OD

| Size |   |      | Part #    | Labels   | Rolls/ | Carton  | WI | GA | TX | CA |
|------|---|------|-----------|----------|--------|---------|----|----|----|----|
| W    | x | L    |           | Per Roll | Carton | Weight  |    |    |    |    |
| 2.20 | x | 0.50 | 10010062^ | 4,400    | 6      | 11 lbs. | x  |    |    |    |

Labels are equipped with black mark sensing.

^ Label with flaps.

For information on your printer media specifications, please refer to page 5.  
 Stock - ships within one business day, Made to order (MTO) - ships within 6 business days.  
 Prices effective December 2, 2013 - All prices and stocking locations are subject to change without notice.



## Desktop Printers

### 8000D Jewelry

#### *Jewelry Butterfly Label*

A direct thermal, white, polypropylene label with a permanent acrylic adhesive. Provides excellent resistance to ultra violet light.

1" ID 5" OD

| Size |   |      | Part #                | Labels<br>Per Roll | Rolls/<br>Carton | Carton<br>Weight | WI | GA | TX | CA |
|------|---|------|-----------------------|--------------------|------------------|------------------|----|----|----|----|
| W    | x | L    |                       |                    |                  |                  |    |    |    |    |
| 2.20 | x | 0.50 | 10010064              | 3,510              | 6                | 11 lbs.          | x  |    |    |    |
| 2.20 | x | 0.50 | 10010065 <sup>^</sup> | 3,510              | 6                | 12 lbs.          | x  | x  |    |    |

Labels are equipped with black mark sensing.      <sup>^</sup> Label with flaps.

### 8000T Jewelry

#### *Jewelry Butterfly Label*

A thermal transfer, white, polypropylene label with a permanent acrylic adhesive. Offers excellent durability and chemical resistance.

1" ID 5" OD

| Size |   |      | Part #                | Labels<br>Per Roll | Rolls/<br>Carton | Carton<br>Weight | WI | GA | TX | CA |
|------|---|------|-----------------------|--------------------|------------------|------------------|----|----|----|----|
| W    | x | L    |                       |                    |                  |                  |    |    |    |    |
| 2.20 | x | 0.50 | 10010066              | 3,510              | 6                | 12 lbs.          | x  |    |    |    |
| 2.20 | x | 0.50 | 10010067 <sup>^</sup> | 3,510              | 6                | 12 lbs.          | x  |    | x  |    |

Labels are equipped with black mark sensing.      <sup>^</sup> Label with flaps.

### 8000D Near-IR

#### *Parcel Shipping Label*

A premium, direct thermal, white, coated paper label featuring a permanent acrylic adhesive scannable in both visible and near infrared, and infrared ranges.

1" ID 5" OD

| Size |   |      | Part #    | Labels<br>Per Roll | Rolls/<br>Carton | Carton<br>Weight | WI | GA | TX | CA |
|------|---|------|-----------|--------------------|------------------|------------------|----|----|----|----|
| W    | x | L    |           |                    |                  |                  |    |    |    |    |
| 4    | x | 2.25 | 10010059* | 1,060              | 4                | 10 lbs.          | x  |    |    |    |
| 4    | x | 6    | 10010060* | 410                | 4                | 10 lbs.          | x  |    |    |    |
| 4    | x | 8    | 10010061* | 310                | 4                | 10 lbs.          | x  |    |    |    |

\* Perforation between labels

### 8000T Cling White

A thermal transfer, cling vinyl material available in white or clear. Offers excellent adhesion to glass and plastics.

1" ID 5" OD

| Size |   |      | Part #    | Labels<br>Per Roll | Rolls/<br>Carton | Carton<br>Weight | WI | GA | TX | CA |
|------|---|------|-----------|--------------------|------------------|------------------|----|----|----|----|
| W    | x | L    |           |                    |                  |                  |    |    |    |    |
| 2    | x | 1.25 | 10003860* | 1,410              | 8                | 10 lbs.          | x  |    |    |    |

\* Perforation between labels

*For information on your printer media specifications, please refer to page 5.*

*Stock - ships within one business day, Made to order (MTO) - ships within 6 business days.*

*Prices effective December 2, 2013 - All prices and stocking locations are subject to change without notice.*



## Kiosk Printers

### Z-Perform 1000D 3.5 mil Receipt (10 years archivability)

*To be used with TTP 2000, 5250 & 7000 Series and KR203 & KR403*

| Size  |   |       | Part #   | Length | Rolls/<br>Carton | Carton<br>Weight | WI | GA | TX | CA |
|-------|---|-------|----------|--------|------------------|------------------|----|----|----|----|
| W     | x | L     |          |        |                  |                  |    |    |    |    |
| 3.125 | x | Cont. | 10007008 | 645'   | 8                | 23 lbs.          | x  |    |    |    |

*To be used with TTP 5250 & 7000 Series*

| Size  |   |       | Part #   | Length | Rolls/<br>Carton | Carton<br>Weight | WI | GA | TX | CA |
|-------|---|-------|----------|--------|------------------|------------------|----|----|----|----|
| W     | x | L     |          |        |                  |                  |    |    |    |    |
| 4.375 | x | Cont. | 10007009 | 645'   | 8                | 32 lbs.          | x  |    |    |    |

*To be used with TTP 8000 Series*

| Size |   |       | Part #   | Length | Rolls/<br>Carton | Carton<br>Weight | WI | GA | TX | CA |
|------|---|-------|----------|--------|------------------|------------------|----|----|----|----|
| W    | x | L     |          |        |                  |                  |    |    |    |    |
| 8.5  | x | Cont. | 10007010 | 565'   | 4                | 28 lbs.          | x  |    |    |    |

*For information on your printer media specifications, please refer to page 5.  
 Stock - ships within one business day, Made to order (MTO) - ships within 6 business days.  
 Prices effective December 2, 2013 - All prices and stocking locations are subject to change without notice.*

## Mobile Media Reference Guide

This Reference Guide is designed to easily locate the proper media for your printer and application. Further details, including pricing, for each part number are available on the following pages.

|                       | Description     | Part #     | Width   | Length  | P4T | PA/PT | QL 220 | QL 320 | QL 420 | RW220 | RW420/<br>Print Station | QLn 220 | QLn 320 | QLn 420 |   |
|-----------------------|-----------------|------------|---------|---------|-----|-------|--------|--------|--------|-------|-------------------------|---------|---------|---------|---|
| Direct Thermal Labels | Z-Perform 1000D | LD-R7MJ5P  | 2.00"   | 1.00"   | o   |       | x      | o      | o      | x     | o                       | x       | o       | o       |   |
|                       | Z-Perform 1000D | LD-R2AL5B  | 2.00"   | 1.25"   | o   |       | x      | o      | o      | x     | o                       | x       | o       | o       |   |
|                       | Z-Perform 1000D | LD-R7AO5B  | 2.00"   | 2.00"   | o   |       | x      | o      | o      | x     | o                       | x       | o       | o       |   |
|                       | Z-Perform 1000D | LD-R7AM5R  | 2.00"   | 3.00"   | o   |       | x      | o      | o      | x     | o                       | x       | o       | o       |   |
|                       | Z-Perform 1000D | LD-R3TU5B  | 2.90"   | 1.00"   | o   |       |        | x      | o      |       |                         |         | x       | o       |   |
|                       | Z-Perform 1000D | LD-R2AQ5J  | 4.00"   | 2.00"   | x   |       |        |        | x      |       |                         |         |         |         | x |
|                       | Z-Perform 1000D | LD-R6AO5B  | 4.00"   | 3.00"   | x   |       |        |        | x      |       |                         |         |         |         | x |
|                       | Z-Perform 1000D | LD-R3AK5B  | 4.00"   | 4.00"   | x   |       |        |        | x      |       |                         |         |         |         | x |
|                       | Z-Perform 1000D | LD-R4AW5B  | 4.00"   | 6.00"   | x   |       |        |        | x      |       |                         |         |         |         | x |
|                       | Z-Perform 2000D | LD-R6AD5W  | 2.9375" | 4.9375" | o   |       |        | x      | o      |       |                         |         |         | x       | o |
|                       | Z-Perform 2000D | LD-R3AT5F  | 3.00"   | 1.75"   | o   |       |        | x      | o      |       |                         |         |         | x       | o |
|                       | Z-Select 4000D  | 10015767   | 2.00"   | 1.5"    | o   |       | x      | x      | o      |       | o                       | x       | x       | o       |   |
|                       | Z-Select 4000D  | 10001962   | 3.00"   | 2.00"   | o   |       | x      | x      | o      |       | o                       |         |         | x       | o |
|                       | Z-Select 4000D  | 800322-125 | 2.25"   | 1.25"   |     | x     |        |        |        |       |                         |         |         | o       |   |
|                       | Z-Select 4000D  | 800340-305 | 4.00"   | 3.00"   |     | x     |        |        |        |       |                         |         |         |         |   |
|                       | 8000D Lab       | 10015772   | 2.00"   | 1.25"   | o   |       | x      | o      | o      | x     | o                       | x       | o       | o       |   |
|                       | 8000D Lab       | 10015773   | 2.00"   | 1.5"    | o   |       | x      | o      | o      | x     | o                       | x       | o       | o       |   |
|                       | 8000D Lab       | 10015774   | 2.00"   | 2.00"   | o   |       | x      | o      | o      | x     | o                       | x       | o       | o       |   |
|                       | PolyPro 4000D   | LD-R7BL5B  | 2.00"   | 1.00"   | o   |       | x      | o      | o      | x     | o                       | x       | o       | o       |   |
|                       | PolyPro 4000D   | LD-R2BF5W  | 2.00"   | 1.25"   | o   |       | x      | o      | o      | x     | o                       | x       | o       | o       |   |
| PolyPro 4000D         | 10015778        | 2.00"      | 1.25"   | o       |     | x     | o      | o      | x      | o     | x                       | o       | o       |         |   |
| PolyPro 4000D         | 10015779        | 2.00"      | 2.00"   | o       |     | x     | o      | o      | x      | o     | x                       | o       | o       |         |   |

- X** Media ideal for your mobile printer, meaning it has a width and outer diameter close to the printer's maximum specifications.
- O** Media compatible with your mobile printer, but the printer can support a larger outer diameter.

## Mobile Media Reference Guide

This Reference Guide is designed to easily locate the proper media for your printer and application. Further details, including pricing, for each part number are available on the following pages.

|                                | Description      | Part #   | Width | Length | P4T | PA/PT | QL 220 | QL 320 | QL 420 | RW220 | RW420/<br>Print Station | QLn 220 | QLn 320 | QLn 420 |
|--------------------------------|------------------|----------|-------|--------|-----|-------|--------|--------|--------|-------|-------------------------|---------|---------|---------|
| <b>Thermal Transfer Labels</b> | Z-Select 4000T   | 10008549 | 4.00" | 6.00"  | x   |       |        |        |        |       |                         |         |         |         |
|                                | Z-Select 4000T   | 84932    | 3.00" | 1.00"  |     | x     |        |        |        |       |                         |         |         |         |
|                                | Z-Ultimate 4000T | 10010073 | 2.00" | 1.25"  | x   |       |        |        |        |       |                         |         |         |         |
|                                | Z-Ultimate 4000T | 10008551 | 3.00" | 3.00"  | x   |       |        |        |        |       |                         |         |         |         |
|                                | PolyPro 4000T    | 82414    | 2.00" | 1.00"  |     | x     |        |        |        |       |                         |         |         |         |
|                                | PolyPro 4000T    | 82413    | 3.00" | 3.00"  |     | x     |        |        |        |       |                         |         |         |         |
|                                | PolyPro 4000T    | 10015776 | 2.00" | 1.25"  | x   |       |        |        |        |       |                         |         |         |         |
|                                | PolyPro 4000T    | 10015779 | 2.00" | 2.00"  | x   |       |        |        |        |       |                         |         |         |         |
| PolyPro 4000T                  | 10008424         | 4.00"    | 6.00" | x      |     |       |        |        |        |       |                         |         |         |         |

- |   |   |
|---|---|
| X | Media ideal for your mobile printer, meaning it has a width and outer diameter close to the printer's maximum specifications. |
| O | Media compatible with your mobile printer, but the printer can support a larger outer diameter.                               |

For information on your printer media specifications, please refer to page 5.  
 Stock - ships within one business day, Made to order (MTO) - ships within 6 business days.  
 Prices effective December 2, 2013 - All prices and stocking locations are subject to change without notice.

## Mobile Media Reference Guide

This Reference Guide is designed to easily locate the proper media for your printer and application. Further details, including pricing, for each part number are available on the following pages.

|                         | Description                     | Part #     | Width | Length | EM 220 | MZ 220 | MZ 320 | IMZ220 | IMZ320 | P4T | PA/PT | QL 220 | QL 320 | QL 420 | RW220 | RW420/<br>Print Station | QLn220 | QLn320 | QLn420 |   |
|-------------------------|---------------------------------|------------|-------|--------|--------|--------|--------|--------|--------|-----|-------|--------|--------|--------|-------|-------------------------|--------|--------|--------|---|
|                         |                                 |            |       |        |        |        |        |        |        |     |       |        |        |        |       |                         |        |        |        |   |
| Direct Thermal Receipts | Z-Perform 1000D 2.4 mil Receipt | 10011041   | 2.00" | Cont.  |        | X      |        | X      |        |     |       |        |        |        |       |                         |        |        |        |   |
|                         | Z-Perform 1000D 2.4 mil Receipt | 10011042   | 3.00" | Cont.  |        |        | X      |        | X      |     |       |        |        |        |       |                         |        |        |        |   |
|                         | Z-Perform 1000D 2.4 mil Receipt | 10006224   | 4.00" | Cont.  |        |        |        |        |        |     |       |        |        | X      |       | X                       |        |        |        | X |
|                         | Z-Perform 1000D 2.4 mil Receipt | 800398-004 | 4.00" | Cont.  |        |        |        |        |        |     | X     |        |        |        |       |                         |        |        |        |   |
|                         | Z-Select 4000D 3.2 mil Receipt  | LD-R2KH5B  | 2.00" | Cont.  |        |        |        |        |        |     | O     | X      | O      | O      | X     |                         | O      | X      | O      | O |
|                         | Z-Select 4000D 3.2 mil Receipt  | LD-R3KX5B  | 3.00" | Cont.  |        |        |        |        |        |     | O     |        | X      | O      |       |                         | O      |        | X      | O |
|                         | Z-Select 4000D 3.2 mil Receipt  | LD-R4KN5B  | 4.00" | Cont.  |        |        |        |        |        | X   |       |        |        | X      |       | X                       |        |        |        | X |
|                         | Z-Select 4000D 3.2 mil Receipt  | 10011043   | 2.00" | Cont.  |        | X      |        | X      |        |     |       |        |        |        |       |                         |        |        |        |   |
|                         | Z-Select 4000D 3.2 mil Receipt  | 10011044   | 3.00" | Cont.  |        |        | X      |        | X      |     |       |        |        |        |       |                         |        |        |        |   |
|                         | Z-Select 4000D 3.2 mil Receipt  | 10008899   | 2.25" | Cont.  | X      |        |        |        |        |     |       |        |        |        |       |                         |        |        |        |   |
| Linerless               | 8000D 3.2 mil High-Temp Receipt | 10001965   | 4.00" | Cont.  |        |        |        |        |        |     |       |        |        | X      |       | X                       |        |        |        | X |
|                         | 8000D Linerless*                | LD-R2LS5W  | 2.00" | Cont.  |        |        |        |        |        |     |       | X      | O      | O      |       |                         | X      | O      | O      |   |
|                         | 8000D Linerless*                | LD-R4LF5P  | 4.00" | Cont.  |        |        |        |        |        |     |       |        |        | X      |       |                         |        |        |        | X |

\* Requires linerless roller

- |   |
|---|
| X |
|---|

 Media ideal for your mobile printer, meaning it has a width and outer diameter close to the printer's maximum specifications.
- |   |
|---|
| O |
|---|

 Media compatible with your mobile printer, but the printer can support a larger width and/or outer diameter.

For information on your printer media specifications, please refer to page 5.

Stock - ships within one business day, Made to order (MTO) - ships within 6 business days.

Prices effective December 2, 2013 - All prices and stocking locations are subject to change without notice.

## Mobile Printers

### Z-Perform 1000D

A standard, direct thermal, bright white, uncoated, paper label with a permanent acrylic adhesive. Ideal for direct thermal paper applications that require limited durability.

0.75" ID 2" OD

Refer to *Mobile Media Reference Guide* for printer compatibility

| Size |   |      | Part #    | Labels<br>Per Roll | Rolls/<br>Carton | Carton<br>Weight | WI | GA | TX | CA |
|------|---|------|-----------|--------------------|------------------|------------------|----|----|----|----|
| W    | x | L    |           |                    |                  |                  |    |    |    |    |
| 2    | x | 1    | LD-R7MU5P | 350                | 36               | 7 lbs.           | x  | x  |    | x  |
| 2    | x | 1.25 | LD-R2AL5B | 280                | 36               | 7 lbs.           | x  | x  | x  | x  |
| 2    | x | 2    | LD-R7AO5B | 185                | 36               | 7 lbs.           | x  | x  |    |    |
| 2    | x | 3    | LD-R7AM5R | 125                | 36               | 8 lbs.           | x  | x  |    | x  |

Labels are equipped with black mark sensing

0.75" ID 2.5" OD

Refer to *Mobile Media Reference Guide* for printer compatibility

| Size |   |   | Part #     | Labels<br>Per Roll | Rolls/<br>Carton | Carton<br>Weight | WI | GA | TX | CA |
|------|---|---|------------|--------------------|------------------|------------------|----|----|----|----|
| W    | x | L |            |                    |                  |                  |    |    |    |    |
| 2.90 | x | 1 | LD-R3TU5B  | 575                | 36               | 14 lbs.          | x  | x  | x  | x  |
| 4    | x | 2 | LD-R2AQ5J* | 300                | 36               | 23 lbs.          | x  | x  |    | x  |
| 4    | x | 3 | LD-R6AO5B* | 200                | 36               | 23 lbs.          | x  | x  | x  | x  |
| 4    | x | 4 | LD-R3AK5B* | 160                | 36               | 24 lbs.          | x  | x  | x  | x  |
| 4    | x | 6 | LD-R4AW5B* | 105                | 36               | 24 lbs.          | x  | x  | x  | x  |

Labels are equipped with black mark sensing \* Perforation between labels

### Z-Perform 2000D

A standard, direct thermal, bright white, coated, paper label with an all-temp permanent acrylic adhesive that survives at temperatures as low as -65° F and can be applied at temperatures as low as -40° F.

0.75" ID 2.5" OD

Refer to *Mobile Media Reference Guide* for printer compatibility

| Size |   |      | Part #     | Labels<br>Per Roll | Rolls/<br>Carton | Carton<br>Weight | WI | GA | TX | CA |
|------|---|------|------------|--------------------|------------------|------------------|----|----|----|----|
| W    | x | L    |            |                    |                  |                  |    |    |    |    |
| 2.94 | x | 4.94 | LD-R6AD5W  | 130                | 36               | 18 lbs.          | x  | x  |    | x  |
| 3    | x | 1.75 | LD-R3AT5F* | 350                | 36               | 18 lbs.          | x  | x  | x  | x  |

Labels are equipped with black mark sensing \* Perforation between labels

For information on your printer media specifications, please refer to page 5.  
 Stock - ships within one business day, Made to order (MTO) - ships within 6 business days.  
 Prices effective December 2, 2013 - All prices and stocking locations are subject to change without notice.

## Mobile Printers

### Z-Select 4000D

A premium, direct thermal, bright white, coated, paper label with an all-temp permanent acrylic-based adhesive that survives at temperatures as low as -65° F and can be applied at temperatures as low as -20 ° F.

0.75" ID 2.2" OD

Refer to *Mobile Media Reference Guide* for printer compatibility

| Size |   |     | Part #    | Labels   | Rolls/ | Carton  | WI | GA | TX | CA |
|------|---|-----|-----------|----------|--------|---------|----|----|----|----|
| W    | x | L   |           | Per Roll | Carton | Weight  |    |    |    |    |
| 2    | x | 1.5 | 10015767* | 284      | 36     | 10 lbs. | x  |    |    |    |
| 3    | x | 2   | 10001962* | 210      | 36     | 18 lbs. | x  |    | x  | x  |

\* Perforation between labels

1" ID 2" OD

Refer to *Mobile Media Reference Guide* for printer compatibility

| Size |   |      | Part #      | Labels   | Rolls/ | Carton | WI | GA | TX | CA |
|------|---|------|-------------|----------|--------|--------|----|----|----|----|
| W    | x | L    |             | Per Roll | Carton | Weight |    |    |    |    |
| 2.25 | x | 1.25 | 800322-125* | 260      | 12     | 2 lbs. | x  | x  |    |    |
| 4    | x | 3    | 800340-305* | 110      | 12     | 4 lbs. | x  |    |    |    |

\* Perforation between labels

### 8000D Lab

A premium direct thermal, bright white, coated, paper label with a high-tack permanent acrylic-based adhesive specifically designed to adhere to small, curved surfaces. Survives at temperatures as low as -75° F.

0.75" ID 2.2" OD

Refer to *Mobile Media Reference Guide* for printer compatibility

| Size |   |      | Part #     | Labels   | Rolls/ | Carton | WI | GA | TX | CA |
|------|---|------|------------|----------|--------|--------|----|----|----|----|
| W    | x | L    |            | Per Roll | Carton | Weight |    |    |    |    |
| 2    | x | 1.25 | 10015772*  | 330      | 12     | 3 lbs. | x  |    |    |    |
| 2    | x | 1.5  | 10015773*  | 280      | 12     | 3 lbs. | x  |    |    |    |
| 2    | x | 2    | 10015774*  | 215      | 12     | 3 lbs. | x  |    |    |    |
| 2    | x | 1.25 | 10017573*^ | 330      | 12     | 3 lbs. | x  |    |    |    |
| 2    | x | 1.5  | 10017574*^ | 280      | 12     | 3 lbs. | x  |    |    |    |

\* Perforation between labels

^ Labels equipped with black mark sensing

### Z-Select 4000T

A premium, thermal transfer, bright white, coated, ultra-smooth, paper label with a permanent acrylic adhesive. Offers excellent print quality for printing up to 12 inches per second.

0.75" ID 2.6" OD

Refer to *Mobile Media Reference Guide* for printer compatibility

| Size |   |   | Part #   | Labels   | Rolls/ | Carton  | WI | GA | TX | CA |
|------|---|---|----------|----------|--------|---------|----|----|----|----|
| W    | x | L |          | Per Roll | Carton | Weight  |    |    |    |    |
| 4    | x | 6 | 10008549 | 110      | 16     | 17 lbs. | x  |    | x  |    |

Labels are equipped with black mark sensing

1" ID 2" OD

Refer to *Mobile Media Reference Guide* for printer compatibility

| Size |   |   | Part # | Labels   | Rolls/ | Carton | WI | GA | TX | CA |
|------|---|---|--------|----------|--------|--------|----|----|----|----|
| W    | x | L |        | Per Roll | Carton | Weight |    |    |    |    |
| 3    | x | 1 | 84932  | 270      | 6      | 2 lbs. | x  |    |    |    |

For information on your printer media specifications, please refer to page 5.

Stock - ships within one business day, Made to order (MTO) - ships within 6 business days.

Prices effective December 2, 2013 - All prices and stocking locations are subject to change without notice.



## Mobile Printers

### PolyPro 4000D

A direct thermal, white, matte direct thermal polypropylene label with a high-performance acrylic adhesive offering some flexibility for labeling curved surfaces, resistant to scratching and smearing and temperatures up to 131°F.

0.75" ID 2" OD

Refer to *Mobile Media Reference Guide* for printer compatibility

| Size |   |      | Part #    | Labels<br>Per Roll | Rolls/<br>Carton | Carton<br>Weight | WI | GA | TX | CA |
|------|---|------|-----------|--------------------|------------------|------------------|----|----|----|----|
| W    | x | L    |           |                    |                  |                  |    |    |    |    |
| 2    | x | 1    | LD-R7BL5B | 350                | 36               | 7 lbs.           | x  | x  |    |    |
| 2    | x | 1.25 | LD-R2BF5W | 280                | 36               | 8 lbs.           | x  | x  | x  |    |

Labels are equipped with black mark sensing

0.75" ID 2.2" OD

Refer to *Mobile Media Reference Guide* for printer compatibility

| Size |   |      | Part #      | Labels<br>Per Roll | Rolls/<br>Carton | Carton<br>Weight | WI | GA | TX | CA |
|------|---|------|-------------|--------------------|------------------|------------------|----|----|----|----|
| W    | x | L    |             |                    |                  |                  |    |    |    |    |
| 2    | x | 1.25 | 10015778*   | 380                | 12               | 3 lbs.           | x  |    |    |    |
| 2    | x | 1.25 | 10017581*~  | 380                | 12               | 3 lbs.           | x  |    |    |    |
| 2    | x | 1.25 | 10017577*^~ | 380                | 12               | 3 lbs.           | x  |    |    |    |
| 2    | x | 2    | 10015779*   | 245                | 12               | 3 lbs.           | x  |    |    |    |
| 2    | x | 2    | 10017582*~  | 245                | 12               | 3 lbs.           | x  |    |    |    |
| 2    | x | 2    | 10017578*^~ | 245                | 12               | 3 lbs.           | x  |    |    |    |

\* Perforation between labels

^ Labels equipped with black mark sensing

~ Labels equipped with protective overvarnish

For information on your printer media specifications, please refer to page 5.  
 Stock - ships within one business day, Made to order (MTO) - ships within 6 business days.  
 Prices effective December 2, 2013 - All prices and stocking locations are subject to change without notice.



## Mobile Printers

### Z-Ultimate 4000T

A thermal transfer, pearl white, gloss polyester label with a high performance permanent acrylic adhesive that provides unparalleled smear and scratch resistance, resistance to moderate chemicals and up to 3 years outdoors. UL/cUL recognized for indoor and outdoor use when used with compatible genuine Zebra resin ribbons.

0.75" ID 2.6" OD

Refer to *Mobile Media Reference Guide* for printer compatibility

| Size |   |      | Part #   | Labels   | Rolls/ | Carton  | WI | GA | TX | CA |
|------|---|------|----------|----------|--------|---------|----|----|----|----|
| W    | x | L    |          | Per Roll | Carton | Weight  |    |    |    |    |
| 2    | x | 1.25 | 10010073 | 520      | 12     | 12 lbs. | x  |    |    |    |
| 3    | x | 3    | 10008551 | 230      | 12     | 16 lbs. | x  |    |    |    |

Labels are equipped with black mark sensing

### PolyPro 4000T

A thermal transfer, white, Kimdura® matte polypropylene label with a permanent acrylic adhesive. Offers some flexibility for labeling curved surfaces, resistant to scratching and smearing, temperatures up to 250°F and 1-2 years outdoors.

0.75" ID 2.6" OD

Refer to *Mobile Media Reference Guide* for printer compatibility

| Size |   |      | Part #     | Labels   | Rolls/ | Carton  | WI | GA | TX | CA |
|------|---|------|------------|----------|--------|---------|----|----|----|----|
| W    | x | L    |            | Per Roll | Carton | Weight  |    |    |    |    |
| 2    | x | 1.25 | 10015776*  | 375      | 12     | 3 lbs.  | x  |    |    |    |
| 2    | x | 1.25 | 10017575*^ | 375      | 12     | 3 lbs.  | x  |    |    |    |
| 2    | x | 2    | 10015777*  | 245      | 12     | 3 lbs.  | x  |    |    |    |
| 2    | x | 2    | 10017576*^ | 245      | 12     | 3 lbs.  | x  |    |    |    |
| 4    | x | 6    | 10008424   | 80       | 36     | 36 lbs. |    |    |    | x  |

\* Perforation between labels

^ Labels equipped with black mark sensing

1" ID 2" OD

Refer to *Mobile Media Reference Guide* for printer compatibility

| Size |   |   | Part # | Labels   | Rolls/ | Carton | WI | GA | TX | CA |
|------|---|---|--------|----------|--------|--------|----|----|----|----|
| W    | x | L |        | Per Roll | Carton | Weight |    |    |    |    |
| 2    | x | 1 | 82414  | 260      | 12     | 3 lbs. | x  | x  |    | x  |
| 3    | x | 3 | 82413  | 90       | 12     | 5 lbs. | x  |    |    |    |

For information on your printer media specifications, please refer to page 5.

Stock - ships within one business day, Made to order (MTO) - ships within 6 business days.

Prices effective December 2, 2013 - All prices and stocking locations are subject to change without notice.

## Mobile Printers

### Z-Perform 1000D 2.4 mil Receipt (10 years archivability)

A standard, direct thermal, bright white, uncoated, 2.4 mil paper receipt. Ideal for applications requiring limited durability and maximum roll footage per roll.

0.5" ID 1.8" OD

Refer to *Mobile Media Reference Guide* for printer compatibility

| W | Size |       | Part #   | Length | Rolls/<br>Carton | Carton  |  | WI | GA | TX | CA |
|---|------|-------|----------|--------|------------------|---------|--|----|----|----|----|
|   | x    | L     |          |        |                  | Weight  |  |    |    |    |    |
| 2 | x    | Cont. | 10011041 | 80'    | 36               | 9 lbs.  |  | x  | x  |    |    |
| 3 | x    | Cont. | 10011042 | 80'    | 36               | 13 lbs. |  | x  | x  |    |    |

0.75" ID 2.25" OD

Refer to *Mobile Media Reference Guide* for printer compatibility

| W | Size |       | Part #   | Length | Rolls/<br>Carton | Carton  |  | WI | GA | TX | CA |
|---|------|-------|----------|--------|------------------|---------|--|----|----|----|----|
|   | x    | L     |          |        |                  | Weight  |  |    |    |    |    |
| 4 | x    | Cont. | 10006224 | 100'   | 36               | 13 lbs. |  | x  |    |    |    |

1" ID 2" OD

Refer to *Mobile Media Reference Guide* for printer compatibility

| W | Size |       | Part #     | Length | Rolls/<br>Carton | Carton |  | WI | GA | TX | CA |
|---|------|-------|------------|--------|------------------|--------|--|----|----|----|----|
|   | x    | L     |            |        |                  | Weight |  |    |    |    |    |
| 4 | x    | Cont. | 800398-004 | 75'    | 12               | 5 lbs. |  | x  |    |    |    |

### Z-Select 4000D 3.2 mil Receipt (25 years archivability)

A premium, direct thermal, bright white, coated, 3.2 mil receipt paper that provides an ideal solution for applications requiring limited durability.

0.75" ID 2.25" OD

Refer to *Mobile Media Reference Guide* for printer compatibility

| W | Size |       | Part #    | Length | Rolls/<br>Carton | Carton  |  | WI | GA | TX | CA |
|---|------|-------|-----------|--------|------------------|---------|--|----|----|----|----|
|   | x    | L     |           |        |                  | Weight  |  |    |    |    |    |
| 2 | x    | Cont. | LD-R2KH5B | 81'    | 36               | 9 lbs.  |  | x  |    |    |    |
| 3 | x    | Cont. | LD-R3KX5B | 81'    | 36               | 13 lbs. |  | x  |    |    |    |
| 4 | x    | Cont. | LD-R4KN5B | 81'    | 36               | 13 lbs. |  | x  |    |    |    |

0.5" ID 1.8" OD

Refer to *Mobile Media Reference Guide* for printer compatibility

| W | Size |       | Part #   | Length | Rolls/<br>Carton | Carton |  | WI | GA | TX | CA |
|---|------|-------|----------|--------|------------------|--------|--|----|----|----|----|
|   | x    | L     |          |        |                  | Weight |  |    |    |    |    |
| 2 | x    | Cont. | 10011043 | 55'    | 36               | 9 lbs  |  | x  |    |    |    |
| 3 | x    | Cont. | 10011044 | 55'    | 36               | 13 lbs |  | x  |    |    |    |

0.50" ID 1.57" OD

Refer to *Mobile Media Reference Guide* for printer compatibility

| W    | Size |       | Part #   | Length | Rolls/<br>Carton | Carton |  | WI | GA | TX | CA |
|------|------|-------|----------|--------|------------------|--------|--|----|----|----|----|
|      | x    | L     |          |        |                  | Weight |  |    |    |    |    |
| 2.25 | x    | Cont. | 10008899 | 40'    | 36               | 9 lbs  |  | x  |    |    |    |

For information on your printer media specifications, please refer to page 5.  
 Stock - ships within one business day, Made to order (MTO) - ships within 6 business days.  
 Prices effective December 2, 2013 - All prices and stocking locations are subject to change without notice.

## Mobile Printers

### 8000D 3.2 mil High-Temp Receipt (20 years archivability)

A direct thermal, white, coated, 3.2 mil receipt paper that provides temperature resistance up to 194° F; offers superior durability under fluorescent bulbs and partial UV exposure (through a window).

0.75" ID 2.25" OD

Refer to *Mobile Media Reference Guide* for printer compatibility

| Size |   |       | Part #   | Length | Rolls/<br>Carton | Carton<br>Weight | WI | GA | TX | CA |
|------|---|-------|----------|--------|------------------|------------------|----|----|----|----|
| W    | x | L     |          |        |                  |                  |    |    |    |    |
| 4    | x | Cont. | 10001965 | 74'    | 36               | 7 lbs.           | x  |    |    |    |

### 8000D Linerless

(requires linerless roller)

A premium, direct thermal, white linerless label featuring a permanent rubber adhesive.

0.75" ID 2.2" OD

Refer to *Mobile Media Reference Guide* for printer compatibility

| Size |   |       | Part #    | Length | Rolls/<br>Carton | Carton<br>Weight | WI | GA | TX | CA |
|------|---|-------|-----------|--------|------------------|------------------|----|----|----|----|
| W    | x | L     |           |        |                  |                  |    |    |    |    |
| 2    | x | Cont. | LD-R2LS5W | 65'    | 36               | 16 lbs.          | x  |    |    |    |

0.75" ID 2.5" OD

Refer to *Mobile Media Reference Guide* for printer compatibility

| Size |   |       | Part #    | Length | Rolls/<br>Carton | Carton<br>Weight | WI | GA | TX | CA |
|------|---|-------|-----------|--------|------------------|------------------|----|----|----|----|
| W    | x | L     |           |        |                  |                  |    |    |    |    |
| 4    | x | Cont. | LD-R4LF5P | 85'    | 20               | 23 lbs.          | x  |    |    |    |

## Wristband Media - Tabletop/Industrial Printers

### Z-Band Direct

A latex-free, direct thermal, white, coated polypropylene wristband with a permanent acrylic adhesive paper tab for securement.

3" ID 8" OD

| W    | Size |    | Color  | Part #     | Bands<br>Per Roll | Rolls/<br>Carton | Carton<br>Weight | WI | GA | TX | CA |
|------|------|----|--------|------------|-------------------|------------------|------------------|----|----|----|----|
|      | x    | L  |        |            |                   |                  |                  |    |    |    |    |
| 1    | x    | 11 | White  | 10005007   | 450               | 6                | 9 lbs.           | x  |    |    |    |
| 1    | x    | 11 | Red    | 10003854-1 | 450               | 6                | 9 lbs.           | M  |    |    |    |
| 1    | x    | 11 | Yellow | 10003854-2 | 450               | 6                | 9 lbs.           | M  |    |    |    |
| 1    | x    | 11 | Blue   | 10003854-3 | 450               | 6                | 9 lbs.           | M  |    |    |    |
| 1    | x    | 11 | Green  | 10003854-4 | 450               | 6                | 9 lbs.           | M  |    |    |    |
| 1    | x    | 11 | Pink   | 10003854-5 | 450               | 6                | 9 lbs.           | M  |    |    |    |
| 1    | x    | 11 | Orange | 10003854-6 | 450               | 6                | 9 lbs.           | M  |    |    |    |
| 1.25 | x    | 11 | White  | 10006648   | 450               | 6                | 9 lbs.           | x  |    |    |    |

All wristband part numbers are perforated

M = Made to order (2 carton minimum required)

### Z-Band Fusion

See datasheet on Access Zebra for more information

Self-laminating direct thermal polypropylene wristband with adhesive-closure and a wristband extender to fit a wide range of wrist sizes. Scannable up to 60 days.

3" ID 8" OD

| Wristband<br>Length | Image Area |   |       | Part #              | Sheet |       | Bands<br>Per Roll | Rolls/<br>Case | Case<br>Weight | WI | GA | TX | CA |
|---------------------|------------|---|-------|---------------------|-------|-------|-------------------|----------------|----------------|----|----|----|----|
|                     | W          | x | L     |                     | Width | Color |                   |                |                |    |    |    |    |
| 9.25                | 2.75       | x | 0.875 | FID-ADULT-L3-3-500T | 3.00  | White | 500               | 2              | 7 lbs.         | x  |    |    |    |

All wristband part numbers are perforated

### Z-Band 4000 Wristband Kit

A latex-free, thermal transfer polyester wristband with a permanent acrylic adhesive for securement.

3" ID 8" OD

| W | Size |    | Part # | Color | Bands<br>Per Roll | Rolls/<br>Kit | Carton<br>Weight | WI | GA | TX | CA |
|---|------|----|--------|-------|-------------------|---------------|------------------|----|----|----|----|
|   | x    | L  |        |       |                   |               |                  |    |    |    |    |
| 1 | x    | 11 | ZBAND1 | White | 530               | 3             | 6 lbs.           | x  |    |    | x  |

Z-Band 4000 Tabletop Wristband kit includes 3 rolls of perforated wristbands and 1 roll of the 5095 ribbon.

For information on your printer media specifications, please refer to page 5.  
Stock - ships within one business day, Made to order (MTO) - ships within 6 business days.  
Prices effective December 2, 2013 - All prices and stocking locations are subject to change without notice.

Need a custom solution? Call for a quote today: +1 866 230 9495

Part #13746L

## Wristband Media - Tabletop/Industrial Printers

### Z-Band QuickClip Kit

A latex-free, direct thermal, white, coated, polypropylene wristband with white clips for securement. Color clips also available.

3" ID 8" OD

| Size   |   |    | Part #  | Bands    | Rolls/ | Kit     | WI | GA | TX | CA |
|--------|---|----|---------|----------|--------|---------|----|----|----|----|
| W      | x | L  |         | Per Roll | Kit    | Weight  |    |    |    |    |
| 1.1875 | x | 11 | 97890K^ | 550      | 6      | 11 lbs. | x  |    |    |    |

^(1.1875 x 11) Includes 6 rolls of perforated wristbands and 3,480 white clips. Color clips sold separately.

### Color Clips for use with QuickClip Wristbands

| Part #       | Color  | Clips    | WI | GA | TX | CA |
|--------------|--------|----------|----|----|----|----|
|              |        | Per Pack |    |    |    |    |
| 97032-Red    | Red    | 275      | x  |    |    |    |
| 97032-Blue   | Blue   | 275      | x  |    |    |    |
| 97032-Green  | Green  | 275      | x  |    |    |    |
| 97032-Yellow | Yellow | 275      | x  |    |    |    |
| 97032-Pink   | Pink   | 275      | x  |    |    |    |
| 97032-Purple | Purple | 275      | x  |    |    |    |

For information on your printer media specifications, please refer to page 5.

Stock - ships within one business day, Made to order (MTO) - ships within 6 business days.

Prices effective December 2, 2013 - All prices and stocking locations are subject to change without notice.

## Wristband Media - Tabletop/Industrial Printers

### Z-Band Fun

A direct thermal wristband for 1-day use at amusement parks, carnivals, sporting events, and concerts. It features an adhesive tab for securement.

3" ID 8" OD

| W | Size |    | Color  | Part #     | Bands<br>Per Roll | Rolls/<br>Carton | Carton<br>Weight | WI | GA | TX | CA |
|---|------|----|--------|------------|-------------------|------------------|------------------|----|----|----|----|
|   | x    | L  |        |            |                   |                  |                  |    |    |    |    |
| 1 | x    | 10 | Red    | 10012714-1 | 800               | 4                | 7 lbs.           | M  |    |    |    |
| 1 | x    | 10 | Yellow | 10012714-2 | 800               | 4                | 7 lbs.           | M  |    |    |    |
| 1 | x    | 10 | Blue   | 10012714-3 | 800               | 4                | 7 lbs.           | M  |    |    |    |
| 1 | x    | 10 | Green  | 10012714-4 | 800               | 4                | 7 lbs.           | M  |    |    |    |
| 1 | x    | 10 | Pink   | 10012714-5 | 800               | 4                | 7 lbs.           | M  |    |    |    |
| 1 | x    | 10 | Orange | 10012714-6 | 800               | 4                | 7 lbs.           | M  |    |    |    |
| 1 | x    | 10 | Purple | 10012714-7 | 800               | 4                | 7 lbs.           | M  |    |    |    |

All wristband part numbers are perforated

M = Made to order (Minimum Order - 4 rolls)

### Z-Band Splash

A direct thermal wristband for multiple day use at waterparks, resorts and cruise lines. It features a durable, water resistant adhesive tab for securement that does not breakdown during multiple days of excessive water exposure.

3" ID 8" OD

| W | Size |    | Color  | Part #     | Bands<br>Per Roll | Rolls/<br>Carton | Carton<br>Weight | WI | GA | TX | CA |
|---|------|----|--------|------------|-------------------|------------------|------------------|----|----|----|----|
|   | x    | L  |        |            |                   |                  |                  |    |    |    |    |
| 1 | x    | 10 | Red    | 10012719-1 | 800               | 4                | 7 lbs.           | M  |    |    |    |
| 1 | x    | 10 | Yellow | 10012719-2 | 800               | 4                | 7 lbs.           | M  |    |    |    |
| 1 | x    | 10 | Blue   | 10012719-3 | 800               | 4                | 7 lbs.           | M  |    |    |    |
| 1 | x    | 10 | Green  | 10012719-4 | 800               | 4                | 7 lbs.           | M  |    |    |    |
| 1 | x    | 10 | Pink   | 10012719-5 | 800               | 4                | 7 lbs.           | M  |    |    |    |
| 1 | x    | 10 | Orange | 10012719-6 | 800               | 4                | 7 lbs.           | M  |    |    |    |
| 1 | x    | 10 | Purple | 10012719-7 | 800               | 4                | 7 lbs.           | M  |    |    |    |

All wristband part numbers are perforated

M = Made to order (Minimum Order - 4 rolls)

For information on your printer media specifications, please refer to page 5.  
 Stock - ships within one business day, Made to order (MTO) - ships within 6 business days.  
 Prices effective December 2, 2013 - All prices and stocking locations are subject to change without notice.

## Wristband Media - Desktop Printers

### Z-Band UltraSoft

Ultra-soft and flexible direct thermal polypropylene and vinyl wristband with an adhesive tamper-evident tab for securement. Scannable for up to 14 days.

1" ID 5" OD

| Size |   |    | Part #   | Color | Bands<br>Per Roll | Rolls/<br>Carton | Carton<br>Weight | WI | GA | TX | CA |
|------|---|----|----------|-------|-------------------|------------------|------------------|----|----|----|----|
| W    | x | L  |          |       |                   |                  |                  |    |    |    |    |
| 1    | x | 11 | 10018856 | White | 175               | 6                | 6 lbs.           | x  |    |    |    |
| 0.75 | x | 11 | 10018855 | White | 175               | 6                | 6 lbs.           | x  |    |    |    |
| 1    | x | 7  | 10018857 | White | 250               | 6                | 6 lbs.           | x  |    |    |    |
| 1    | x | 6  | 10019015 | White | 300               | 6                | 6 lbs.           | x  |    |    |    |

All wristband part numbers are perforated

### Z-Band Direct

A latex-free, direct thermal, white, coated polypropylene wristband with a permanent acrylic adhesive paper tab for securement.

1" ID 5" OD

| Size |   |    | Part #     | Color  | Bands<br>Per Roll | Rolls/<br>Carton | Carton<br>Weight | WI | GA | TX | CA |
|------|---|----|------------|--------|-------------------|------------------|------------------|----|----|----|----|
| W    | x | L  |            |        |                   |                  |                  |    |    |    |    |
| 0.75 | x | 11 | 10004448   | White  | 200               | 6                | 4.8 lbs.         | x  |    |    | x  |
| 1    | x | 11 | 10005008   | White  | 200               | 6                | 4.8 lbs.         | x  |    |    | x  |
| 1    | x | 11 | 10004443-1 | Red    | 200               | 6                | 4.8 lbs.         | x  |    |    |    |
| 1    | x | 11 | 10004443-2 | Yellow | 200               | 6                | 4.8 lbs.         | x  |    |    |    |
| 1    | x | 11 | 10004443-3 | Blue   | 200               | 6                | 4.8 lbs.         | x  |    |    |    |
| 1    | x | 11 | 10004443-4 | Green  | 200               | 6                | 4.8 lbs.         | x  |    |    |    |
| 1    | x | 11 | 10004443-5 | Pink   | 200               | 6                | 4.8 lbs.         | x  |    |    |    |
| 1    | x | 11 | 10004443-6 | Orange | 200               | 6                | 4.8 lbs.         | x  |    |    |    |
| 1.25 | x | 11 | 10006647   | White  | 200               | 6                | 4.8 lbs.         | x  |    |    |    |
| 1    | x | 6  | 10003853   | White  | 350               | 6                | 4.8 lbs.         | x  |    |    |    |
| 1    | x | 7  | 10003852   | White  | 300               | 6                | 4.8 lbs.         | x  |    |    |    |

All wristband part numbers are perforated

### Soft Infant Z-Band Wristbands

A direct thermal white polypropylene wristband with soft nylon lining and a permanent acrylic adhesive for securement.

1" ID 4.8" OD

| Size |   |   | Part #   | Color | Bands<br>Per Roll | Rolls/<br>Carton | Carton<br>Weight | WI | GA | TX | CA |
|------|---|---|----------|-------|-------------------|------------------|------------------|----|----|----|----|
| W    | x | L |          |       |                   |                  |                  |    |    |    |    |
| 2    | x | 7 | 10007909 | White | 275               | 6                | 6 lbs.           | x  |    |    |    |

For information on your printer media specifications, please refer to page 5.

Stock - ships within one business day, Made to order (MTO) - ships within 6 business days.

Prices effective December 2, 2013 - All prices and stocking locations are subject to change without notice.

## Wristband Media - Desktop Printers

### Z-Band Fusion

See datasheet on Access Zebra for more information

Self-laminating direct thermal polypropylene wristband with adhesive-closure and a wristband extender to fit a wide range of wrist sizes. Scannable up to 60 days.

1" ID 5" OD

| Wristband Length | Image Area |   |       | Part #                | Sheet |       | Bands Per Roll | Rolls/Case | Case    |    |    |    |    |
|------------------|------------|---|-------|-----------------------|-------|-------|----------------|------------|---------|----|----|----|----|
|                  | W          | x | L     |                       | Width | Color |                |            | Weight  | WI | GA | TX | CA |
| 9.25             | 2.75       | x | 0.875 | FID-ADULT-L3-1-200T   | 3.00  | White | 200            | 5          | 7 lbs.  | x  |    |    |    |
| 9.25             | 2.75       | x | 0.875 | FID-ADULT-L3C-1-200T* | 4.00  | White | 200            | 5          | 10 lbs. | x  |    |    |    |
| 7.375            | 2.75       | x | 0.875 | FID-PED-L3-1-200T     | 3.00  | White | 200            | 5          | 8 lbs.  | x  |    |    |    |
| 5.75             | 1.63       | x | 0.750 | FID-BABY-L3-1-200T    | 3.00  | White | 200            | 5          | 8 lbs.  | x  |    |    |    |

All wristband part numbers are perforated

\*Combo sheet – contains (8) additional labels

### Z-Band 4000

A latex-free, thermal transfer polyester wristband with a permanent acrylic adhesive for securement.

1" ID 5" OD

| W | Size |    | Part # | Color | Bands Per Roll | Rolls/ Carton | Carton Weight | WI | GA | TX | CA |
|---|------|----|--------|-------|----------------|---------------|---------------|----|----|----|----|
|   | x    | L  |        |       |                |               |               |    |    |    |    |
| 1 | x    | 11 | 17158  | White | 300            | 4             | 2 lbs.        | x  |    |    |    |

### Z-Band QuickClip Kit

A latex-free, direct thermal, white, coated, polypropylene wristband with white clips for securement.

| W      | Size |    | Part #     | Bands Per Roll | Rolls/ Kit | Carton Weight | WI | GA | TX | CA |
|--------|------|----|------------|----------------|------------|---------------|----|----|----|----|
|        | x    | L  |            |                |            |               |    |    |    |    |
| 1.1875 | x    | 11 | 97881K^    | 260            | 6          | 11 lbs.       | x  |    |    |    |
| 1      | x    | 7  | 10004821K* | 390            | 6          | 10 lbs.       | x  |    |    |    |

\*(1 x 7) Includes 6 rolls of perforated wristbands and 2,610 white clips. Color clips sold separately.

^(1.1875 x 11) Includes 6 rolls of perforated wristbands and 1,740 white clips. Color clips sold separately.

### Color Clips for use with QuickClip Wristbands

| Part #       | Color  | Clips Per Pack | WI | GA | TX | CA |
|--------------|--------|----------------|----|----|----|----|
| 97032-Red    | Red    | 275            | x  |    |    |    |
| 97032-Blue   | Blue   | 275            | x  |    |    |    |
| 97032-Green  | Green  | 275            | x  |    |    |    |
| 97032-Yellow | Yellow | 275            | x  |    |    |    |
| 97032-Pink   | Pink   | 275            | x  |    |    |    |
| 97032-Purple | Purple | 275            | x  |    |    |    |

For information on your printer media specifications, please refer to page 5.

Stock - ships within one business day, Made to order (MTO) - ships within 6 business days.

Prices effective December 2, 2013 - All prices and stocking locations are subject to change without notice.



## Wristband Media - Desktop Printers

### Z-Band Fun

A direct thermal wristband for 1-day use at amusement parks, carnivals, sporting events, and concerts. It features an adhesive tab for securement.

1" ID 5" OD

| W | Size |    | Part #     | Color  | Bands<br>Per Roll | Rolls/<br>Carton | Carton<br>Weight | WI | GA | TX | CA |
|---|------|----|------------|--------|-------------------|------------------|------------------|----|----|----|----|
|   | x    | L  |            |        |                   |                  |                  |    |    |    |    |
| 1 | x    | 10 | 10012712-1 | Red    | 350               | 4                | 4 lbs.           | x  |    |    |    |
| 1 | x    | 10 | 10012712-2 | Yellow | 350               | 4                | 4 lbs.           | x  |    |    |    |
| 1 | x    | 10 | 10012712-3 | Blue   | 350               | 4                | 4 lbs.           | x  |    |    |    |
| 1 | x    | 10 | 10012712-4 | Green  | 350               | 4                | 4 lbs.           | x  |    |    |    |
| 1 | x    | 10 | 10012712-5 | Pink   | 350               | 4                | 4 lbs.           | x  |    |    |    |
| 1 | x    | 10 | 10012712-6 | Orange | 350               | 4                | 4 lbs.           | x  |    |    |    |
| 1 | x    | 10 | 10012712-7 | Purple | 350               | 4                | 4 lbs.           | x  |    |    |    |

All wristband part numbers are perforated

### Z-Band Splash

A direct thermal wristband for multiple day use at waterparks, resorts and cruise lines. It features a durable, water resistant adhesive tab for securement that does not breakdown during multiple days of excessive water exposure.

1" ID 5" OD

| W | Size |    | Part #     | Color  | Bands<br>Per Roll | Rolls/<br>Carton | Carton<br>Weight | WI | GA | TX | CA |
|---|------|----|------------|--------|-------------------|------------------|------------------|----|----|----|----|
|   | x    | L  |            |        |                   |                  |                  |    |    |    |    |
| 1 | x    | 10 | 10012718-1 | Red    | 350               | 4                | 4 lbs.           | x  |    |    |    |
| 1 | x    | 10 | 10012718-2 | Yellow | 350               | 4                | 4 lbs.           | x  |    |    |    |
| 1 | x    | 10 | 10012718-3 | Blue   | 350               | 4                | 4 lbs.           | x  |    |    |    |
| 1 | x    | 10 | 10012718-4 | Green  | 350               | 4                | 4 lbs.           | x  |    |    |    |
| 1 | x    | 10 | 10012718-5 | Pink   | 350               | 4                | 4 lbs.           | x  |    |    |    |
| 1 | x    | 10 | 10012718-6 | Orange | 350               | 4                | 4 lbs.           | x  |    |    |    |
| 1 | x    | 10 | 10012718-7 | Purple | 350               | 4                | 4 lbs.           | x  |    |    |    |

All wristband part numbers are perforated

For information on your printer media specifications, please refer to page 5.

Stock - ships within one business day, Made to order (MTO) - ships within 6 business days.

Prices effective December 2, 2013 - All prices and stocking locations are subject to change without notice.

## Wristband Media - Desktop Printers

### HC100 Wristband Cartridges

#### Z-Band UltraSoft Kit

Ultra-soft and flexible direct thermal polypropylene and vinyl wristband with an adhesive tamper-evident tab for securement. Scannable for up to 14 days.

| W    | Size |    | Part #      | Color | Bands<br>Per Roll | Rolls/<br>Kit | Carton<br>Weight | WI | GA | TX | CA |
|------|------|----|-------------|-------|-------------------|---------------|------------------|----|----|----|----|
|      | x    | L  |             |       |                   |               |                  |    |    |    |    |
| 1    | x    | 11 | 10015355K   | White | 175               | 6             | 6 lbs.           | x  |    |    |    |
| 0.75 | x    | 11 | 10015356K   | White | 175               | 6             | 6 lbs.           | x  |    |    |    |
| 1    | x    | 7  | 10015357K   | White | 250               | 6             | 6 lbs.           | x  |    |    |    |
| 1    | x    | 6  | 10015358K   | White | 300               | 6             | 6 lbs.           | x  |    |    |    |
| 1    | x    | 11 | 10015355-2K | Blue  | 175               | 6             | 6 lbs.           | x  |    |    |    |
| 1    | x    | 11 | 10015355-3K | Green | 175               | 6             | 6 lbs.           | x  |    |    |    |
| 1    | x    | 11 | 10015355-5K | Pink  | 175               | 6             | 6 lbs.           | x  |    |    |    |

All wristband part numbers are perforated

#### Z-Band Comfort Kit

Direct thermal, white, soft, flexible polypropylene wristband with a permanent acrylic adhesive paper tab for securement.

| W      | Size |    | Part #      | Color  | Bands<br>Per Roll | Rolls/<br>Kit | Carton<br>Weight | WI | GA | TX | CA |
|--------|------|----|-------------|--------|-------------------|---------------|------------------|----|----|----|----|
|        | x    | L  |             |        |                   |               |                  |    |    |    |    |
| 1      | x    | 11 | 10010951K   | White  | 300               | 6             | 6 lbs.           | x  |    |    | x  |
| 1.1875 | x    | 11 | 10011963K   | White  | 300               | 6             | 6 lbs.           | x  |    |    |    |
| 0.75   | x    | 11 | 10011952K   | White  | 300               | 6             | 6 lbs.           | x  |    |    |    |
| 1      | x    | 11 | 10010951-1K | Red    | 300               | 6             | 6 lbs.           | x  |    |    |    |
| 1      | x    | 11 | 10010951-2K | Blue   | 300               | 6             | 6 lbs.           | x  |    |    |    |
| 1      | x    | 11 | 10010951-3K | Green  | 300               | 6             | 6 lbs.           | x  |    |    |    |
| 1      | x    | 11 | 10010951-4K | Purple | 300               | 6             | 6 lbs.           | x  |    |    |    |
| 1      | x    | 11 | 10010951-5K | Pink   | 300               | 6             | 6 lbs.           | x  |    |    |    |
| 1      | x    | 11 | 10010951-6K | Orange | 300               | 6             | 6 lbs.           | x  |    |    |    |
| 1      | x    | 11 | 10010951-7K | Yellow | 300               | 6             | 6 lbs.           | x  |    |    |    |
| 1      | x    | 6  | 10011953K   | White  | 600               | 6             | 6 lbs.           | x  |    |    | x  |
| 1      | x    | 7  | 10011954K   | White  | 500               | 6             | 6 lbs.           | x  |    |    | x  |

All wristband part numbers are perforated

For information on your printer media specifications, please refer to page 5.  
 Stock - ships within one business day, Made to order (MTO) - ships within 6 business days.  
 Prices effective December 2, 2013 - All prices and stocking locations are subject to change without notice.

## Wristband Media - Desktop Printers

### HC100 Wristband Cartridges

#### Z-Band Direct Kit

A latex-free, direct thermal, white, coated polypropylene wristband with a permanent acrylic adhesive paper tab for securement.

| Size   |   |    | Part #      | Color  | Bands<br>Per Roll | Rolls/<br>Kit | Carton<br>Weight | WI | GA | TX | CA |
|--------|---|----|-------------|--------|-------------------|---------------|------------------|----|----|----|----|
| W      | x | L  |             |        |                   |               |                  |    |    |    |    |
| 0.75   | x | 11 | 10006997K   | White  | 200               | 6             | 6 lbs.           | x  |    |    |    |
| 1      | x | 11 | 10006995K   | White  | 200               | 6             | 6 lbs.           | x  |    |    | x  |
| 1      | x | 11 | 10006995-1K | Red    | 200               | 6             | 6 lbs.           | x  |    |    |    |
| 1      | x | 11 | 10006995-2K | Blue   | 200               | 6             | 6 lbs.           | x  |    |    |    |
| 1      | x | 11 | 10006995-3K | Green  | 200               | 6             | 6 lbs.           | x  |    |    |    |
| 1      | x | 11 | 10006995-4K | Purple | 200               | 6             | 6 lbs.           | x  |    |    |    |
| 1      | x | 11 | 10006995-5K | Pink   | 200               | 6             | 6 lbs.           | x  |    |    |    |
| 1      | x | 11 | 10006995-6K | Orange | 200               | 6             | 6 lbs.           | x  |    |    |    |
| 1      | x | 11 | 10006995-7K | Yellow | 200               | 6             | 6 lbs.           | x  |    |    |    |
| 1.1875 | x | 11 | 10006996K   | White  | 200               | 6             | 6 lbs.           | x  |    |    |    |
| 1      | x | 6  | 10006998K   | White  | 350               | 6             | 6 lbs.           | x  |    |    |    |
| 1      | x | 7  | 10006999K   | White  | 300               | 6             | 6 lbs.           | x  |    |    | x  |

All wristband part numbers are perforated

*For information on your printer media specifications, please refer to page 5.*

*Stock - ships within one business day, Made to order (MTO) - ships within 6 business days.*

*Prices effective December 2, 2013 - All prices and stocking locations are subject to change without notice.*

## Wristband Media - Desktop Printers

### HC100 Wristband Cartridges

#### Soft Infant Z-Band Direct Kit

A direct thermal white polypropylene wristband with soft nylon lining and a permanent acrylic adhesive for securement.

| Size |   |        | Part #    | Color | Bands<br>Per Roll | Rolls/<br>Kit | Carton<br>Weight | WI | GA | TX | CA |
|------|---|--------|-----------|-------|-------------------|---------------|------------------|----|----|----|----|
| W    | x | L      |           |       |                   |               |                  |    |    |    |    |
| 0.75 | x | 7.6875 | 10007746K | White | 275               | 6             | 5 lbs.           | x  |    |    |    |

#### Z-Band QuickClip Kit

A latex-free, direct thermal, white, coated, polypropylene wristband with white clips for securement.

| Size   |   |    | Part #     | Color | Bands<br>Per Roll | Rolls/<br>Kit | Carton<br>Weight | WI | GA | TX | CA |
|--------|---|----|------------|-------|-------------------|---------------|------------------|----|----|----|----|
| W      | x | L  |            |       |                   |               |                  |    |    |    |    |
| 1      | x | 7  | 10007003K^ | White | 390               | 3             | 6 lbs.           | x  |    |    |    |
| 1.1875 | x | 11 | 10007000K* | White | 260               | 4             | 6 lbs.           | x  |    |    |    |

**QuickClip** - Must be ordered in carton quantities.

^(1 x 7) Includes 3 wristband cartridges and 1,450 white clips. Color clips sold separately.

\*(1.1875 x 11) Includes 4 wristband cartridges and 1,160 white clips. Color clips sold separately.

### Color Clips for use with QuickClip Wristbands

| Part #       | Color  | Clips<br>Per Pack | WI | GA | TX | CA |
|--------------|--------|-------------------|----|----|----|----|
| 97032-Red    | Red    | 275               | x  |    |    |    |
| 97032-Blue   | Blue   | 275               | x  |    |    |    |
| 97032-Green  | Green  | 275               | x  |    |    |    |
| 97032-Yellow | Yellow | 275               | x  |    |    |    |
| 97032-Pink   | Pink   | 275               | x  |    |    |    |
| 97032-Purple | Purple | 275               | x  |    |    |    |

For information on your printer media specifications, please refer to page 5.

Stock - ships within one business day, Made to order (MTO) - ships within 6 business days.

Prices effective December 2, 2013 - All prices and stocking locations are subject to change without notice.

## Wristband Media - Desktop Printers

### HC100 Wristband Cartridges

#### Z-Band Fun Wristband Cartridge

A direct thermal wristband for 1-day use at amusement parks, carnivals, sporting events, and concerts. It features an adhesive tab for securement.

| Size |   |    | Part #       | Color      | Bands<br>Per Roll | Rolls/<br>Kit | Carton<br>Weight | WI | GA | TX | CA |
|------|---|----|--------------|------------|-------------------|---------------|------------------|----|----|----|----|
| W    | x | L  |              |            |                   |               |                  |    |    |    |    |
| 1    | x | 10 | 10012713-1K  | Red        | 350               | 6             | 6 lbs.           | x  |    |    |    |
| 1    | x | 10 | 10012713-2K  | Yellow     | 350               | 6             | 6 lbs.           | x  |    |    |    |
| 1    | x | 10 | 10012713-3K  | Blue       | 350               | 6             | 6 lbs.           | x  |    |    |    |
| 1    | x | 10 | 10012713-4K  | Green      | 350               | 6             | 6 lbs.           | x  |    |    |    |
| 1    | x | 10 | 10012713-5K  | Pink       | 350               | 6             | 6 lbs.           | x  |    |    |    |
| 1    | x | 10 | 10012713-6K  | Orange     | 350               | 6             | 6 lbs.           | x  |    |    |    |
| 1    | x | 10 | 10012713-7K  | Purple     | 350               | 6             | 6 lbs.           | x  |    |    |    |
| 1    | x | 10 | 10012713-WK* | All Colors | 350               | 7             | 7 lbs.           | x  |    |    |    |

All wristband part numbers are perforated

\*Week of Fun kit contains 1 cartridge of each color – Red, Yellow, Blue, Green, Pink, Orange, Purple

#### Z-Band Splash Wristband Cartridge

A direct thermal wristband for multiple day use at waterparks, resorts and cruise lines. It features a durable, water resistant adhesive tab for securement that does not breakdown during multiple days of excessive water exposure.

| Size |   |    | Part #      | Color  | Bands<br>Per Roll | Rolls/<br>Kit | Carton<br>Weight | WI | GA | TX | CA |
|------|---|----|-------------|--------|-------------------|---------------|------------------|----|----|----|----|
| W    | x | L  |             |        |                   |               |                  |    |    |    |    |
| 1    | x | 10 | 10012717-1K | Red    | 350               | 6             | 6 lbs.           | x  |    |    |    |
| 1    | x | 10 | 10012717-2K | Yellow | 350               | 6             | 6 lbs.           | x  |    |    |    |
| 1    | x | 10 | 10012717-3K | Blue   | 350               | 6             | 6 lbs.           | x  |    |    |    |
| 1    | x | 10 | 10012717-4K | Green  | 350               | 6             | 6 lbs.           | x  |    |    |    |
| 1    | x | 10 | 10012717-5K | Pink   | 350               | 6             | 6 lbs.           | x  |    |    |    |
| 1    | x | 10 | 10012717-6K | Orange | 350               | 6             | 6 lbs.           | x  |    |    |    |
| 1    | x | 10 | 10012717-7K | Purple | 350               | 6             | 6 lbs.           | x  |    |    |    |

All wristband part numbers are perforated

For information on your printer media specifications, please refer to page 5.

Stock - ships within one business day, Made to order (MTO) - ships within 6 business days.

Prices effective December 2, 2013 - All prices and stocking locations are subject to change without notice.

## Wristband Media - RFID

### UHF RFID Wristbands

#### *Direct Thermal UHF Wristband - Adhesive*

A direct thermal UHF RFID wristband with a tamper evident adhesive tab for securement. Designed for 1-day use at amusement parks, festivals, sporting events, and concerts. Pair with Zebra's ZD500R printer.

1" ID 5" OD

| Size |   |    | Part #   | Color  | Bands<br>Per Roll | Rolls/<br>Carton | Carton<br>Weight | WI | GA | TX | CA |
|------|---|----|----------|--------|-------------------|------------------|------------------|----|----|----|----|
| W    | x | L  |          |        |                   |                  |                  |    |    |    |    |
| 1    | x | 10 | 10018345 | Yellow | 125               | 4                | 10 lbs.          | x  |    |    |    |

All wristband part numbers are perforated

#### *Direct Thermal UHF Wristband - Clip*

A direct thermal UHF RFID wristband with a clip closure for securement. Designed for 1-day use at amusement parks, festivals, sporting events, and concerts. Pair with Zebra's ZD500R printer.

1" ID 5" OD

| Size   |   |    | Part #    | Color  | Bands<br>Per Roll | Rolls/<br>Kit | Carton<br>Weight | WI | GA | TX | CA |
|--------|---|----|-----------|--------|-------------------|---------------|------------------|----|----|----|----|
| W      | x | L  |           |        |                   |               |                  |    |    |    |    |
| 1.1875 | x | 11 | 10018346K | Yellow | 125               | 4             | 10 lbs.          | x  |    |    |    |

Kit includes 4 rolls of wristbands and 500 white clips

### HF RFID Wristbands

#### *Non-printable HF Wristband - Adhesive*

A non-printable HF RFID wristband with a tamper evident adhesive tab for securement. Designed for multi-day use at amusement parks, festivals, sporting events, and concerts.

| Size |   |    | Part #   | Color  | Bands<br>Per Roll | Rolls/<br>Carton | Carton<br>Weight | WI | GA | TX | CA |
|------|---|----|----------|--------|-------------------|------------------|------------------|----|----|----|----|
| W    | x | L  |          |        |                   |                  |                  |    |    |    |    |
| 1    | x | 10 | 10018343 | Yellow | 125               | 4                | 10 lbs.          | x  |    |    |    |

All wristband part numbers are perforated

#### *Non-printable HF Wristband - Clip*

A non-printable HF RFID wristband with a clip closure for securement. Designed for multi-day use at amusement parks, festivals, sporting events, and concerts.

| Size   |   |    | Part #    | Color  | Bands<br>Per Roll | Rolls/<br>Kit | Carton<br>Weight | WI | GA | TX | CA |
|--------|---|----|-----------|--------|-------------------|---------------|------------------|----|----|----|----|
| W      | x | L  |           |        |                   |               |                  |    |    |    |    |
| 1.1875 | x | 11 | 10018344K | Yellow | 125               | 4             | 10 lbs.          | x  |    |    |    |

Kit includes 4 rolls of wristbands and 500 white clips

For information on your printer media specifications, please refer to page 5.  
 Stock - ships within one business day, Made to order (MTO) - ships within 6 business days.  
 Prices effective December 2, 2013 - All prices and stocking locations are subject to change without notice.

## Wristband Media - Non-Printable

### Alert Solutions - see datasheet on Access Zebra for more information

#### Spot Alert Labels

Spot-alert color-coded labels can be adhered to any wristband and feature a strong adhesive that causes the label to tear if tampered with. They are available in standard color and designation combinations to support the most critical patient conditions.

| Alert Designation | Sheet Size<br>W x L | Part #                | Color  | Labels/<br>Form | Forms/<br>Case | Case<br>Weight | WI | GA | TX | CA |
|-------------------|---------------------|-----------------------|--------|-----------------|----------------|----------------|----|----|----|----|
| Allergy           | 2.5 x 3.5           | LB-ALERT-ALLERGY      | Red    | 12              | 1,000          | 3 lbs.         | x  |    |    |    |
| Fall Risk         | 2.5 x 3.5           | LB-ALERT-FALLRISK     | Yellow | 12              | 1,000          | 3 lbs.         | x  |    |    |    |
| Latex Allergy     | 2.5 x 3.5           | LB-ALERT-LATEXALLERGY | Green  | 12              | 1,000          | 3 lbs.         | x  |    |    |    |
| DNR               | 2.5 x 3.5           | LB-ALERT-DNR-PUR      | Purple | 12              | 1,000          | 3 lbs.         | x  |    |    |    |
| Limb Alert        | 2.5 x 3.5           | LB-ALERT-LIMBALERT    | Pink   | 12              | 1,000          | 3 lbs.         | x  |    |    |    |
| All               | 2.5 x 3.5           | LB-ALERT-AZ           | All    | 12              | 1,000          | 3 lbs.         | x  |    |    |    |

Each sheet contains (6) labels sized 1.3125" x 0.375" and (6) labels sized 0.75" x 0.25"

#### Slim Alert Wristbands

These color-coded vinyl clip-closure wristbands are pre-printed with patient conditions.

| Alert Designation | Size<br>W x L | Part #              | Color  | Bands/<br>Case | Case<br>Weight | WI | GA | TX | CA |
|-------------------|---------------|---------------------|--------|----------------|----------------|----|----|----|----|
| Allergy           | 0.625 x 10    | PS-ALLERGY-RED      | Red    | 500            | 3 lbs.         | x  |    |    |    |
| Fall Risk         | 0.625 x 10    | PS-FALLRISK-YEL     | Yellow | 500            | 3 lbs.         | x  |    |    |    |
| Latex Allergy     | 0.625 x 10    | PS-LATEXALLERGY-GRE | Green  | 500            | 3 lbs.         | x  |    |    |    |
| DNR               | 0.625 x 10    | PS-DNR-PUR          | Purple | 500            | 3 lbs.         | x  |    |    |    |
| Limb Alert        | 0.625 x 10    | PS-LIMBALERT-PNK    | Pink   | 500            | 3 lbs.         | x  |    |    |    |
| Blank             | 0.625 x 10    | PS-BLANK-PUR        | Purple | 500            | 3 lbs.         | x  |    |    |    |

#### Tyvek® Alert Wristbands

These color-coded Tyvek adhesive closure wristbands are pre-printed with patient conditions.

| Alert Designation             | Size<br>W x L | Part #          | Color  | Bands/<br>Case | Case<br>Weight | WI | GA | TX | CA |
|-------------------------------|---------------|-----------------|--------|----------------|----------------|----|----|----|----|
| Allergy                       | 1 x 10        | TY-ALLERGY      | Red    | 1,000          | 2 lbs.         | x  |    |    |    |
| Fall Risk                     | 1 x 10        | TY-FALLRISK     | Yellow | 1,000          | 2 lbs.         | x  |    |    |    |
| Latex Allergy                 | 1 x 10        | TY-LATEXALLERGY | Green  | 1,000          | 2 lbs.         | x  |    |    |    |
| DNR                           | 1 x 10        | TY-DNR-PUR      | Purple | 1,000          | 2 lbs.         | x  |    |    |    |
| Limb Alert                    | 1 x 10        | TY-LIMBALERT    | Pink   | 1,000          | 2 lbs.         | x  |    |    |    |
| Isolation                     | 1 x 10        | TY-ISOLATION    | Green  | 1,000          | 2 lbs.         | x  |    |    |    |
| No Needles, No Blood Pressure | 1 x 10        | TY-NOSTICKNOBP  | Pink   | 1,000          | 2 lbs.         | x  |    |    |    |
| Obstructive Sleep Apnea       | 1 x 10        | TY-OSARISK      | Blue   | 1,000          | 2 lbs.         | x  |    |    |    |
| Blank                         | 1 x 10        | TY-BLANK-SIL    | Silver | 1,000          | 2 lbs.         | x  |    |    |    |

For information on your printer media specifications, please refer to page 5.

Stock - ships within one business day, Made to order (MTO) - ships within 6 business days.

Prices effective December 2, 2013 - All prices and stocking locations are subject to change without notice.

## Wristband Media - Non-Printable

Enable responders to quickly and accurately identify, record and track people and their personal items at the scene of an emergency with a customizable StatBand. Zebra's durable moisture and abrasion resistant identification tags feature a patented fastening system for quick securement. They are also compatible with emergency response and disaster management software for easy implementation.

### STATBand - see datasheet on Access Zebra for more information

#### *Triage Band*

This all-in-one wristband and triage tag with uniquely numbered barcode labels enables responders to quickly and accurately identify, record and track the injured at the scene of an emergency.

| Size |   |      | Part #    | Labels/<br>Band | Bands/<br>Case | Case   |    | GA | TX | CA |
|------|---|------|-----------|-----------------|----------------|--------|----|----|----|----|
| W    | x | L    |           |                 |                | Weight | WI |    |    |    |
| 3    | x | 17.5 | SB-TRIAGE | 15              | 500            | 6 lbs. | x  |    |    |    |

#### *EMS Band*

The EMS Statband enables responders to quickly and accurately identify, record and track the injured. The flexible design allows it to be used for triage, accident/casualty scenes or everyday emergencies by removing the color-coded identifiers.

| Size |   |      | Part # | Labels/<br>Band | Bands/<br>Case | Case   |    | GA | TX | CA |
|------|---|------|--------|-----------------|----------------|--------|----|----|----|----|
| W    | x | L    |        |                 |                | Weight | WI |    |    |    |
| 1.25 | x | 19.5 | SB-EMS | 11              | 250            | 2 lbs. | x  |    |    |    |

#### *Evacuation Band*

The Evacuation Statband enables responders to quickly and accurately identify, record and track multiple family members, pets and personal items so they can be reunited in case of separation during an emergency evacuation.

| Size  |   |        | Part #   | Labels/<br>Band | Bands/<br>Case | Case   |    | GA | TX | CA |
|-------|---|--------|----------|-----------------|----------------|--------|----|----|----|----|
| W     | x | L      |          |                 |                | Weight | WI |    |    |    |
| 2.625 | x | 14.375 | SB-E-VAC | 6               | 500            | 6 lbs. | x  |    |    |    |

#### *Rapid ID Band*

This tag contains preprinted and uniquely numbered barcodes and labels to enable caregivers the ability to track patients, their belongings and other information in everyday emergency response situations.

| Size |   |      | Part #   | Labels/<br>Band | Bands/<br>Case | Case   |    | GA | TX | CA |
|------|---|------|----------|-----------------|----------------|--------|----|----|----|----|
| W    | x | L    |          |                 |                | Weight | WI |    |    |    |
| 1.25 | x | 17.5 | SB-RAPID | 5               | 1,000          | 5 lbs. | x  |    |    |    |

*For information on your printer media specifications, please refer to page 5.*

*Stock - ships within one business day, Made to order (MTO) - ships within 6 business days.*

*Prices effective December 2, 2013 - All prices and stocking locations are subject to change without notice.*



## Wristband Media - Non-Printable

### OmniBand

See datasheet on Access Zebra for more information

Healthcare providers currently printing barcode labels can quickly implement barcode wristbands by placing a laser or thermal barcode label on Zebra's self-laminating OmniBand wristband—without the need for IT support.

| Wristband Length | Max Label Size |   |      | Part #            | Extender |        | Bands/ Case |         |    |    |    |    |
|------------------|----------------|---|------|-------------------|----------|--------|-------------|---------|----|----|----|----|
|                  | W              | x | L    |                   | Length   | Color  | Case        | Weight  | WI | GA | TX | CA |
| 10               | 3.25           | x | 1.00 | LB2-ADULT-WL3     | 3.25     | White  | 1,000       | 10 lbs. | x  |    |    |    |
| 10               | 3.25           | x | 1.00 | LB2-ADULT-WL3-RED | 3.25     | Red    | 1,000       | 10 lbs. | M  |    |    |    |
| 10               | 3.25           | x | 1.00 | LB2-ADULT-WL3-BLU | 3.25     | Blue   | 1,000       | 10 lbs. | x  |    |    |    |
| 10               | 3.25           | x | 1.00 | LB2-ADULT-WL3-ORA | 3.25     | Orange | 1,000       | 10 lbs. | x  |    |    |    |
| 8                | 2.25           | x | 0.75 | LB2-PED-WL3       | 2.625    | White  | 1,000       | 7 lbs.  | x  |    |    |    |

Sheet measures 4.25" x 11"

500 sheets per case containing (2) wristbands and (2) wristband extenders each

For information on your printer media specifications, please refer to page 5.

Stock - ships within one business day, Made to order (MTO) - ships within 6 business days.

Prices effective December 2, 2013 - All prices and stocking locations are subject to change without notice.

# Zebra Zip Ship Media



SEE MORE.  
DO MORE.

*For information on your printer media specifications, please refer to page 5.  
Stock - ships within one business day, Made to order (MTO) - ships within 6 business days.  
Prices effective December 2, 2013 - All prices and stocking locations are subject to change without notice.*

Need a custom solution? Call for a quote today: +1 866 230 9495

Part #13746L

# Zebra ZipShip Ribbons



SEE MORE.  
DO MORE.

Zebra has the right thermal transfer ribbon for your application. For standard printing on paper labels, Zebra's wax ribbons are unsurpassed for performance and value. When better image durability is required, Zebra's wax/resin ribbons will meet your requirements. For the ultimate in chemical and heat resistance, Zebra's resin ribbons can handle the harshest environments. You can be assured that when used together, our ribbons and labels will provide optimal performance with your Zebra printer and extend the life of your printhead.

Zebra's Zip Ship stocking program includes popular sizes of the most frequently ordered ribbons. Our policy is to ship orders within the next working business day. There is a minimum invoice amount of \$50 per shipment destination (waived for Sample Program orders). Products purchased in less than full inner carton quantities are subject to a \$75 broken carton charge, per destination. For custom sizes, please contact your Zebra Supplies Specialist.

| Zebra Ribbons    |                                     |                  |      |             |                  |                          |      |                     |      |
|------------------|-------------------------------------|------------------|------|-------------|------------------|--------------------------|------|---------------------|------|
| Wax              |                                     | Wax/Resin        |      |             | Resin            |                          |      |                     |      |
| 2000 Standard    |                                     | 5555 Enhanced    |      |             | 5095 Performance |                          |      |                     |      |
| 2100 Enhanced    |                                     | 3200 Performance |      |             | 5100 Premium     |                          |      |                     |      |
| 5319 Performance |                                     | 5586 Premium     |      |             | Image Lock       |                          |      |                     |      |
| Ribbon           | Material Compatibility              | Darkness Setting |      | Print Speed |                  | Smear/Scratch Resistance |      | Chemical Resistance |      |
|                  |                                     | Low              | High | Low         | High             | Low                      | High | Low                 | High |
| 2000 Standard    | Coated Paper                        | █                | █    | █           | █                | █                        | █    | █                   | █    |
| 2100 Enhanced    | Coated Paper                        | █                | █    | █           | █                | █                        | █    | █                   | █    |
| 5319 Performance | Uncoated/Coated Paper               | █                | █    | █           | █                | █                        | █    | █                   | █    |
| 5555 Enhanced    | Coated Paper/Matte Synthetics       | █                | █    | █           | █                | █                        | █    | █                   | █    |
| 3200 Performance | Coated Paper/Matte Synthetics       | █                | █    | █           | █                | █                        | █    | █                   | █    |
| 5586 Premium     | Matte Synthetics                    | █                | █    | █           | █                | █                        | █    | █                   | █    |
| 5095 Performance | Matte/Gloss Synthetics              | █                | █    | █           | █                | █                        | █    | █                   | █    |
| 5100 Premium     | Gloss Synthetics                    | █                | █    | █           | █                | █                        | █    | █                   | █    |
| Image Lock       | Z-Xtreme 5000T and 8000T Image Lock | █                | █    | █           | █                | █                        | █    | █                   | █    |

For information on your printer media specifications, please refer to page 5.

Stock - ships within one business day, Made to order (MTO) - ships within 6 business days.

Prices effective December 2, 2013 - All prices and stocking locations are subject to change without notice.

# Zebra ZipShip Ribbons



|                     |                     | Ribbon                            |                          |            |       |            |            |
|---------------------|---------------------|-----------------------------------|--------------------------|------------|-------|------------|------------|
|                     |                     | Printer                           | Core Size                | Max Length |       | Max Width  |            |
| Tabletop/Industrial |                     | S4M™                              | 1"                       | 25.4mm     | 1476' | 450m       | 4.3" 110mm |
|                     |                     | Z4MPlus™/ZM400™                   | 1"                       | 25.4mm     | 1476' | 450m       | 4.3" 110mm |
|                     |                     | Z6MPlus™/ZM600™                   | 1"                       | 25.4mm     | 1476' | 450m       | 6.9" 174mm |
|                     |                     | 105SL™/105SLPlus™                 | 1"                       | 25.4mm     | 1476' | 450m       | 4.5" 114mm |
|                     |                     | 110XiIIIPlus™ / 110Xi4™           | 1"                       | 25.4mm     | 1476' | 450m       | 4.3" 110mm |
|                     |                     | 140XiIIIPlus™ / 140Xi4™           | 1"                       | 25.4mm     | 1476' | 450m       | 5.1" 130mm |
|                     |                     | 170XiIIIPlus™ / 170Xi4™           | 1"                       | 25.4mm     | 1476' | 450m       | 6.8" 174mm |
|                     |                     | 220XiIIIPlus™ / 220Xi4™           | 1"                       | 25.4mm     | 1476' | 450m       | 8.6" 220mm |
|                     |                     | ZT220™                            | 1"                       | 25.4mm     | 984'  | 300m       | 4.3" 110mm |
|                     | ZT230™              | 1"                                | 25.4mm                   | 1476'      | 450m  | 4.3" 110mm |            |
| Desktop             |                     | LP 2824™ Series / LP 2824 Plus™   | Direct Thermal           |            | N/A   | N/A        | N/A N/A    |
|                     |                     | TLP 2824™ Series / TLP 2824 Plus™ | 0.5"                     | 12.7mm     | 244'  | 74m        | 2.2" 58mm  |
|                     |                     | LP 2844™ Series                   | Direct Thermal           |            | N/A   | N/A        | N/A N/A    |
|                     |                     | TLP 2844™                         | 0.5"                     | 12.7mm     | 242'  | 74m        | 4.3" 110mm |
|                     |                     | TLP 2844-Z™                       | 0.5"                     | 12.7mm     | 244'  | 74m        | 4.3" 110mm |
|                     |                     | TLP 3842™                         | 0.5"                     | 12.7mm     | 244'  | 74m        | 4.3" 110mm |
|                     |                     | TLP 3844-Z™                       | 0.5"                     | 12.7mm     | 244'  | 74m        | 4.3" 110mm |
|                     |                     | H 2824-Z™                         | Direct Thermal           |            | N/A   | N/A        | N/A N/A    |
|                     |                     | G-Series™                         | 0.5"                     | 12.7mm     | 244'  | 74m        | 4.3" 110mm |
|                     | GT800™ <sup>^</sup> | 0.5"/1"                           | 12.7mm/25.4mm            | 984'       | 300m  | 4.3" 110mm |            |
| Mobile              |                     | QL™ Series / QL Plus™ Series      | Direct Thermal           |            | N/A   | N/A        | N/A N/A    |
|                     |                     | MZ™ Series                        | Direct Thermal           |            | N/A   | N/A        | N/A N/A    |
|                     |                     | iMZ220™ / iMZ320™                 | Direct Thermal           |            | N/A   | N/A        | N/A N/A    |
|                     |                     | RW™ Series / RW™420 Print Station | Direct Thermal           |            | N/A   | N/A        | N/A N/A    |
|                     |                     | EM220™                            | Direct Thermal           |            | N/A   | N/A        | N/A N/A    |
|                     |                     | PA403™                            | Direct Thermal           |            | N/A   | N/A        | N/A N/A    |
|                     |                     | PS 2122™                          | Direct Thermal           |            | N/A   | N/A        | N/A N/A    |
|                     |                     | PT400™ / PT403™                   | Snap-in ribbon cartridge |            | 52'   | 16m        | 4.3" 110mm |
|                     |                     | P4T™                              | Snap-in ribbon cartridge |            | 98.4' | 30m        | 4.3" 110mm |
|                     | QLn™ Series         | Direct Thermal                    |                          | N/A        | N/A   | N/A N/A    |            |
| Specialty           |                     | R110Xi™                           | 1"                       | 25.4mm     | 1476' | 450m       | 4.3" 110mm |
|                     |                     | R170Xi™                           | 1"                       | 25.4mm     | 1476' | 450m       | 6.8" 174mm |
|                     |                     | R402™                             | 0.5"                     | 12.7mm     | 244'  | 74m        | 4.3" 110mm |
|                     |                     | R2844-Z™                          | 0.5"                     | 12.7mm     | 244'  | 74m        | 4.3" 110mm |
|                     |                     | R4Mplus™                          | 1"                       | 25.4mm     | 1476' | 450m       | 4.3" 110mm |
|                     |                     | ZE500-4™                          | 1"                       | 25.4mm     | 1970' | 600m       | 4.3" 110mm |
|                     |                     | ZE500-6™                          | 1"                       | 25.4mm     | 1970' | 600m       | 7.1" 110mm |
|                     |                     | 110PAX4™                          | 1"                       | 25.4mm     | 2995' | 900m       | 4.3" 110mm |
|                     |                     | 170PAX4™                          | 1"                       | 25.4mm     | 2995' | 900m       | 7.1" 180mm |
|                     | RP4T™               | Snap-in ribbon cartridge          |                          | 98.4'      | 30m   | 4.3" 110mm |            |

<sup>^</sup>Available in Latin America and China only

For information on your printer media specifications, please refer to page 5.  
 Stock - ships within one business day, Made to order (MTO) - ships within 6 business days.  
 Prices effective December 2, 2013 - All prices and stocking locations are subject to change without notice.

Need a custom solution? Call for a quote today: +1 866 230 9495

Part #13746L

## Tabletop/Industrial Wax Ribbons

### 2000

A standard thermal transfer wax ink formulation for printing high-quality, durable bar codes on Zebra's coated paper label stock. This wax ribbon can print at speeds up to 12 inches per second.

Core: 1" ID

| Width    |       | Length |      | Part #       | Quantity Per |           | Outer Box |    |    |    |    |
|----------|-------|--------|------|--------------|--------------|-----------|-----------|----|----|----|----|
| (Inches) | (mm)  | (Feet) | (m)  |              | Carton       | Outer Box | Weight    | WI | GA | TX | CA |
| 1.57"    | 40mm  | 1,476' | 450m | 02000BK04045 | 24           | 24        | 12 lbs.   | x  | x  | x  | x  |
| 2.36"    | 60mm  | 984'   | 300m | 02000BK06030 | 24           | 24        | 13 lbs.   | x  | x  |    |    |
| 2.36"    | 60mm  | 1,476' | 450m | 02000BK06045 | 24           | 24        | 23 lbs.   | x  | x  | x  | x  |
| 3.27"    | 83mm  | 984'   | 300m | 02000BK08330 | 24           | 24        | 16 lbs.   | x  |    |    |    |
| 3.27"    | 83mm  | 1,476' | 450m | 02000BK08345 | 24           | 24        | 24 lbs.   | x  | x  | x  | x  |
| 3.50"    | 89mm  | 1,476' | 450m | 02000BK08945 | 24           | 24        | 25 lbs.   | x  | x  | x  | x  |
| 4.02"    | 102mm | 1,476' | 450m | 02000BK10245 | 24           | 24        | 26 lbs.   | x  | x  | x  | x  |
| 4.16"    | 106mm | 1,476' | 450m | 02000BK10645 | 24           | 24        | 30 lbs.   | x  | x  | x  |    |
| 4.33"    | 110mm | 984'   | 300m | 02000BK11030 | 24           | 24        | 21 lbs.   | x  | x  |    |    |
| 4.33"    | 110mm | 1,476' | 450m | 02000BK11045 | 24           | 24        | 32 lbs.   | x  | x  | x  | x  |
| 5.16"    | 131mm | 1,476' | 450m | 02000BK13145 | 24           | 24        | 36 lbs.   | x  | x  | x  | x  |
| 6.16"    | 156mm | 1,476' | 450m | 02000BK15645 | 12           | 12        | 25 lbs.   | x  | x  | x  | x  |
| 6.85"    | 174mm | 1,476' | 450m | 02000BK17445 | 12           | 12        | 25 lbs.   | x  | x  | x  | x  |
| 8.66"    | 220mm | 1,476' | 450m | 02000BK22045 | 12           | 12        | 30 lbs.   | x  | x  | x  |    |

### 2100

A thermal transfer formulation that provides excellent print quality for normal and rotated bar codes on coated and uncoated labels and tags. Its low printhead energy requirements for image transfer make it the ideal choice for high-speed printing, up to 12 inches per second.

Core: 1" ID

| Width    |       | Length |      | Part #       | Quantity Per |           | Outer Box |    |    |    |    |
|----------|-------|--------|------|--------------|--------------|-----------|-----------|----|----|----|----|
| (Inches) | (mm)  | (Feet) | (m)  |              | Carton       | Outer Box | Weight    | WI | GA | TX | CA |
| 1.57"    | 40mm  | 1,476' | 450m | 02100BK04045 | 12           | 12        | 5 lbs.    | x  | x  |    | x  |
| 2.36"    | 60mm  | 1,476' | 450m | 02100BK06045 | 12           | 12        | 8 lbs.    | x  | x  |    | x  |
| 3.15"    | 80mm  | 1,476' | 450m | 02100BK08045 | 12           | 12        | 10 lbs.   | x  | x  | x  | x  |
| 3.50"    | 89mm  | 1,476' | 450m | 02100BK08945 | 12           | 12        | 11 lbs.   | x  | x  | x  | x  |
| 4.02"    | 102mm | 1,476' | 450m | 02100BK10245 | 12           | 12        | 13 lbs.   | x  | x  | x  | x  |
| 4.16"    | 106mm | 1,476' | 450m | 02100BK10645 | 12           | 12        | 13 lbs.   | x  | x  | x  | x  |
| 4.33"    | 110mm | 1,476' | 450m | 02100BK11045 | 12           | 12        | 14 lbs.   | x  | x  | x  | x  |
| 5.16"    | 131mm | 1,476' | 450m | 02100BK13145 | 12           | 12        | 16 lbs.   | x  | x  |    | x  |
| 6.16"    | 156mm | 1,476' | 450m | 02100BK15645 | 12           | 12        | 19 lbs.   | x  | x  |    |    |
| 6.85"    | 174mm | 1,476' | 450m | 02100BK17445 | 12           | 12        | 21 lbs.   | x  | x  |    |    |
| 8.66"    | 220mm | 1,476' | 450m | 02100BK22045 | 12           | 12        | 26 lbs.   | x  | x  |    |    |

For information on your printer media specifications, please refer to page 5.

Stock - ships within one business day, Made to order (MTO) - ships within 6 business days.

Prices effective December 2, 2013 - All prices and stocking locations are subject to change without notice.

## Tabletop/Industrial Wax Ribbons

### 5319

A best-in-class, performance wax ribbon formulated for high-quality printing on both Zebra coated and uncoated paper facestocks. Offers unmatched printing for both visible light and infrared scannability. Excellent performance on tough-to-print uncoated and uneven tag stocks, including Tyvek. Prints at speeds up to 8 inches per second. UL recognized and CSA component acceptable when used with Zebra approved labels.

Core: 1" ID

| Width    |       | Length |      | Part #       | Quantity Per |           | Outer Box |    |    |    |    |
|----------|-------|--------|------|--------------|--------------|-----------|-----------|----|----|----|----|
| (Inches) | (mm)  | (Feet) | (m)  |              | Carton       | Outer Box | Weight    | WI | GA | TX | CA |
| 0.94"    | 24mm  | 1,476' | 450m | 05319BK02445 | 6            | 24        | 14 lbs.   | x  |    |    |    |
| 1.57"    | 40mm  | 1,476' | 450m | 05319BK04045 | 6            | 24        | 23 lbs.   | x  | x  | x  |    |
| 2.36"    | 60mm  | 1,476' | 450m | 05319BK06045 | 6            | 24        | 24 lbs.   | x  | x  | x  | x  |
| 3.27"    | 83mm  | 1,476' | 450m | 05319BK08345 | 6            | 24        | 24 lbs.   | x  | x  | x  | x  |
| 3.50"    | 89mm  | 1,476' | 450m | 05319BK08945 | 6            | 24        | 28 lbs.   | x  | x  |    |    |
| 4.02"    | 102mm | 1,476' | 450m | 05319BK10245 | 6            | 24        | 29 lbs.   | x  | x  | x  | x  |
| 4.33"    | 110mm | 1,476' | 450m | 05319BK11045 | 6            | 24        | 30 lbs.   | x  | x  | x  | x  |
| 5.16"    | 131mm | 1,476' | 450m | 05319BK13145 | 6            | 24        | 38 lbs.   | x  | x  | x  | x  |
| 6.06"    | 154mm | 1,476' | 450m | 05319BK15445 | 6            | 12        | 25 lbs.   | x  | x  | x  |    |
| 6.85"    | 174mm | 1,476' | 450m | 05319BK17445 | 6            | 12        | 27 lbs.   | x  | x  |    | x  |
| 8.66"    | 220mm | 1,476' | 450m | 05319BK22045 | 6            | 12        | 30 lbs.   | x  |    |    |    |

For information on your printer media specifications, please refer to page 5.

Stock - ships within one business day, Made to order (MTO) - ships within 6 business days.

Prices effective December 2, 2013 - All prices and stocking locations are subject to change without notice.

## Tabletop/Industrial Wax/Resin Ribbons

### 5555

A thermal transfer wax/resin ink formulation for printing bar codes on Zebra coated paper. Provides a clear image under harsh conditions. Prints at speeds up to 6 inches per second.

Core: 1" ID

| Width    |       | Length |      | Part #       | Quantity Per |           | Outer Box |    |    |    |    |
|----------|-------|--------|------|--------------|--------------|-----------|-----------|----|----|----|----|
| (Inches) | (mm)  | (Feet) | (m)  |              | Carton       | Outer Box | Weight    | WI | GA | TX | CA |
| 1.57"    | 40mm  | 1,476' | 450m | 05555BK04045 | 6            | 24        | 16 lbs.   | x  | x  |    |    |
| 2.36"    | 60mm  | 1,476' | 450m | 05555BK06045 | 6            | 24        | 23 lbs.   |    | x  |    |    |
| 3.27"    | 83mm  | 1,476' | 450m | 05555BK08345 | 6            | 24        | 22 lbs.   | x  |    | x  | x  |
| 3.50"    | 89mm  | 1,476' | 450m | 05555BK08945 | 6            | 24        | 25 lbs.   | x  |    | x  |    |
| 4.33"    | 110mm | 1,476' | 450m | 05555BK11045 | 6            | 24        | 27 lbs.   | x  | x  |    | x  |
| 5.16"    | 131mm | 1,476' | 450m | 05555BK13145 | 6            | 24        | 34 lbs.   | x  |    | x  |    |
| 6.06"    | 154mm | 1,476' | 450m | 05555BK15445 | 6            | 12        | 25 lbs.   | x  |    |    |    |
| 6.85"    | 174mm | 1,476' | 450m | 05555BK17445 | 6            | 12        | 25 lbs.   | x  |    |    |    |
| 8.66"    | 220mm | 1,476' | 450m | 05555BK22045 | 6            | 12        | 27 lbs.   | x  |    |    |    |

### 3200

A special ink formulation for use with Zebra thermal transfer printers. Provides outstanding bar code print quality. Chemical resistant when printed on Zebra paper and synthetic label stocks. Smear- and scratch-resistant, this ribbon offers excellent staying power and durability in harsh environments. UL Recognized and CSA component acceptable when used with Zebra approved labels.

Core: 1" ID

| Width    |       | Length |      | Part #       | Quantity Per |           | Outer Box |    |    |    |    |
|----------|-------|--------|------|--------------|--------------|-----------|-----------|----|----|----|----|
| (Inches) | (mm)  | (Feet) | (m)  |              | Carton       | Outer Box | Weight    | WI | GA | TX | CA |
| 1.57"    | 40mm  | 1,476' | 450m | 03200BK04045 | 6            | 24        | 12 lbs.   | x  | x  | x  | x  |
| 2.36"    | 60mm  | 984'   | 300m | 03200BK06030 | 6            | 24        | 13 lbs.   | x  |    |    |    |
| 2.36"    | 60mm  | 1,476' | 450m | 03200BK06045 | 6            | 24        | 23 lbs.   | x  | x  | x  | x  |
| 3.15"    | 80mm  | 1,476' | 450m | 03200BK08045 | 6            | 24        | 24 lbs.   | x  | x  | x  | x  |
| 3.27"    | 83mm  | 984'   | 300m | 03200BK08330 | 6            | 24        | 16 lbs.   | x  |    |    |    |
| 3.50"    | 89mm  | 1,476' | 450m | 03200BK08945 | 6            | 24        | 25 lbs.   | x  | x  |    |    |
| 4.02"    | 102mm | 1,476' | 450m | 03200BK10245 | 6            | 24        | 29 lbs.   | x  | x  | x  | x  |
| 4.33"    | 110mm | 984'   | 300m | 03200BK11030 | 6            | 24        | 21 lbs.   | x  |    |    |    |
| 4.33"    | 110mm | 1,476' | 450m | 03200BK11045 | 6            | 24        | 32 lbs.   | x  | x  | x  | x  |
| 5.16"    | 131mm | 1,476' | 450m | 03200BK13145 | 6            | 24        | 36 lbs.   | x  | x  | x  |    |
| 6.16"    | 156mm | 1,476' | 450m | 03200BK15645 | 6            | 12        | 23 lbs.   | x  | x  | x  | x  |
| 6.85"    | 174mm | 1,476' | 450m | 03200BK17445 | 6            | 12        | 25lbs.    | x  |    | x  |    |
| 8.66"    | 220mm | 1,476' | 450m | 03200BK22045 | 6            | 12        | 30 lbs.   | x  |    | x  |    |

For information on your printer media specifications, please refer to page 5.

Stock - ships within one business day, Made to order (MTO) - ships within 6 business days.

Prices effective December 2, 2013 - All prices and stocking locations are subject to change without notice.

## Tabletop/Industrial Wax/Resin Ribbons

### 5586

A premium wax/resin ribbon that provides outstanding print quality in a variety of environmental conditions. Provides outstanding smear and scratch resistance on Zebra paper, many Zebra synthetic materials, a variety of coated paper, and matte synthetics.

Core: 1" ID

| Width    |       | Length |      | Part #       | Quantity Per |           | Outer Box |    |    |    |    |
|----------|-------|--------|------|--------------|--------------|-----------|-----------|----|----|----|----|
| (Inches) | (mm)  | (Feet) | (m)  |              | Carton       | Outer Box | Weight    | WI | GA | TX | CA |
| 1.57"    | 40mm  | 1,476' | 450m | 05586BK04045 | 6            | 24        | 16 lbs.   | x  | x  | x  | x  |
| 2.36"    | 60mm  | 1,476' | 450m | 05586BK06045 | 6            | 24        | 23 lbs.   | x  | x  |    | x  |
| 3.27"    | 83mm  | 1,476' | 450m | 05586BK08345 | 6            | 24        | 24 lbs.   | x  | x  | x  |    |
| 3.50"    | 89mm  | 1,476' | 450m | 05586BK08945 | 6            | 24        | 25 lbs.   | x  |    |    |    |
| 4.02"    | 102mm | 1,476' | 450m | 05586BK10245 | 6            | 24        | 29 lbs.   | x  | x  |    | x  |
| 4.33"    | 110mm | 1,476' | 450m | 05586BK11045 | 6            | 24        | 27 lbs.   | x  | x  | x  | x  |
| 5.16"    | 131mm | 1,476' | 450m | 05586BK13145 | 6            | 24        | 34 lbs.   | x  | x  |    |    |
| 6.06"    | 154mm | 1,476' | 450m | 05586BK15445 | 6            | 12        | 25 lbs.   | x  |    |    |    |
| 6.85"    | 174mm | 1,476' | 450m | 05586BK17445 | 6            | 12        | 25 lbs.   | x  |    |    |    |
| 8.66"    | 220mm | 1,476' | 450m | 05586BK22045 | 6            | 12        | 27 lbs.   | x  |    |    |    |

*For information on your printer media specifications, please refer to page 5.*

*Stock - ships within one business day, Made to order (MTO) - ships within 6 business days.*

*Prices effective December 2, 2013 - All prices and stocking locations are subject to change without notice.*



## Tabletop/Industrial Resin Ribbons

### 5095

A performance resin ribbon for printing high-density bar codes and high-resolution graphics on a wide range of materials from matte to gloss synthetics. Offers exceptional print quality, durability and chemical resistance. UL recognized and CSA component acceptable when used with Zebra approved labels.

Core: 1" ID

| Width    |       | Length |      | Part #       | Quantity Per |           | Outer Box |    |    |    |    |
|----------|-------|--------|------|--------------|--------------|-----------|-----------|----|----|----|----|
| (Inches) | (mm)  | (Feet) | (m)  |              | Carton       | Outer Box | Weight    | WI | GA | TX | CA |
| 1.57"    | 40mm  | 1,476' | 450m | 05095BK04045 | 6            | 24        | 16 lbs.   | x  | x  | x  | x  |
| 2.36"    | 60mm  | 984'   | 300m | 05095BK06030 | 6            | 24        | 13 lbs.   | x  |    |    |    |
| 2.36"    | 60mm  | 1,476' | 450m | 05095BK06045 | 6            | 24        | 23 lbs.   | x  | x  | x  | x  |
| 3.27"    | 83mm  | 984'   | 300m | 05095BK08330 | 6            | 24        | 16 lbs.   | x  |    |    |    |
| 3.27"    | 83mm  | 1,476' | 450m | 05095BK08345 | 6            | 24        | 22 lbs.   | x  | x  | x  | x  |
| 3.50"    | 89mm  | 1,476' | 450m | 05095BK08945 | 6            | 24        | 25 lbs.   | x  | x  |    | x  |
| 4.33"    | 110mm | 984'   | 300m | 05095BK11030 | 6            | 24        | 21 lbs.   | x  | x  |    |    |
| 4.33"    | 110mm | 1,476' | 450m | 05095BK11045 | 6            | 24        | 27 lbs.   | x  | x  | x  | x  |
| 5.16"    | 131mm | 1,476' | 450m | 05095BK13145 | 6            | 24        | 34 lbs.   | x  | x  | x  | x  |
| 6.06"    | 154mm | 1,476' | 450m | 05095BK15445 | 6            | 12        | 25 lbs.   | x  | x  | x  | x  |
| 6.85"    | 174mm | 1,476' | 450m | 05095BK17445 | 6            | 12        | 25 lbs.   | x  |    | x  | x  |
| 8.66"    | 220mm | 1,476' | 450m | 05095BK22045 | 6            | 12        | 27 lbs.   | x  |    | x  |    |

### 5100

A premium resin ribbon for printing images in harsh environments. Provides unparalleled resistance and dense black images. Produces images resistant to the harshest environments. This ribbon is recommended for use with Z-Supreme products in printed circuit board applications. UL recognized and CSA component acceptable when used with Zebra approved labels.

Core: 1" ID

| Width    |       | Length |      | Part #       | Quantity Per |           | Outer Box |    |    |    |    |
|----------|-------|--------|------|--------------|--------------|-----------|-----------|----|----|----|----|
| (Inches) | (mm)  | (Feet) | (m)  |              | Carton       | Outer Box | Weight    | WI | GA | TX | CA |
| 1.57"    | 40mm  | 1,476' | 450m | 05100BK04045 | 6            | 24        | 16 lbs.   | x  |    |    |    |
| 2.36"    | 60mm  | 1,476' | 450m | 05100BK06045 | 6            | 24        | 16 lbs.   | x  |    | x  | x  |
| 3.27"    | 83mm  | 1,476' | 450m | 05100BK08345 | 6            | 24        | 21 lbs.   | x  |    |    | x  |
| 3.50"    | 89mm  | 1,476' | 450m | 05100BK08945 | 6            | 24        | 25 lbs.   | x  | x  |    | x  |
| 4.33"    | 110mm | 1,476' | 450m | 05100BK11045 | 6            | 24        | 27 lbs.   |    | x  | x  | x  |
| 5.16"    | 131mm | 1,476' | 450m | 05100BK13145 | 6            | 24        | 34 lbs.   | x  |    |    |    |
| 6.06"    | 154mm | 1,476' | 450m | 05100BK15445 | 6            | 12        | 25 lbs.   | x  |    |    |    |
| 6.85"    | 174mm | 1,476' | 450m | 05100BK17445 | 6            | 12        | 25 lbs.   | x  |    |    |    |
| 8.66"    | 220mm | 1,476' | 450m | 05100BK22045 | 6            | 12        | 27 lbs.   | x  |    |    |    |

For information on your printer media specifications, please refer to page 5.

Stock - ships within one business day, Made to order (MTO) - ships within 6 business days.

Prices effective December 2, 2013 - All prices and stocking locations are subject to change without notice.

## Tabletop/Industrial Resin Ribbons

### Image Lock Resin Ribbon

*To be used with 8000T Image Lock or Z-Xtreme 5000T Media*

A premium resin ribbon that offers exceptional abrasion and solvent resistance on a wide variety of substrates while still providing excellent edge definition. This ribbon is an excellent choice for printing extremely dense barcodes and high-resolution graphics. Its unique resin base provides excellent resistance to outdoor elements and chemical solvents.

Core: 1" ID

| Width    |       | Length |      | Part # | Quantity Per |           | Outer Box |    |    |    |    |
|----------|-------|--------|------|--------|--------------|-----------|-----------|----|----|----|----|
| (Inches) | (mm)  | (Feet) | (m)  |        | Carton       | Outer Box | Weight    | WI | GA | TX | CA |
| 1.57"    | 40mm  | 984'   | 300m | 74775  | 6            | 24        | 9 lbs.    | M  |    |    |    |
| 2.36"    | 60mm  | 984'   | 300m | 74776  | 6            | 24        | 12 lbs.   | M  |    |    |    |
| 3.15"    | 80mm  | 984'   | 300m | 74777  | 6            | 24        | 16 lbs.   | M  |    |    |    |
| 3.94"    | 100mm | 984'   | 300m | 74778  | 6            | 24        | 19 lbs.   | M  |    |    |    |

M = Made to order (Delivery in 3 weeks)

Note: Minimum Order – 6 rolls

*For information on your printer media specifications, please refer to page 5.*

*Stock - ships within one business day, Made to order (MTO) - ships within 6 business days.*

*Prices effective December 2, 2013 - All prices and stocking locations are subject to change without notice.*

## Tabletop/Industrial Color Wax Ribbons

### 5319

A best-in-class, performance wax ribbon formulated for high-quality printing on both Zebra coated and uncoated paper facestocks. Offers unmatched printing for both visible light and infrared scannability. Excellent performance on tough-to-print uncoated and uneven tag stocks, including Tyvek. Prints at speeds up to 8 inches per second. UL recognized and CSA component acceptable when used with Zebra approved labels. Available in blue, red, maroon, and green.

Core: 1" ID

| Width    |       | Length |      | Part #       | Quantity Per |           | Color/<br>PMS  | Outer Box<br>Weight | WI | GA | TX | CA |
|----------|-------|--------|------|--------------|--------------|-----------|----------------|---------------------|----|----|----|----|
| (Inches) | (mm)  | (Feet) | (m)  |              | Carton       | Outer Box |                |                     |    |    |    |    |
| 2.36"    | 60mm  | 1,476' | 450m | 05319BL06045 | 6            | 24        | Blue<br>2728C  | 23 lbs.             | M  |    |    |    |
| 2.36"    | 60mm  | 1,476' | 450m | 05319RD06045 | 6            | 24        | Red<br>185C    | 23 lbs.             | M  |    |    |    |
| 2.36"    | 60mm  | 1,476' | 450m | 05319MN06045 | 6            | 24        | Maroon<br>216C | 23 lbs.             | M  |    |    |    |
| 2.36"    | 60mm  | 1,476' | 450m | 05319GN06045 | 6            | 24        | Green<br>334C  | 23 lbs.             | M  |    |    |    |
| 4.33"    | 110mm | 1,476' | 450m | 05319BL11045 | 6            | 24        | Blue<br>2728C  | 23 lbs.             | M  |    |    |    |
| 4.33"    | 110mm | 1,476' | 450m | 05319RD11045 | 6            | 24        | Red<br>185C    | 23 lbs.             | M  |    |    |    |
| 4.33"    | 110mm | 1,476' | 450m | 05319MN11045 | 6            | 24        | Maroon<br>216C | 23 lbs.             | M  |    |    |    |
| 4.33"    | 110mm | 1,476' | 450m | 05319GN11045 | 6            | 24        | Green<br>344C  | 23 lbs.             | M  |    |    |    |

M = Made to order (Delivery in 2 weeks)

## Tabletop/Industrial Ribbon Cores

### Replacement Core Kit

*For use with ZT200 series printers*

Replacement take-up cores for use with ZT200 series tabletop printers. Cores are packaged 12 units per kit.

| Width    |       | Part #   | Quantity Per |           | Outer Box<br>Weight | WI | GA | TX | CA |
|----------|-------|----------|--------------|-----------|---------------------|----|----|----|----|
| (Inches) | (mm)  |          | Carton       | Outer Box |                     |    |    |    |    |
| 4.33"    | 110mm | 10015353 | 12           | 12        | 2 lbs.              | x  |    |    |    |

*For information on your printer media specifications, please refer to page 5.*

*Stock - ships within one business day, Made to order (MTO) - ships within 6 business days.*

*Prices effective December 2, 2013 - All prices and stocking locations are subject to change without notice.*

# Zebra ZipShip Ribbons



## Desktop Ribbons

### For use with all 4" desktop printers

#### 5319 Wax Ribbons

A best-in-class, performance wax ribbon formulated for high-quality printing on both Zebra coated and uncoated paper facestocks. Offers unmatched printing for both visible light and infrared scannability. Excellent performance on tough-to-print uncoated and uneven tag stocks, including Tyvek. UL recognized and CSA component acceptable when used with Zebra approved labels.

Core: 0.5" ID

| Width    |       | Length |     | Part #       | Quantity Per |           | Outer Box |    |    |    |    |
|----------|-------|--------|-----|--------------|--------------|-----------|-----------|----|----|----|----|
| (Inches) | (mm)  | (Feet) | (m) |              | Carton       | Outer Box | Weight    | WI | GA | TX | CA |
| 2.50"    | 64mm  | 244'   | 74m | 05319GS06407 | 48           | 48        | 8 lbs.    | x  | x  | x  | x  |
| 3.30"    | 84mm  | 244'   | 74m | 05319GS08407 | 48           | 48        | 10 lbs.   | x  | x  | x  | x  |
| 4.33"    | 110mm | 244'   | 74m | 05319GS11007 | 48           | 48        | 12 lbs.   | x  | x  | x  | x  |

#### 5555 Wax/Resin Ribbons

A thermal transfer wax/resin ink formulation for printing bar codes on Zebra coated paper. Provides a clear image under harsh conditions.

Core: 0.5" ID

| Width    |       | Length |     | Part #       | Quantity Per |           | Outer Box |    |    |    |    |
|----------|-------|--------|-----|--------------|--------------|-----------|-----------|----|----|----|----|
| (Inches) | (mm)  | (Feet) | (m) |              | Carton       | Outer Box | Weight    | WI | GA | TX | CA |
| 2.50"    | 64mm  | 244'   | 74m | 05555GS06407 | 12           | 48        | 8 lbs.    | x  |    |    |    |
| 3.30"    | 84mm  | 244'   | 74m | 05555GS08407 | 12           | 48        | 10 lbs.   | x  |    |    |    |
| 4.33"    | 110mm | 244'   | 74m | 05555GS11007 | 12           | 48        | 12 lbs.   | x  |    |    |    |

#### 3200 Wax/Resin Ribbons

A special ink formulation for use with Zebra thermal transfer printers. Provides outstanding bar code print quality. Chemical resistant when printed on Zebra paper and synthetic label stocks. Smear- and scratch-resistant, this ribbon offers excellent staying power and durability in harsh environments. UL Recognized and CSA component acceptable when used with Zebra approved labels.

Core: 0.5" ID

| Width    |       | Length |     | Part #       | Quantity Per |           | Outer Box |    |    |    |    |
|----------|-------|--------|-----|--------------|--------------|-----------|-----------|----|----|----|----|
| (Inches) | (mm)  | (Feet) | (m) |              | Carton       | Outer Box | Weight    | WI | GA | TX | CA |
| 2.50"    | 64mm  | 244'   | 74m | 03200GS06407 | 12           | 12        | 2 lbs.    | x  | x  | x  | x  |
| 3.30"    | 84mm  | 244'   | 74m | 03200GS08407 | 12           | 12        | 3 lbs.    | x  | x  | x  | x  |
| 4.33"    | 110mm | 244'   | 74m | 03200GS11007 | 12           | 12        | 3 lbs.    | x  | x  | x  | x  |

For information on your printer media specifications, please refer to page 5.

Stock - ships within one business day, Made to order (MTO) - ships within 6 business days.

Prices effective December 2, 2013 - All prices and stocking locations are subject to change without notice.

## Desktop Ribbons

### For use with all 4" desktop printers

#### 5586 Wax/Resin Ribbons

A premium wax/resin ribbon that provides outstanding print quality in a variety of environmental conditions. Provides outstanding smear and scratch resistance on Zebra paper, many Zebra synthetic materials, a variety of coated paper, and matte synthetics.

Core: 0.5" ID

| Width    |       | Length |     | Part #       | Quantity Per |           | Outer Box |   | WI | GA | TX | CA |
|----------|-------|--------|-----|--------------|--------------|-----------|-----------|---|----|----|----|----|
| (Inches) | (mm)  | (Feet) | (m) |              | Carton       | Outer Box | Weight    |   |    |    |    |    |
| 2.50"    | 64mm  | 244'   | 74m | 05586GS06407 | 48           | 48        | 8 lbs.    | x | x  | x  | x  |    |
| 3.30"    | 84mm  | 244'   | 74m | 05586GS08407 | 48           | 48        | 10 lbs.   | x | x  |    | x  |    |
| 4.33"    | 110mm | 244'   | 74m | 05586GS11007 | 48           | 48        | 12 lbs.   | x | x  | x  | x  |    |

#### 5095 Resin Ribbons

A performance resin ribbon for printing high-density bar codes and high-resolution graphics on a wide range of materials from matte to gloss synthetics. Offers exceptional print quality, durability and chemical resistance. UL recognized and CSA component acceptable when used with Zebra approved labels.

Core: 0.5" ID

| Width    |       | Length |     | Part #       | Quantity Per |           | Outer Box |   | WI | GA | TX | CA |
|----------|-------|--------|-----|--------------|--------------|-----------|-----------|---|----|----|----|----|
| (Inches) | (mm)  | (Feet) | (m) |              | Carton       | Outer Box | Weight    |   |    |    |    |    |
| 2.50"    | 64mm  | 244'   | 74m | 05095GS06407 | 48           | 48        | 8 lbs.    | x | x  | x  | x  |    |
| 3.30"    | 84mm  | 244'   | 74m | 05095GS08407 | 48           | 48        | 10 lbs.   | x | x  | x  | x  |    |
| 4.33"    | 110mm | 244'   | 74m | 05095GS11007 | 48           | 48        | 12 lbs.   | x | x  | x  | x  |    |

#### 5100 Resin Ribbons

A premium resin ribbon for printing images in harsh environments. Provides unparalleled resistance and dense black images. Produces images resistant to the harshest environments. This ribbon is recommended for use with Z-Supreme products in printed circuit board applications. UL recognized and CSA component acceptable when used with Zebra approved labels.

Core: 0.5" ID

| Width    |       | Length |     | Part #       | Quantity Per |           | Outer Box |   | WI | GA | TX | CA |
|----------|-------|--------|-----|--------------|--------------|-----------|-----------|---|----|----|----|----|
| (Inches) | (mm)  | (Feet) | (m) |              | Carton       | Outer Box | Weight    |   |    |    |    |    |
| 2.50"    | 64mm  | 244'   | 74m | 05100GS06407 | 12           | 48        | 8 lbs.    | M |    |    |    |    |
| 3.30"    | 84mm  | 244'   | 74m | 05100GS08407 | 12           | 48        | 10 lbs.   | M |    |    |    |    |
| 4.33"    | 110mm | 244'   | 74m | 05100GS11007 | 12           | 48        | 12 lbs.   | M |    |    | x  |    |

M = Made to order (Delivery in 2 weeks)

For information on your printer media specifications, please refer to page 5.

Stock - ships within one business day, Made to order (MTO) - ships within 6 business days.

Prices effective December 2, 2013 - All prices and stocking locations are subject to change without notice.

## Desktop Ribbons

### Image Lock Resin Ribbon

*To be used with 8000T Image Lock or Z-Xtreme 5000T Media*

A premium resin ribbon that offers exceptional abrasion and solvent resistance on a wide variety of substrates while still providing excellent edge definition. This ribbon is an excellent choice for printing extremely dense barcodes and high-resolution graphics. Its unique resin base provides excellent resistance to outdoor elements and chemical solvents.

Core: 0.5" ID

| Width    |       | Length |     | Part # | Quantity Per |           | Outer Box |   | WI | GA | TX | CA |
|----------|-------|--------|-----|--------|--------------|-----------|-----------|---|----|----|----|----|
| (Inches) | (mm)  | (Feet) | (m) |        | Carton       | Outer Box | Weight    |   |    |    |    |    |
| 2.50"    | 64mm  | 244'   | 74m | 74941  | 12           | 48        | 8 lbs.    | M |    |    |    |    |
| 3.30"    | 84mm  | 244'   | 74m | 74942  | 12           | 48        | 10 lbs.   | M |    |    |    |    |
| 4.33"    | 110mm | 244'   | 74m | 74943  | 12           | 48        | 12 lbs.   | M |    |    |    |    |

M = Made to order (Delivery in 3 weeks) Note: Minimum Order - 12 rolls

*For information on your printer media specifications, please refer to page 5.*

*Stock - ships within one business day, Made to order (MTO) - ships within 6 business days.*

*Prices effective December 2, 2013 - All prices and stocking locations are subject to change without notice.*

## Desktop Ribbons

### For use with TLP 2824 / TLP 2824 Plus printers

#### 5319 Wax Ribbons

A best-in-class, performance wax ribbon formulated for high-quality printing on both Zebra coated and uncoated paper facestocks. Offers unmatched printing for both visible light and infrared scannability. Excellent performance on tough-to-print uncoated and uneven tag stocks, including Tyvek. Prints at speeds up to 8 inches per second. UL recognized and CSA component acceptable when used with Zebra approved labels.

Core: 0.5" ID

| Width    |        | Length |     | Part #     | Quantity Per |           | Outer Box |    |    |    |    |
|----------|--------|--------|-----|------------|--------------|-----------|-----------|----|----|----|----|
| (Inches) | (mm)   | (Feet) | (m) |            | Carton       | Outer Box | Weight    | WI | GA | TX | CA |
| 1.30"    | 33mm   | 244'   | 74m | 800132-001 | 48           | 48        | 7.5 lbs.  | x  | x  | x  |    |
| 2.25"    | 56.9mm | 244'   | 74m | 800132-002 | 48           | 48        | 8 lbs.    | x  | x  | x  | x  |

#### 3200 Wax/Resin Ribbons

A special ink formulation for use with Zebra thermal transfer printers. Provides outstanding bar code print quality. Chemical resistant when printed on Zebra paper and synthetic label stocks. Smear- and scratch-resistant, this ribbon offers excellent staying power and durability in harsh environments. UL Recognized and CSA component acceptable when used with Zebra approved labels.

Core: 0.5" ID

| Width    |        | Length |     | Part #     | Quantity Per |           | Outer Box |    |    |    |    |
|----------|--------|--------|-----|------------|--------------|-----------|-----------|----|----|----|----|
| (Inches) | (mm)   | (Feet) | (m) |            | Carton       | Outer Box | Weight    | WI | GA | TX | CA |
| 1.30"    | 33mm   | 244'   | 74m | 800132-101 | 12           | 12        | 2 lbs.    | x  |    |    |    |
| 2.25"    | 56.9mm | 244'   | 74m | 800132-102 | 12           | 12        | 3 lbs.    | x  | x  | x  | x  |

#### 5095 Resin Ribbons

A performance resin ribbon for printing high-density bar codes and high-resolution graphics on a wide range of materials from matte to gloss synthetics. Offers exceptional print quality, durability and chemical resistance. UL recognized and CSA component acceptable when used with Zebra approved labels.

Core: 0.5" ID

| Width    |        | Length |     | Part #     | Quantity Per |           | Outer Box |    |    |    |    |
|----------|--------|--------|-----|------------|--------------|-----------|-----------|----|----|----|----|
| (Inches) | (mm)   | (Feet) | (m) |            | Carton       | Outer Box | Weight    | WI | GA | TX | CA |
| 1.30"    | 33mm   | 244'   | 74m | 800132-201 | 48           | 48        | 7.5 lbs.  | x  |    | x  |    |
| 2.25"    | 56.9mm | 244'   | 74m | 800132-202 | 48           | 48        | 8 lbs.    | x  | x  |    | x  |

#### 5100 Resin Ribbons

A premium resin ribbon for printing images in harsh environments. Provides unparalleled resistance and dense black images. Produces images resistant to the harshest environments. This ribbon is recommended for use with Z-Supreme products in printed circuit board applications. UL recognized and CSA component acceptable when used with Zebra approved labels.

Core: 0.5" ID

| Width    |        | Length |     | Part #       | Quantity Per |           | Outer Box |    |    |    |    |
|----------|--------|--------|-----|--------------|--------------|-----------|-----------|----|----|----|----|
| (Inches) | (mm)   | (Feet) | (m) |              | Carton       | Outer Box | Weight    | WI | GA | TX | CA |
| 1.30"    | 33mm   | 244'   | 74m | 05100NT03307 | 12           | 48        | 7.5 lbs.  | x  |    |    |    |
| 2.25"    | 56.9mm | 244'   | 74m | 05100NT05707 | 12           | 48        | 8 lbs.    | x  |    |    |    |

NT: No Reflective Trailer

For information on your printer media specifications, please refer to page 5.

Stock - ships within one business day, Made to order (MTO) - ships within 6 business days.

Prices effective December 2, 2013 - All prices and stocking locations are subject to change without notice.

## Desktop Ribbons

### For use with GT800 printer - Latin America and China only

#### 2000 Wax Ribbons

A standard thermal transfer wax ink formulation for printing high-quality, durable bar codes on Zebra's coated paper label stock. Prints at speeds up to 12 inches per second.

Core: 1" ID

| Width    |       | Length |      | Part #       | Quantity Per |           | Outer Box |    |    |    |    |
|----------|-------|--------|------|--------------|--------------|-----------|-----------|----|----|----|----|
| (Inches) | (mm)  | (Feet) | (m)  |              | Carton       | Outer Box | Weight    | WI | GA | TX | CA |
| 2.52"    | 64mm  | 984'   | 300m | 02000GT06430 | 24           | 24        | 13 lbs.   |    |    | x  | x  |
| 3.31"    | 84mm  | 984'   | 300m | 02000GT08430 | 24           | 24        | 16 lbs.   |    |    | x  | x  |
| 4.33"    | 110mm | 984'   | 300m | 02000GT11030 | 24           | 24        | 21 lbs.   |    |    | x  | x  |

#### 5555 Wax/Resin Ribbons

A thermal transfer wax/resin ink formulation for printing bar codes on Zebra coated paper. Provides a clear image under harsh conditions. Prints at speeds up to 6 inches per second.

Core: 1" ID

| Width    |       | Length |      | Part #       | Quantity Per |           | Outer Box |    |    |    |    |
|----------|-------|--------|------|--------------|--------------|-----------|-----------|----|----|----|----|
| (Inches) | (mm)  | (Feet) | (m)  |              | Carton       | Outer Box | Weight    | WI | GA | TX | CA |
| 2.52"    | 64mm  | 984'   | 300m | 05555GT06430 | 24           | 24        | 13 lbs.   |    |    | x  | x  |
| 3.31"    | 84mm  | 984'   | 300m | 05555GT08430 | 24           | 24        | 16 lbs.   |    |    | x  | x  |
| 4.33"    | 110mm | 984'   | 300m | 05555GT11030 | 24           | 24        | 21 lbs.   |    |    | x  | x  |

#### 5095 Resin Ribbons

A performance resin ribbon for printing high-density bar codes and high-resolution graphics on a wide range of materials from matte to gloss synthetics. Offers exceptional print quality, durability and chemical resistance. UL recognized and CSA component acceptable when used with Zebra approved labels.

Core: 1" ID

| Width    |       | Length |      | Part #       | Quantity Per |           | Outer Box |    |    |    |    |
|----------|-------|--------|------|--------------|--------------|-----------|-----------|----|----|----|----|
| (Inches) | (mm)  | (Feet) | (m)  |              | Carton       | Outer Box | Weight    | WI | GA | TX | CA |
| 2.52"    | 64mm  | 984'   | 300m | 05095GT06430 | 24           | 24        | 13 lbs.   |    |    | x  | x  |
| 3.31"    | 84mm  | 984'   | 300m | 05095GT08430 | 24           | 24        | 16 lbs.   |    |    | x  | x  |
| 4.33"    | 110mm | 984'   | 300m | 05095GT11030 | 24           | 24        | 21 lbs.   |    |    | x  | x  |

For information on your printer media specifications, please refer to page 5.

Stock - ships within one business day, Made to order (MTO) - ships within 6 business days.

Prices effective December 2, 2013 - All prices and stocking locations are subject to change without notice.



## Mobile Ribbons

### For use with the P4T and RP4T printers

#### 5555 Wax/Resin Ribbon

A thermal transfer wax/resin ink formulation for printing bar codes on Zebra coated paper. Provides a clear image under harsh conditions.

| Width    |       | Length |     | Part #      | Quantity Per |           | Outer Box |    |    |    |    |
|----------|-------|--------|-----|-------------|--------------|-----------|-----------|----|----|----|----|
| (Inches) | (mm)  | (Feet) | (m) |             | Carton       | Outer Box | Weight    | WI | GA | TX | CA |
| 4.33"    | 110mm | 98'    | 30m | 05555BK110D | 10           | 10        | 2 lbs.    | x  | x  | x  | x  |

#### 5095 Resin Ribbon

A performance resin ribbon for printing high-density bar codes and high-resolution graphics on a wide range of materials from matte to gloss synthetics. Offers exceptional print quality, durability and chemical resistance. UL recognized and CSA component acceptable when used with Zebra approved labels.

| Width    |       | Length |     | Part #      | Quantity Per |           | Outer Box |    |    |    |    |
|----------|-------|--------|-----|-------------|--------------|-----------|-----------|----|----|----|----|
| (Inches) | (mm)  | (Feet) | (m) |             | Carton       | Outer Box | Weight    | WI | GA | TX | CA |
| 4.33"    | 110mm | 98'    | 30m | 05095BK110D | 10           | 10        | 2 lbs.    | x  | x  | x  | x  |

### For use with the PT 400 and PT 403 printers

#### 5555 Wax/Resin Ribbon

A thermal transfer wax/resin ink formulation for printing bar codes on Zebra coated paper. Provides a clear image under harsh conditions.

| Width    |       | Length |     | Part #      | Quantity Per |           | Outer Box |    |    |    |    |
|----------|-------|--------|-----|-------------|--------------|-----------|-----------|----|----|----|----|
| (Inches) | (mm)  | (Feet) | (m) |             | Carton       | Outer Box | Weight    | WI | GA | TX | CA |
| 4.33"    | 110mm | 52'    | 16m | 05555BK110C | 10           | 10        | 1lb.      | x  | x  | x  | x  |

#### 5100 Resin Ribbon

A premium resin ribbon for printing images in harsh environments. Provides unparalleled resistance and dense black images. Produces images resistant to the harshest environments. This ribbon is recommended for use with Z-Supreme products in printed circuit board applications. UL recognized and CSA component acceptable when used with Zebra approved labels.

| Width    |       | Length |     | Part #      | Quantity Per |           | Outer Box |    |    |    |    |
|----------|-------|--------|-----|-------------|--------------|-----------|-----------|----|----|----|----|
| (Inches) | (mm)  | (Feet) | (m) |             | Carton       | Outer Box | Weight    | WI | GA | TX | CA |
| 4.33"    | 110mm | 52'    | 16m | 05100BK110C | 10           | 10        | 1lb.      | x  | x  | x  | x  |

For information on your printer media specifications, please refer to page 5.

Stock - ships within one business day, Made to order (MTO) - ships within 6 business days.

Prices effective December 2, 2013 - All prices and stocking locations are subject to change without notice.

## Specialty Printer Ribbons

### For use with PAX4 printers

#### 2100 Wax Ribbons

A thermal transfer formulation that provides excellent print quality for normal and rotated bar codes on coated and uncoated labels and tags. Its low printhead energy requirements for image transfer make it the ideal choice for high-speed printing, up to 12 inches per second.

| Width    |       | Length |      | Part #       | Quantity Per |           | Outer Box |    |    |    |    |
|----------|-------|--------|------|--------------|--------------|-----------|-----------|----|----|----|----|
| (inches) | (mm)  | (Feet) | (m)  |              | Carton       | Outer Box | Weight    | WI | GA | TX | CA |
| 4.33"    | 110mm | 2,955' | 900m | 02100BK11090 | 6            | 6         | 13 lbs.   | M  |    |    |    |
| 5.16"    | 131mm | 2,955' | 900m | 02100BK13190 | 6            | 6         | 15 lbs.   | M  |    |    |    |
| 6.16"    | 156mm | 2,955' | 900m | 02100BK15690 | 6            | 6         | 18 lbs.   | M  |    |    |    |
| 6.85"    | 174mm | 2,955' | 900m | 02100BK17490 | 6            | 6         | 20 lbs.   | M  |    |    |    |

M = Made to order (Delivery in 2 weeks)

*For information on your printer media specifications, please refer to page 5.*

*Stock - ships within one business day, Made to order (MTO) - ships within 6 business days.*

*Prices effective December 2, 2013 - All prices and stocking locations are subject to change without notice.*

# REDUCE TICKET FRAUD AND REVENUE LOSS



Looking to increase guest spending and reduce ticket fraud? Zebra's new economical, bar coded, print-on-demand wristbands enable cashless point of sale and access management.

- For one-day use: economical **Z-Band® Fun**.
- For multiple days or excessive water exposure: **Z-Band® Splash**

Discover the advantages. Visit [www.zebra.com](http://www.zebra.com).





[www.L-TronDirect.com](http://www.L-TronDirect.com)

800-830-9523

[info@L-Tron.com](mailto:info@L-Tron.com)

596 Fishers Station Dr | Victor, NY | 14564 | Suite 1 A

[www.L-Tron.com](http://www.L-Tron.com)

