Accessory Guide

#### **Docks and Modules**

| Accessory Name                              | Part Number | Description   |
|---|-------------|---|
| 4-Bay Multi-Dock, Ethernet                  | 871-032-201 | Charge and transfer data for up to 4 devices with Ethernet interface.   |
| 100000                                      |             | Requires AC adapter (851-082-205 everywhere except EMEA; 851-095-131 is required for use in EMEA) and country specific power cord.  |
| 4-Bay Multi-Dock, Charge Only               | 871-032-102 | Charge up to 4 devices.   |
| The same                                    |             | Requires AC adapter (851-082-205 everywhere except EMEA; 851-095-131 is required for use in EMEA) and country specific power cord.  |
| Single Dock                                 | 871-033-021 | USB Host and Client Support with bay for charging a spare battery pack. (8.9"L x 4.5"W x 2"T) Requires AC adapter (851-061-502) and country-specific power cord. Optional: Single Dock Ethernet Module (871-238-011). |
| Single Dock Ethernet Module                 | 871-238-011 | Ethernet Module interfaces with USB<br>Host connector on Single Dock,<br>(871-033-001). (1.5"L x 2.5"W x 1"T).  |
| Vehicle Holder                              | 805-664-001 | Non-Powered vehicle holder for hands-free communications.   |
| -   |             | Holder can be used with or without vehicle power adapter.   |
|   |             | Requires mount (805-611-001).   |
| Vehicle USB & Power Adapter,<br>CN50 Series | 871-037-001 | Requires Vehicle Holder (805-664-001).  |
|   |             | Power connection directly to vehicle battery is available. Requires Vehicle Dock Install Kit (203-802-001).   |
| « <u> </u>                                  |             | Cabled RS232 or USB Host support is also available. Requires use of RS232 Serial cable (225-737-001) or USB cable (VE011-2016).   |
|   |             | Must order Vehicle Holder, Vehicle Dock<br>Install Kit, and cables separately.  |
| Vehicle Dock Install Kit                    | 203-802-001 | For connection of Vehicle USB & Power Adapter (871-037-001) directly to vehicle battery. Includes power cables and cable mounting hardware. Order instructions (962-000-021) separately.                              |
| Vehicle Dock Serial Cable                   | 225-737-001 | Adapts CN50 Series Vehicle USB<br>& Power Adapter communications<br>connector to RS232 Serial (DB9M) for<br>connectivity to serial peripherals.   |



Accessory Guide

### Docks and Modules (cont'd)

| Accessory Name                             | Part Number | Description  |
|--|-------------|--|
| Vehicle Dock Mounting Kit                  | 805-611-001 | Allows for mounting of Vehicle Holder (805-664-001) in route vehicle applications. Consists of one 4 ¾" adjustable pivot arm with two 1 ½" stainless steel balls and assembly hardware. Due to wide range of possible applications, this kit doesn't include hardware for securing mount to vehicle.  Requires holder (805-664-001). |
| Snap-on Adapter, MSR,<br>CN50 Series       | 850-573-001 | Attaches to the heel of CN50 Series devices and provides magnetic stripe reader.   |
| Snap-on Adapter, RS232/DEX,<br>CN50 Series | 850-578-001 | Attaches to the heel of CN50 Series devices and provides RS232 communications via DB9M connector.  Must order cables, including DEX cable 236-194-001, separately.   |
| Snap-on Adapter, USB,<br>CN50 Series       | 850-581-001 | Attaches to the heel of CN50 Series devices and provides USB Host communications via HDB15M connector. Requires USB cable VE011-2016 (Host).  Must order cables separately.  |
| DEX Adapter, CN50 Series                   | 852-923-001 | Adapts CN50 Series devices for DEX communications.   |
| Desktop Adapter, USB,<br>CN50 Series       | 852-073-001 | Desktop adapter with Micro-AB USB port provides USB Host and Client connectivity for CN50 and CN51, and charging (via USB) for CN51.  Must order cables and power adapters separately.   |

Accessory Guide

### **Batteries and Chargers**

| Accessory Name   | Part Number  | Description  |
|--|--|--|
| Battery Pack, CN50                                     | 318-039-002  | Spare or replacement battery pack for CN50 (one pack included with each mobile computer), 3900 mAH, 3.7 V Li-lon Prismatic Cell. Provides 14.4 watt hours.   |
| Battery Pack, CN51                                     | 318-052-001  | Spare or replacement battery pack for CN51 (one pack included with each mobile computer), 3920 mAH, 3.7 V, Li-lon Prismatic Cell. Provides 14.5 watt hours.  |
| Quad Battery Charger                                   | 852-068-011  | Simultaneously charge up to 4 batteries.<br>Requires AC adapter (851-061-502)<br>and country specific power cord.  |
| AC Adapter for Multi-Dock                              | 851-082-205;<br>851-095-131 is required<br>for use in EMEA | AC adapter for multi-docks (871-032-101) and (871-032-002).  |
|  |  | Not for Quad Battery Charger (852-068-001)   |
| 1.   |  | Requires country specific power cord (page 4).   |
| AC Adapter for Quad Battery<br>Charger and Single Dock | 851-061-502  | AC adapter for quad charger (852-068-001) and single dock (871-033-001).   |
|  |  | Not to be used for the "Ethernet" multi-dock (871-032-101) and the "charge only" multi-dock (871-032-002)  |
| 1.   |  | Requires country specific power cord (page 4).   |
| AC Power Adapter                                       | 851-093-311  | Desktop AC power and communication adapter with USB port, enabling desktop charging and data transfer.   |
|  |  | Requires country specific power cord (page 4).   |
| Vehicle Power Adapter                                  | 852-070-011  | Vehicle 12V-24V adapter for charging on the go.  |
| <b>(3)</b>   |  | Can be used as a heel clip on CN50 Series devices or it can be permanently mounted to the bottom of the vehicle holder.  |
| Universal AC Charger Kit,<br>w/Cable, CN51             | 213-029-001  | Supporting universal USB charging (5V, 10W, Level V RoHS, microUSB) this kit comes with 4 snap-on plugs expanding the "universal" functionality by supporting usage for the most common outlets. More unique outlets would require local purchase of adaptors.  Requires Desktop USB Adapter (852-073-001). (Note: Charge times will be longer.) |

Accessory Guide

#### **Power Cords**

| Accessory Name | Part Number  | Description                        |
|----------------|--------------|------------------------------------|
| AC Power Cord  | 321-470-001  | AC Power Cord, Switzerland         |
|                | 321-500-001  | AC Power Cord, Japan               |
|                | 071918       | AC Power Cord, China RoHS          |
|                | 1-974027-025 | AC Power Cord, Europe RoHS         |
|                | 1-974028-025 | AC Power Cord, US RoHS             |
|                | 1-974029-020 | AC Power Cord, UK RoHS             |
|                | 1-974030-025 | AC Power Cord, Australia RoHS      |
|                | 321-471-002  | AC Power Cord, Italy RoHS          |
|                | 321-501-002  | AC Power Cord, Denmark RoHS        |
|                | 321-502-002  | AC Power Cord, India/S Africa RoHS |

#### **Data Cables**

| Accessory Name         | Part Number   | Description  |
|------------------------|---------------|--|
| USB Data Cable         | 236-209-001   | USB-A to USB Micro-B Plug (2 meters)   |
|                        |               | Connects the desktop adapter (851-093-001) to PC USB port enabling quick data transfer.                                    |
| USB Data Cable         | Product Links | Micro USB (Male) to Standard USB (Female)  |
|                        |               | For connecting an accessory  |
|                        |               | such as a memory stick.  |
|                        |               | See Digi-key # H11576-ND   |
| DB9 to DEX Cable       | 236-194-001   | For use with RS232/DEX Adapter   |
| Commission             |               | (850-578-001). Includes thumb  |
|                        |               | screws for secure attachment.  |
| Cable, Single USB Host | VE011-2016    | For use with USB Snap-on Adapter   |
|                        |               | (850-581-001) to USB-A Female receptacle for connectivity to USB peripherals. Includes thumb screws for secure attachment. |

Accessory Guide

### **Handles and Holsters**

| Accessory Name              | Part Number | Description   |
|-----------------------------|-------------|---|
| Scan Handle, CN51           | 805-679-001 | Snaps easily on or off CN51. Ergonomic<br>handle which angles mobile computer<br>to enable viewing while scanning.<br>Not compatible with CN50, Vehicle<br>Docks or Vehicle Holder. |
| Belt Holster, CN50 Series   | 815-066-001 | Belt holster for CN50 Series devices without Scan Handle.   |
| Holster, CN50 Series        | 815-089-001 | Holster, CN50 Series devices<br>without Scan Handle   |
| Holster, CN51 w/Scan Handle | 815-090-001 | Holster, CN51 with Scan Handle  |



### **Replacement Parts**

| Accessory Name                            | Part Number | Description   |
|---|-------------|---|
| Kit – Handstrap, CN50                     | 203-899-001 | Handstrap replacement for CN50 (5 Pack)                     |
| Kit – Handstrap, CN51                     | 213-008-001 | Handstrap replacement for CN51 (5 Pack)                     |
| Kit – Handstrap,<br>Stretch-Limiter, CN51 | 213-024-001 | Handstrap replacement for CN51 (5 Pack)                     |
| Kit – Stylus Tethered, CN50               | 203-900-002 | Stylus tethered replacement for CN50 (5 pack)               |
| Kit - Stylus Tethered, CN51               | 213-025-001 | Stylus tethered replacement for CN51 (5 Pack)               |
| Kit – Screen Protector, CN50              | 346-069-104 | Clear plastic LCD overlays for CN50. Same as CK3. (10 Pack) |
| Kit - Screen Protector, CN51              | 346-085-001 | Clear plastic LCD overlays for CN51 (10 Pack)               |

Accessory Guide

### FlexDock Supplies

| Accessory Name                      | Part Number | Description   |
|-------------------------------------|-------------|---|
| Quad Dock-Ethernet  front view      | DX4A1555510 | Accommodates four mobile computers. Includes power supply, North American Power Cord. Features 100Base-T Ethernet connectivity; provides 2 – RJ45 jacks for upstream connections and downstream "daisy-chain" connections of up to 10 docks.  |
| Quad Dock-Ethernet  back view       | DX4A1555500 | Accommodates four mobile computers. Includes power supply. Order power cord separately. Features 100Base-T Ethernet connectivity; provides 2 – RJ45 jacks for upstream connections and downstream "daisy-chain" connections of up to 10 docks. Country specific power cords must be ordered separately. |
| Quad Dock-Charge Only               | DX4A2555510 | Accommodates four mobile computers –<br>CHARGE ONLY. Includes power supply and<br>North American Power Cord.  |
| Quad Dock-Charge Only               | DX4A2555500 | Accommodates four mobile computers – CHARGE ONLY. Includes power supply. Country specific power cords must be ordered separately.   |
| Mobile Computer Cup,<br>CN50 Series | 203-918-001 | Supports (1) mobile computer when snapped into a bay of base unit.  |





© 2014 Honeywell International Inc. 611943-J 10/14



www.L-TronDirect.com 800-830-9523 info@L-Tron.com

