





# CV61

## Accessory Guide



### Mounting Kits

| Accessory Name  | Part Number  | Description  |
|---|--------------|--|
| Upgrade Mounting Kit with 2-1/4" Ball   | 203-959-001  | CV61 back plate, hardware and 2-1/4" "D" size RAM mounting ball. Use for dropping CV61 into a legacy CV60 installation that uses "D" size RAM mounting arm.  |
| Upgrade Mounting Kit with 3-3/8" Ball   | 203-959-002  | CV61 back plate, hardware, and 3-3/8" "E" size extra duty RAM mounting ball. Use for dropping CV61 into a legacy CV60 installation that uses "E" size extra duty RAM mounting arm.   |
| Upgrade Mounting Kit, CV61 back plate only  | 203-959-003  | CV61 back plate and screws. Does not include RAM mounting ball or arm. Customer supplies ball, arm, and other mounting components.   |
| Vehicle Mounting Kit, Stubby Extra Duty<br>                  | 203-956-001  | Extra duty 3-3/8" "E" size RAM mounting system including dual mounting balls and mounting arm. <b>Recommended</b> for CV61 vehicle installations.  |
| Desktop Mounting Kit<br>                                    | 203-954-001  | Standard duty 2-1/4" "D" size RAM mounting system including dual mounting balls, mounting arm and desktop base. <b>Recommended</b> for CV61 stationary (non-vehicle) installations.  |
| Direct Wiring Kit<br>                                      | 203-950-001  | Includes cable VE027-98020-B0 for direct connection between CV61 power input and vehicle battery (9-60 VDC installations only). Kit also includes fuse, terminal ring parts and cable mounting hardware.   |
| Security Kit<br>   | 203-949-001  | Cable retention kit contains two brackets and associated hardware. One bracket conceals the power switch and secures the power input cable. The second bracket provides cable-tie attach points to secure the PS/2, serial, Ethernet, USB, CANBUS, and audio cables. |
| Keyboard-to-Vehicle Mounting Kit with Dual 1-1/2" Ball<br> | 805-661-001  | Mounts keyboard to vehicle using 1-1/2" RAM mounting balls and arm. <b>Recommended</b> for new installations.  |
| Keyboard-to-Computer Mounting Kit<br>                      | G9A-KB001-02 | Keyboard tray-style mount attaches directly to CV61. Fully swivels. Compatible with all rugged keyboards.  |




# CV61

## Accessory Guide

### Power Supplies

| Accessory Name  | Part Number            | Description   |
|---|------------------------|---|
| AC/DC Power Adapter<br>(Requires Separate AC Cord)                                | 203-955-001            | Requires country-specific AC power cord (see below), RoHS compliant.  |
|  | 1-974030-025<br>071918 | AC Power Cord, Australia<br>AC Power Cord, China  |
|   | 321-501-002            | AC Power Cord, Denmark  |
|   | 1-974027-025           | AC Power Cord, Europe   |
|   | 321-502-002            | AC Power Cord, India & South Africa   |
|   | 321-471-002            | AC Power Cord, Italy  |
|   | 321-500-002            | AC Power Cord, Japan  |
|   | 321-470-001            | AC Power Cord, Switzerland  |
|   | 1-974029-020           | AC Power Cord, United Kingdom   |
|   | 1-974028-025           | AC Power Cord, United States  |
| DC-DC Converter Kit, 6-96V<br>with 5Pin Female output                             | 203-950-002            | Required for use with vehicle electrical systems > 60V DC. Extends operating voltage range to 96V DC. Requires adapter cable (VE027-8024-C0) for use with CV61. |
|  |                        |   |






### Cables

| Accessory Name  | Part Number   | Description   |
|---|---------------|---|
| Cable, 5-Pin Male to 6-Pin Female   | VE027-8024-C0 | Adapter cable permits connecting CV61 computer to CV60 external DC/DC power converter installations.  |
|  |               |   |
| Cable, 6-Pin Female to Open Wire  | VE027-8020-B0 | Provides for direct connection from CV61 to vehicle battery. Also included in kit 203-950-001.  |
|  |               |   |
| Cable, Dual USB, CV30/CV61  | VE011-2017    | Breakout Y-cable adapter to dual USB Type A host connectors (includes cable restraints). Required for CV61 USB connections.   |
|  |               |   |
| Cable, Single USB, CV30/CV61  | VE011-2016    | Breakout cable adapter to single USB Type A host connector (includes cable restraint). May be used as substitute for VE011-2017 when only one USB device will be connected to CV61. |

# CV61

## Accessory Guide

### Keyboards

| Accessory Name   | Part Number | Description   |
|--|-------------|---|
| Backlit Keyboard,<br>101-Key for Windows<br>                  | 340-053-003 | Rugged external, backlit PS/2 keyboard with full-size 101-key Windows layout. <b>Recommended</b> to use 203-949-001 cable security kit for vehicle installations. RoHS compliant.       |
| Backlit Keyboard,<br>88-Key for Windows<br>                   | 850-551-106 | Rugged external, backlit PS/2 keyboard with 88-key Windows layout. <b>Recommended</b> to use 203-949-001 cable security kit for vehicle installations. RoHS compliant.                  |
| Backlit Keyboard, 88-Key for<br>VT220 Terminal Emulation<br>  | 850-551-107 | Rugged external, backlit PS/2 keyboard with 88-key VT220 terminal emulation layout. <b>Recommended</b> to use 203-949-001 cable security kit for vehicle installations. RoHS compliant. |
| Keybd, Rugged QWERTY,<br>5250, Backlit RoHS<br>              | 850-551-109 | Rugged external, backlit PS/2 keyboard with 88-key 5250 terminal emulation layout. <b>Recommended</b> to use 203-949-001 cable security kit for vehicle installations. RoHS compliant.  |
| Backlit Keyboard, 88-Key for<br>3270 Terminal Emulation<br> | 850-551-110 | Rugged external, backlit PS/2 keyboard with 88-key 3270 terminal emulation layout. <b>Recommended</b> to use 203-949-001 cable security kit for vehicle installations. RoHS compliant.  |

### Antennas

| Accessory Name                 | Part Number | Description   |
|--------------------------------|-------------|---|
| External Antenna, 802.11 a/b/g | 805-662-001 | Dual band 2.4GHz and 5.0GHz sealed remote-mount antenna. Compatible with 802.11 infrastructure. RoHS compliant.   |
| Omnidirectional Antenna        | 805-552-002 | Single-band 2.4 GHz omnidirectional remote-mount antenna. Supports 802.11 b/g/n only (does not support 5.0 GHz 802.11a). Features 3dB gain and wider coverage cone. |

# CV61

## Accessory Guide

### Miscellaneous

| Accessory Name                        | Part Number   | Description   |
|---------------------------------------|---------------|---|
| Memory Upgrade Kit, 1GB               | 203-958-001   | Adds additional 1GB RAM memory to CV61A base unit for a total of 2GB RAM. User installable 1GB DDR2 SODIMM.   |
| Memory Upgrade Kit, 2GB               | 203-958-002   | Adds additional 2GB RAM memory to CV61A base unit for a total of 3GB RAM. User installable 2GB DDR2 SODIMM.   |
| Screen Protector Kit CV61, 10 pack    | 346-082-001   | User installable and removable screen protector film. Kit includes 10 protectors and application kit.   |
| CV61 DVD Recovery Pack, Win XP & Win7 | 235-294-001   | DVDs contain installation files and instructions to restore CV61 to factory-supplied Windows XP or Windows 7 default system image.<br><br>NOTE: This kit does not provide ability to upgrade or downgrade to a different OS version than supplied from factory. |
| Replacement Disk, 40GB                | VE027-6028-A1 | 40GB Solid State Disk (SSD) replacement drive. Contains no software. Requires CV61 DVD Recovery Pack (235-294-001) to install factory default system image after disk is replaced.  |



Copyright © 2012 Intermec Technologies Corporation. All rights reserved. Intermec is a registered trademark of Intermec Technologies Corporation. All other trademarks are the property of their respective owners.  
612192-C 11/12



[www.L-TronDirect.com](http://www.L-TronDirect.com)

800-830-9523

[info@L-Tron.com](mailto:info@L-Tron.com)

596 Fishers Station Dr | Victor, NY | 14564 | Suite 1 A

[www.L-Tron.com](http://www.L-Tron.com)

Get in touch with us  
on social media!

