


KIOSK  
PRINTER

# SK1-20 Series



Vertical

**SK1-21**



**SK1-22**



**SK1-24**

## Two Inch Thermal Kiosk Receipt Printers

The SK1-20 two-inch series provides dependable, maintenance-free printers that have a fast print speed of 200mm/sec with 203 dpi resolution.

It comes in either standard format (horizontal orientation) with and without presenter, drop-in paper loading without presenter, or vertical format (vertical orientation) with and without front paper loading. Both standard and vertical formats come equipped with RS-232C and USB interface which integrates with many commonly used kiosk solutions. For kiosks where space is a concern, the SK1-22 printers offer a compact design that can fit into a variety of applications.

The SK1-24 vertical format printer with front paper loading feature is specifically designed for gas pump application. Available options include large paper roll holder and bezel paper detector for the entire SK1-20 series.

- **High Speed: 200mm/sec**
- **Modular Design for Easy Integration**
- **Available with and without Presenter and Front Paper Loading**

**star**





[www.starmicronics.com](http://www.starmicronics.com)

# SK1-20 Series

## Specifications

<b>Printer Method:</b>	Direct Line Thermal
<b>Print Speed:</b>	Max 200 mm/sec
<b>Paper Width:</b>	58 mm, 60 mm
<b>Print Width:</b>	54 mm, 56 mm
<b>Paper Roll Holder:</b>	120 mm
<b>Resolution:</b>	8 dots/mm (203dpi)
<b>Font:</b>	8x16, 12x24 dots
<b>Character Types:</b>	PC437 / 850 / 852 / 857 / 858 / 860 / 863 / 865 / 866, WPC 1252
<b>Bar Code:</b>	JAN8/13, CODE39, ITF, CODABAR, CODE128, UPC-A/E
<b>2D Bar Code:</b>	QR, Maxicode, Micro PDF-417, PDF-417, DataMatrix
<b>Interface:</b>	Dual Serial (RS232C) & USB (V2.0 FULL SPEED)
<b>Cutter:</b>	Full and Partial Cut (Command Selectable)
<b>Operating Voltage:</b>	DC 24V
<b>External Dimensions:</b>	<b>SK1-21:</b> 104 x 145.5 x 85.4 (w x h x d) mm <b>SK1-22:</b> 104 x 140.3 x 69.7 (w x h x d) mm <b>SK1-24:</b> 99 x 118 x 123 (w x h x d) mm
<b>Reliability MCBF</b>	200 Million Pulses
Print Head	150km
Auto Cutter	1.5 Million Cuts
<b>Safety Standards:</b>	CE, FCC, VCCI
<b>Part Number:</b>	<b>SK1-21: 37963760</b> Horizontal Orientation <b>37963750</b> Horizontal Orientation, Presenter <b>37964080</b> Vertical Orientation <b>37964590</b> Vertical Orientation, Presenter <b>SK1-22: 37963890</b> Horizontal Orientation, Drop-in Paper Loading <b>37964630</b> Horizontal Orientation, Drop-in Paper Loading, Presenter <b>SK1-24: 37964340</b> Vertical Orientation, Front paper Loading
<b>For further information:</b>	
Sales / Technical Support	1-800-782-7636
Web	www.starmicronics.com

### OPTIONS AND ENHANCEMENTS - SK1-20 SERIES

<b>CB-SK1-D3</b> Power Adapter Cable Part Number: 37963360	<b>BZ-SK-1</b> Bezel Paper Detector Part Number: 37963490	<b>HL2</b> Large Paper Roll Holder Part Number: 37963730	<b>PS60A</b> Power Supply Part Number: 30871870
			

2/27/14

Star Micronics America, Inc.

1-800-782-7636

© 2014 Star Micronics America, Inc.

All Rights Reserved. All trademarks are property of their respective owners. Specifications are subject to change without notice.



www.starmicronics.com



[www.L-TronDirect.com](http://www.L-TronDirect.com)

800-830-9523

[info@L-Tron.com](mailto:info@L-Tron.com)

596 Fishers Station Dr | Victor, NY | 14564 | Suite 1 A

[www.L-Tron.com](http://www.L-Tron.com)

Get in touch with us  
on social media!

