


KIOSK  
PRINTER

# SK1-30 Series



**SK1-31**



**SK1-32**

## Three Inch Thermal Kiosk Receipt Printers

The SK1-30 three-inch series boasts a print speed of 200mm/sec with 203 dpi resolution while also demonstrating long service life and high reliability.

Available in standard format (horizontal orientation) with or without presenter, standard format drop-in paper loading with or without presenter, and vertical format (vertical orientation) without presenter, SK1-30 printers have the ability to fit many applications. Compact (low height size: 95mm including paper roll) and light weight (Approx. 730g), the SK1-32 kiosk printer is an optimal solution for applications requiring a small direct thermal kiosk printer with standard three-inch print width.

Available option include large paper roll holder and bezel paper detector for the entire SK1-30 series.

- **High Speed: 200mm/sec**
- **Available with and without Presenter**
- **Adjustable Print Width 54mm-80mm**

**star**





[www.starmicronics.com](http://www.starmicronics.com)

# SK1-30 Series

## Specifications

<b>Printer Method:</b>	Direct Line Thermal
<b>Print Speed:</b>	Max 200 mm/sec
<b>Paper Width:</b>	58 mm, 60 mm, 80 mm, 83 mm
<b>Print Width:</b>	54 mm, 56 mm, 72 mm, 80 mm
<b>Paper Roll Holder:</b>	120 mm
<b>Resolution:</b>	8 dots/mm (203dpi)
<b>Font:</b>	8x16, 12x24 dots
<b>Character Types:</b>	PC437 / 850 / 852 / 857 / 858 / 860 / 863 / 865 / 866, WPC 1252
<b>Bar Code:</b>	JAN8/13, CODE39, ITF, CODABAR, CODE128, UPC-A/E
<b>2D Bar Code:</b>	QR, Maxicode, Micro PDF-417, PDF-417, DataMatrix
<b>Interface:</b>	Dual Serial (RS232C) & USB (V2.0 FULL SPEED)
<b>Cutter:</b>	Full and Partial Cut (Command Selectable)
<b>Operating Voltage:</b>	DC 24V
<b>External Dimensions:</b>	<b>SK1-31:</b> 127 x 145.5 x 85.4 (w x h x d) mm <b>SK1-32:</b> 128 x 174.5 x 74.2 (w x h x d) mm
<b>Reliability MCBF</b>	200 Million Pulses
Print Head	150km
Auto Cutter	1.5 Million Cuts
<b>Safety Standards:</b>	CE, FCC, VCCI
<b>Part Number:</b>	<b>SK1-31: 37963780</b> Horizontal Orientation <b>37963770</b> Horizontal Orientation, Presenter <b>37964090</b> Vertical Orientation <b>37964600</b> Vertical Orientation, Presenter <b>SK1-32: 37963460</b> Horizontal Orientation, Drop-in Paper Loading <b>37963480</b> Horizontal Orientation, Drop-in Paper Loading, Presenter
<b>For further information:</b>	
Sales / Technical Support	1-800-782-7636
Web	www.starmicronics.com

### OPTIONS AND ENHANCEMENTS - SK1-30 SERIES

<b>CB-SK1-D3</b> Power Adapter Cable Part Number: 37963360	<b>BZ-SK-1</b> Bezel Paper Detector Part Number: 37963490	<b>HL2</b> Large Paper Roll Holder Part Number: 37963730	<b>PS60A</b> Power Supply Part Number: 30871870
			

2/27/14

Star Micronics America, Inc.

1-800-782-7636

© 2014 Star Micronics America, Inc.

All Rights Reserved. All trademarks are property of their respective owners. Specifications are subject to change without notice.



www.starmicronics.com



[www.L-TronDirect.com](http://www.L-TronDirect.com)

800-830-9523

[info@L-Tron.com](mailto:info@L-Tron.com)

596 Fishers Station Dr | Victor, NY | 14564 | Suite 1 A

[www.L-Tron.com](http://www.L-Tron.com)

Get in touch with us  
on social media!

