

#### SPECIFICATION SHEET

# Receipt Printer

# POS printing reimagined with a compact, sleek, 2" receipt printer.

TM-m10 POS Receipt Printer

Industry's smallest 2" receipt printer in its class — sleek design; ideal for small counter spaces

**Breakthrough modular case** — flexible configuration (top load or front load); interchangeable by easily removing the outer case

**Easy setup and versatile connectivity** – dual interface – options include USB, Ethernet, wireless, Bluetooth<sup>®</sup> or NFC<sup>1</sup> touch-to-print; includes wireless setup with SimpleAP (wireless SKU only)

The freedom to easily print from virtually any device — ePOS<sup>™</sup> print technology for easy setup with iOS<sup>®</sup>, Android<sup>™</sup> and Windows<sup>®</sup> mobile devices and Windows drivers for desktop PCs



### TM-m10 POS Receipt Printer

#### Print

Print Method Thermal Print Speed 150 mm/s Print Resolution 203 dpi Print Direction Vertical and horizontal

#### **Print Fonts**

Fonts/Column capacity Font A: 12 x 24 35cpl (default) Font B: 10 x 24 42 cpl; Font C: 9 x 17 46 cpl Character Size Font A: 1.25 x 3.00 mm; Font B: 1.13 x 3.00 mm; Font C: 0.88 x 2.13 mm Character Set 95 Alphanumeric, 18 International, 128 x 43 Graphic Barcode UPC-A, UPC-E, JAN8 / EAN 8, JAN13 / EAN13, Code39,

Code93, Code128, ITF, CODABAR(NW-7), GS1-128, GS1 DataBar Two-Dimensional Symbol Printing PDF417, QR code, Maxi Code, Data Matrix, Aztec Code, Two dimensional GS1 DataBar, Composite Symbology

#### Media Handling

Type Thermal roll paper Paper Feed Method Friction feed Width 2.26"/57.5 mm Paper Loading Drop-in Roll Diameter (Max) 2.36"/60 mm Core Diameter (Min) 0.71"/18 mm Paper Guide No Auto Cutter Yes

#### Connectivity

Interface (USB model) Built-in USB Interface (Ethernet model) Built-in USB + Ethernet 10/100Base-T/TX

Interface (Bluetooth model) Built-in USB + Bluetooth 3.0 (EDR supported)

Interface (Wi-Fi model) Built-in USB + 802.11b/g/n (2.4GHz) + Ethernet 10/100Base-T/TX

Wireless Security Mode WEP, WPA, WPA2-Personal/ Enterprise

Supported Mobile Operating Systems iOS, Android and Windows (Store Apps)

Easy Setting SimpleAP, TM Utility, NFC1 and QR Code

#### General Printer Reliability 15 million printing lines Auto Cutter Reliability 1 million cuts NV Bit Image Memory 12KB (max) NV Graphics 384KB (max) Receive Buffer 4KB or 45byte Printer Driver ePOS-Print SDK, Windows Driver (APD), OPOS, OPOS.NET, JavaPOS (Win), JavaPOS (Linux), TM Virtual Port Driver, CUPS Driver (Linux), Mac Driver Software TM Utility (iOS, Android), TM-m10 Utility (Windows Desktop), EpsonNet Config (Win, Mac), TM Bluetooth Connector, Deployment Tool, Monitoring Tool Audible Alert Optional external buzzer LED Indicators Blue LED - On = Power Orange LED - Error and/or Paper Out Sensors Paper End, Cover Open D.K.D. Function Yes Power Consumption Approx. 1.5A (mean) Power Source Adapter C Power Saving Yes Temperature 5° C - 45° C Relative Humidity 10 - 90 % Acoustic Noise Level 55db Standards and Approvals EMI FCC Class A, CAN ICES-3(A)/ NMB-3(A) Safety Standard UL60950-1/CSA C22.2 No.60950-1 Dimensions (W x D x H) 4" x 4" x 4" 102 x 102 x 102 mm Weight 1.98 lb/900g Color Epson Black, Epson Ultra White Options Mounting Brackets, External Buzzer

#### **Eco Features**

Paper saving mode

Power saving mode ENERGY STAR® qualified (select SKUs)

- · RoHS compliant
- Recyclable product<sup>2</sup>
- Epson America, Inc. is a SmartWay<sup>SM</sup> Transport Partner<sup>3</sup>

#### Warranty

Т

Т

Т

т

Т

Т

Т

Т

Standard with a one-year limited warranty; optional extended warranty available

#### What's in the Box

TM-m10, Power Supply - Adapter C with AC Cable, Roll Paper (for checking initial movement of the printer), Setup Guide, Power Switch Cover (USB Cable, Locking Wire Saddle for USB SKUs only)

#### **Ordering Information**

•	
M-m10 USB Black	C31CE74002
M-m10 USB White	C31CE74001
M-m10 Ethernet Black	C31CE74022
M-m10 Ethernet White	C31CE74021
M-m10 Bluetooth Black	C31CE74012
M-m10 Bluetooth White	C31CE74011
M-m10 Wireless Black	C31CE74032
M-m10 Wireless White	C31CE74031

POS

Receipt Printer

1 NFC tag requires use of a device that includes an NFC reader, and may require additional software. | 2 For convenient and reasonable recycling options, visit www.epson.com/recycle 3 SmartWay is an innovative partnership of the U.S. Environmental Protection Agency that reduces greenhouse gases and other air pollutants and improves fuel efficiency.







Epson America, Inc.

Epson Canada Limited

3840 Kilroy Airport Way, Long Beach, CA 90806 185 Renfrew Drive, Markham, Ontario L3R 6G3

www.epson.com www.epson.ca

EPSON is a registered trademark, EPSON Exceed Your Vision is a registered logomark and Better Products for a Better Future is a trademark of Seiko Epson Corporation. ePOS is a trademark of Epson America, Inc. Android is a trademark of Google Inc. SmartWay is a service mark of the U.S. Environmental Protection Agency. All other product and brand names are trademarks and/or registered trademarks of their respective companies. Epson disclaims any and all rights in these marks. Copyright 2015 Epson America, Inc. Com-SS-Oct-13 CPD-50237 8/15



## www.L-TronDirect.com

# 800-830-9523

info@L-Tron.com

596 Fishers Station Dr | Victor, NY | 14564 | Suite 1 A

Get in touch with us on social media!

www.L-Tron.com