



Printer Media Specifications

		Core Size	Max OD	Min Label Width	Max Label Width	Min Label Caliper	Max Label Caliper
Printer		Inches	Inches	Inches	Inches	Mil*	Mil*
Tabletop	S600™	3	8	0.75	4.375	2.3	12
	S4M™	1/3	6/8	0.75	4.375	3	10
	Z4MPlus™	3	8	1	4.375	2.3	10
	Z6MPlus™	3	8	2	6.875	2.3	10
	ZM400™	3	8	2	4.375	2.3	10
	ZM600™	3	8	2	6.875	2.3	10
	105SL™	3	8	0.79	4.395	3	12
	2746e™	3	8	1.12	4.375	3	10
	110XiIIIPlus™ / 110Xi4™	3	8	0.79	4.375	3	12
	140XiIIIPlus™ / 140Xi4™	3	8	1.57	5.385	3	12
	170XiIIIPlus™ / 170Xi4™	3	8	2	6.975	3	12
220XiIIIPlus™ / 220Xi4™	3	8	4.25	8.675	3	12	
Desktop	LP/TLP 2824™ Series	1/1.5	5	1	2.235	3	7.5
	LP/TLP 2824 Plus™	1/1.5	5	1	2.360	3	7
	LP/TLP 2844™ Series	1/1.5	5	1	4.125	3	7.5
	TLP 3842™	1	5	1	4.125	3	7.5
	TLP 3844-Z™	1/1.5	5	1	4.125	3	7.5
	H 2824™	1/1.5	5	0.75	2.235	3	7.5
	G-Series™	1	5	0.75	4.125	3	7.5
Mobile	Cameo® 2	0.75	2.2	0.75	1.975	3	5
	Cameo® 3	0.75	2.2	0.75	2.975	3	5
	QL 220™ / QL 220 Plus™	0.75	2.2	0.63	1.890	2.5	6.5
	QL 320 Plus™	0.75	2.63	1.25	3.000	2.5	6.5
	QL 420 Plus™	0.75	2.63	2	4.000	2.5	6.5
	RW 220™	0.75	2.25	1	2.245	2	6.3
	RW 420™ / RW420™ Print Station	0.75	2.25	2	4.000	2	6.3
	P4T™	0.75	2.6	2	4.000	2	6.3
	EM220™	0.5	1.57	2.08	2.355	2	4
	PT403™ / PA403™	1	2.1	1.12	4.125	3	12
	PS 2122™	1.5	5	1	2.235	3	7.5
	MZ 220™	0.5/0.75	1.88	1	1.875	2	4
	MZ 320™	0.5/0.75	1.88	1	2.875	2	4
Specialty	R110Xi™ / R110Xi HF™	3	8	0.79	4.375	3	12
	R170Xi™	3	8	2	6.975	3	12
	R110PAX3™	1	Varies	0.63	4.375	5.8	10
	R110PAX4™ / 110PAX4™	3	Varies	0.63	4.375	5.8	10
	R2844-Z™	1/1.5	5	1	4.125	3	7.5
	R4Mplus™	3	8	1	4.000	2.3	10
	RZ400	3	8	1	4.375	2.3	10
	RZ600	3	8	1	6.875	2.3	10
	170PAX4™	3	Varies	3	6.975	3	12
RP4T™	1.375	2.6	2	4.000	2	6.3	

Please contact your media specialist for specific questions regarding printers not listed above & check printer specifications before ordering supplies.

Kiosk printers include TTP 1000, 2000, 7000, & 8000 Series, TTP 5250, KR203 and KR403.

Kiosk printers can accommodate various roll sizes and widths depending on the configuration.

*1 mil = 0.001 inches



Tabletop Printers

Z-Perform 1000D

A standard, direct thermal, bright white, uncoated, paper label with a permanent acrylic adhesive. Ideal for direct thermal paper applications that require limited durability.

3" ID 8" OD

W	Size		Part #	Labels Per Roll	Rolls/ Carton	Carton Weight
	x	L				
3	x	1	10000303*	5,500	6	26 lbs.
4	x	2	10003051*	2,760	4	26 lbs.
4	x	3	10000302*	2,000	4	26 lbs.
4	x	6	10000301*	1,000	4	26 lbs.
4	x	6.50	10000300*	900	4	26 lbs.

* Perforation between labels

Z-Perform 2000D

A standard, direct thermal, bright white, coated, paper label with an all-temp permanent acrylic adhesive that survives at temperatures as low as -65° F and can be applied at temperatures as low as -40° F.

3" ID 8" OD

W	Size		Part #	Labels Per Roll	Rolls/ Carton	Carton Weight
	x	L				
2	x	1	10000298*	5,500	8	26 lbs.
2.25	x	1.25	10000297*	4,350	8	27 lbs.
3	x	1	10000296*	5,500	6	26 lbs.
3	x	2	10000295*	2,750	6	26 lbs.
4	x	2	10012164	2,720	4	26 lbs.
4	x	2.50	10000294*	2,280	4	26 lbs.
4	x	3	10000293*	2,000	4	26 lbs.
4	x	4	10000292*	1,500	4	26 lbs.
4	x	6	10000290*	1,000	4	26 lbs.
4	x	6.50	10000289*	900	4	26 lbs.

* Perforation between labels



Tabletop Printers

Z-Perform 2000T

A standard, thermal transfer, bright white, coated, smooth paper label with a permanent acrylic adhesive. Offers excellent print quality for printing up to 8 inches per second.

3" ID 8" OD

W	Size		Part #	Labels Per Roll	Rolls/ Carton	Carton Weight
	x	L				
2	x	1	10000288*	5,500	10	31 lbs.
3	x	1	10000287*	5,500	6	27 lbs.
3	x	2	10000286*	2,750	6	27 lbs.
3	x	5	10010242*	1,200	6	27 lbs.
3.5	x	1	10010243*	5,470	4	27 lbs.
4	x	1	10010244*	5,470	4	27 lbs.
4	x	2	10000285*	2,750	4	23 lbs.
4	x	3	10000284*	2,000	4	27 lbs.
4	x	4	10000283*	1,500	4	27 lbs.
4	x	6	10000281*	1,000	4	27 lbs.
4	x	6.50	10000280*	900	4	27 lbs.
4	x	8	10014013*	750	4	27 lbs.

* Perforation between labels

Z-Perform 2000T Fanfolded

A standard, thermal transfer, bright white, coated, smooth paper label with a permanent acrylic adhesive. Offers excellent print quality for printing up to 8 inches per second.

3" ID 8" OD

W	Size		Part #	Labels Per Roll	Roll/ Carton	Carton Weight
	x	L				
4	x	6	10000299*	2,000	2	26 lbs.

* Perforation between labels



Tabletop Printers

Z-Perform 2000T Floodcoated

A standard, thermal transfer, bright white, coated, smooth paper label with a permanent acrylic adhesive. Offers excellent print quality for printing up to 8 inches per second.

3" ID 8" OD

W	Size		Part #	Color	Labels Per Roll	Rolls/ Carton	Carton Weight
	x	L					
4	x	3	10006209-1*	Yel.	1,840	4	27 lbs.
4	x	3	10006209-3*	Pink	1,840	4	27 lbs.
4	x	6	10006208*	Blue	1,000	4	27 lbs.
4	x	6	10006208-1*	Yel.	1,000	4	27 lbs.
4	x	6	10006208-2*	Grn.	1,000	4	27 lbs.
4	x	6	10006208-4*	Org.	1,000	4	27 lbs.
4	x	6	10006208-5*	Red	1,000	4	27 lbs.
4	x	6	10006208-7*	Fl.Or.	1,000	4	27 lbs.
4	x	6.5	10005725-1*	Yel.	900	4	27 lbs.

* Perforation between labels Colors/PMS: Fluorescent Orange/804, Blue/ 290, Yellow/Pantone Yellow, Green/ 365, Red/ 185, Pink/1767, Orange/021

Z-Perform 1000T 7.5 mil Tag

A standard, thermal transfer, bright white, uncoated, 7.5 mil paper tag.

3" ID 8" OD

W	Size		Part #	Tags Per Roll	Rolls/ Carton	Carton Weight
	x	L				
3	x	1.25	67251**^	3,750	6	24 lbs.
3.25	x	5	65156*	1,030	6	26 lbs.

All tags contain side sensing notch. ^ Contains a left-centered hole and right vertical perforation *Perforation between tags

W	Size		Part #	Tags Per Roll	Rolls/ Carton	Carton Weight
	x	L				
3.25	x	7.38	67850*	860	4	25 lbs.

Fanfold and side sensing notch *Perforation between tags



Tabletop Printers

Z-Select 4000D

A premium, direct thermal, bright white, coated, paper label with a all-temp acrylic-based adhesive that survives at temperatures as low as -65° F and can be applied at temperatures as low as -20° F.

3" ID 8" OD

W	Size		Part #	Labels Per Roll	Rolls/ Carton	Carton Weight
	x	L				
1.50	x	1	88686	5,120	14	29 lbs.
2	x	1	72275	4,620	8	22 lbs.
2.25	x	1.25	72276	3,770	8	24 lbs.
2.25	x	1.25	10002635*	3,770	8	16 lbs.
2.25	x	2.50	72277	1,980	8	24 lbs.
2.25	x	4	72278	1,260	8	25 lbs.
3	x	1	74569	5,120	6	24 lbs.
3	x	2	98958*	2,710	6	26 lbs.
3	x	3	84086	1,840	6	27 lbs.
3.50	x	1	75856	5,120	6	29 lbs.
4	x	1.50	800740-155*	4,225	4	25 lbs.
4	x	2.50	72344	2,220	4	25 lbs.
4	x	3	800740-305*	2,238	4	25 lbs.
4	x	4	82801	1,400	4	25 lbs.
4	x	6	72345	950	4	25 lbs.
4	x	6	98959*	940	4	25 lbs.
4	x	6	83398**	720	6	28 lbs.
4	x	6.50	117945	870	4	25 lbs.

* Perforation between labels ** Fanfold



Tabletop Printers

Z-Select 4000T

A premium, thermal transfer, bright white, coated, ultra-smooth, paper label with a permanent acrylic adhesive.

3" ID 8" OD

W	Size		Part #	Labels Per Roll	Rolls/ Carton	Carton Weight
	x	L				
1.50	x	1	72280	5,180	14	30 lbs.
2	x	1	72281	5,180	10	29 lbs.
2.25	x	0.75	800622-075*	7,995	4	14 lbs.
2.25	x	1.25	800622-125*	5,087	4	16 lbs.
2.25	x	1.25	72283	4,240	8	26 lbs.
2.25	x	2	800622-205*	3,292	4	16 lbs.
2.75	x	1.25	72282	4,240	8	31 lbs.
3	x	1	72284	5,180	6	25 lbs.
3	x	2	72285	2,740	6	27 lbs.
3	x	5	72993	1,100	6	28 lbs.
3	x	6	81397*	910	6	26 lbs.
3.25	x	2	72974	2,700	6	30 lbs.
3.25	x	5.50	72286	1,040	6	30 lbs.
3.25	x	5,831	72287	Cont.	6	35 lbs.
3.50	x	1	72288	5,180	6	28 lbs.
4	x	1	92071*	4,970	4	23 lbs.
4	x	1.50	800640-155*	4,225	4	23 lbs.
4	x	2	72289	2,740	4	23 lbs.
4	x	2.50	94681*	2,130	4	23 lbs.
4	x	2.50	72290	2,220	4	25 lbs.
4	x	3	72291	1,870	4	25 lbs.
4	x	3	800640-305*	2,238	4	25 lbs.
4	x	4	800640-405*	1,696	4	26 lbs.
4	x	4	72292	1,410	4	26 lbs.
4	x	5	800640-505*	1,365	4	26 lbs.
4	x	6	72353	950	4	26 lbs.
4	x	6	72295**	900	6	35 lbs.
4	x	6	72294*	950	4	26 lbs.
4	x	6.50	73298*	840	4	26 lbs.
4	x	6.50	72296	880	4	26 lbs.
4	x	8	98963*	690	4	26 lbs.
4	x	10	94682*	550	4	26 lbs.
4	x	13	72297	440	4	26 lbs.
4	x	5,592	98962	Cont.	4	26 lbs.
5	x	2.50	72298	2,220	4	32 lbs.
5	x	6	72301	960	4	32 lbs.
5	x	5,831	72300	Cont.	4	32 lbs.
6	x	4	72354	1,410	2	18 lbs.
6	x	4	73909*	1,360	2	18 lbs.
6	x	8	94683*	690	2	18 lbs.
6.50	x	4	72302	1,410	2	18 lbs.

* Perforation between labels ** Fanfold



Tabletop Printers

Z-Select 4000T Removable

A premium, thermal transfer, bright white, coated paper label with a removable acrylic adhesive.

3" ID 8" OD

W	Size x	L	Part #	Labels Per Roll	Rolls/ Carton	Carton Weight
4	x	6	10005486*	1000	4	27 lbs.

* Perforation between labels

Z-Select 4000T 7.0 mil Tag

A premium, thermal transfer, bright white, coated, 7.0 mil, paper tag.

3" ID 8" OD

W	Size x	L	Part #	Tags Per Roll	Rolls/ Carton	Carton Weight
4	x	6	72352*	860	4	22 lbs.

Tags have side sensing notch. * Perforation between tags.

Z-Select 4000T All-Temp

A premium, thermal transfer, bright white, coated, ultra-smooth, paper label with an all-temp permanent acrylic adhesive that survives at temperatures as low as -65° F and can be applied at temperatures as low as -20° F.

3" ID 8" OD

W	Size x	L	Part #	Labels Per Roll	Rolls/ Carton	Carton Weight
2	x	5.50	72305	1,050	10	31 lbs.
2.75	x	1.25	72369	4,240	8	32 lbs.
3	x	5	97477*	1,100	6	26 lbs.
3.25	x	5.50	72371	1,040	6	32 lbs.
3.25	x	5.831	72372	Cont.	6	35 lbs.
3.50	x	1	72373	5,180	6	30 lbs.
4	x	2.50	72374	2,220	4	25 lbs.
4	x	6	72377	950	4	25 lbs.
4	x	6	72376*	950	4	25 lbs.
4	x	6.50	72378	880	4	25 lbs.
5	x	3	94684*	1,760	4	28 lbs.

* Perforation between labels



Tabletop Printers

Z-Ultimate 2000T White

A thermal transfer, pearl white, gloss polyester label with a permanent acrylic adhesive that provides unparalleled smear and scratch resistance, resistance to moderate chemicals and up to 3 years outdoors. UL recognized for indoor use when used with compatible genuine Zebra resin ribbons.

3" ID 8" OD Max

W	Size		Part #	Across	Labels		Rolls/ Carton	Carton Weight
	x	L			Per Roll			
0.25	x	0.25	10011965*	8	10,000	4	12 lbs.	
0.25	x	0.25	10011966*	3	10,002	4	9 lbs.	
0.3125	x	0.3125	10011967*	2	10,000	4	9 lbs.	
0.375	x	0.375	10011968*	6	11,964	4	16 lbs.	
0.5	x	0.25	10011969*	6	9,996	4	16 lbs.	
0.5	x	0.4375	10011970*	4	10,000	4	12 lbs.	
0.5	x	0.5	10011971*	4	10,000	4	12 lbs.	
0.75	x	0.25	10011972*	4	10,000	4	20 lbs.	
0.75	x	0.75	10011973*	4	10,000	4	20 lbs.	
1	x	0.25	10011974*	3	10,002	4	20 lbs.	
1	x	0.25	10011975*	1	16,456	4	9 lbs.	
1	x	0.375	10011976*	3	10,002	4	20 lbs.	
1	x	0.5	10008510*	1	9,420	4	9 lbs.	
1	x	1	10011977*	3	16,455	4	20 lbs.	
1.25	x	0.375	10011978*	1	12,342	4	20 lbs.	
1.5	x	0.25	10011979*	3	10,002	4	30 lbs.	
1.5	x	0.5	10008511*	1	9,420	4	9 lbs.	
1.5	x	1	10011981*	1	5,486	4	9 lbs.	
1.75	x	0.25	10011982*	1	16,456	4	9 lbs.	
2	x	0.25	10011983*	1	16,456	4	12 lbs.	
2	x	0.375	10011984*	2	10,000	4	30 lbs.	
2	x	0.5	10011985*	1	9,874	4	12 lbs.	
2	x	1	10008512*	1	5,570	4	12 lbs.	
2.75	x	1.25	10008513*	1	4,270	4	16 lbs.	
3	x	1	10011691*	1	5,240	4	20 lbs.	
3	x	2	10008514*	1	2,950	4	20 lbs.	
3	x	3	10008515*	1	1,880	4	20 lbs.	
4	x	2	10002634*	1	2,950	4	32 lbs.	
4	x	2.5	10008516*	1	2,240	4	32 lbs.	
4	x	4	10008517*	1	1,520	4	32 lbs.	
4	x	6	10008518*	1	960	4	32 lbs.	

* Perforation between labels

M = Made to order
(1 case minimum order)



Tabletop Printers

Z-Ultimate 3000T White

A thermal transfer, pearl white, gloss polyester label with permanent acrylic adhesive that provides unparalleled smear and scratch resistance, resistance to moderate chemicals and up to 3 years outdoors. UL/cUL recognized for indoor and outdoor use when used with compatible genuine Zebra resin ribbons.

3" ID 8" OD

W	Size		Part #	Labels Per Roll	Rolls/ Carton	Carton Weight
	x	L				
1.25	x	0.25	10011692	15,710	4	8 lbs.
1.50	x	0.50	10011693	9,420	4	8 lbs.
1.75	x	0.75	10011694*	7,160	4	8 lbs.
2	x	0.375	10011695	10,000	4	10 lbs.
2	x	0.50	10011696	10,000	4	10 lbs.
2	x	1	10011697*	5,570	4	10 lbs.
2	x	1.25	10011698	4,270	4	10 lbs.
2	x	4	10011699	1,570	4	10 lbs.
2.50	x	0.50	10011700*	10,020	4	16 lbs.
2.75	x	1.25	10011701	4,270	4	16 lbs.
3	x	1	10011702	5,240	4	20 lbs.
3	x	2	10011703*	2,950	4	20 lbs.
3	x	3	10011704	1,880	4	20 lbs.
3.50	x	1	10011705*	5,570	4	20 lbs.
4	x	2	18951*	2,950	4	32 lbs.
4	x	2.50	65816	2,240	4	32 lbs.
4	x	4	94688*	1,520	4	32 lbs.
4	x	6	66458	960	4	32 lbs.

* Perforation between labels

Z-Ultimate 4000T White

A thermal transfer, pearl white, gloss polyester label with a high performance permanent acrylic adhesive that provides unparalleled smear and scratch resistance, resistance to moderate chemicals and up to 3 years outdoors. UL/cUL recognized for indoor and outdoor use when used with compatible genuine Zebra resin ribbons.

3" ID 8" OD

W	Size		Part #	Labels Per Roll	Rolls/ Carton	Carton Weight
	x	L				
1.50	x	0.50	10011706*	9,420	4	8 lbs.
2	x	0.50	10011707*	10,000	4	10 lbs.
2	x	1	10011708*	5,570	4	10 lbs.
3	x	1	10011709*	5,240	4	20 lbs.
3	x	3	10011710*	1,880	4	20 lbs.
4	x	2.50	10002627*	2,240	4	32 lbs.
4	x	6	10002628*	960	4	32 lbs.

* Perforation between labels



Tabletop Printers

Z-Ultimate 4000T High Tack White

A thermal transfer, pearl white, gloss polyester label with a high-tack permanent acrylic adhesive that provides unparalleled smear and scratch resistance, resistance to moderate chemicals and up to 3 years outdoors. UL/cUL recognized for indoor and outdoor use when used with compatible genuine Zebra resin ribbons.

3" ID 8" OD

W	Size		Part #	Labels Per Roll	Rolls/ Carton	Carton Weight
	x	L				
2	x	1	10008521*	4,300	4	12 lbs.
3	x	2	10008520*	2,280	4	20 lbs.
4	x	6	10008519*	790	4	32 lbs.
3	x	1	10014014*	4,300	4	20 lbs.

* Perforation between labels

Z-Supreme 4000T White

A thermal transfer, white gloss, polyimide label with a high-temp permanent acrylic adhesive that provides resistance to temperatures up to 500°F. UL recognized for indoor use when used with compatible genuine Zebra resin ribbons. Recommended for use with 110XiIII Plus™/110Xi4™ 600 dpi printers.

3" ID 8" OD

W	Size		Part #	Labels Per Roll	Rolls/ Carton	Carton Weight
	x	L				
0.75	x	0.25	10008527*	12,740	1	2 lbs.
1.50	x	0.25	10008529*	12,740	1	2 lbs.

* Perforation between labels



Tabletop Printers

PolyPro 3000T

A thermal transfer, white, matte polypropylene label with a high-performance permanent acrylic adhesive. Offers some flexibility for labeling curved surfaces, resistant to scratching and smearing, temperatures up to 200°F and 1-2 years outdoors.

3" ID 8" OD Max

Size			Part #	Labels		Rolls/ Carton	Carton Weight
W	x	L		Across	Per Roll		
0.75	x	0.25	10011986*	4	10,000	4	20 lbs.
1	x	0.5	10011987*	3	10,002	4	20 lbs.
1.75	x	0.75	10011988*	2	11,888	4	20 lbs.
2.75	x	1.25	10011989*	1	3,923	4	20 lbs.
3	x	1	10011990*	1	4,610	4	30 lbs.
3	x	2	10011991*	1	2,440	4	30 lbs.
3	x	5	10011992*	1	1,015	4	30 lbs.
3.25	x	2	10011993*	1	2,448	4	30 lbs.
4	x	2	10011994*	1	2,441	4	32 lbs.

* Perforation between labels

M = Made to order
(1 case minimum order)

PolyPro 4000T

A thermal transfer, white, Kimdura® matte polypropylene label with a high-performance permanent acrylic adhesive. Offers some flexibility for labeling curved surfaces, resistant to scratching and smearing, temperatures up to 250°F and 1-2 years outdoors.

3" ID 8" OD

Size			Part #	Per Roll	Rolls/ Carton	Carton Weight
W	x	L				
2	x	1	10011687*	4,680	4	12 lbs.
2.75	x	1.25	66884	3,970	4	16 lbs.
3	x	1	10011688	4,350	4	20 lbs.
3	x	2	10011689	2,230	4	20 lbs.
3.25	x	5.50	10011690	870	4	20 lbs.
4	x	3	10008531*	1,420	4	32 lbs.
4	x	6	10008530*	720	4	32 lbs.
5	x	8	18801*	650	4	32 lbs.

* Perforation between labels



Tabletop Printers

8000T Tuff 7.0 mil Tag

Nursery Tags

A thermal transfer, white, V-Max polyolefin 7.5 mil tag that provides tear strength and outdoor use up to 1-2 years. Offers good durability and chemical resistance.

3" ID 8" OD

Size			Part #	Tags Per Roll	Rolls/ Carton	Carton Weight
W	x	L				
1	x	10	69531*	1,920	4	21 lbs.

* Perforation between tags (4 across)

Z-Slip

A direct thermal, coated, ultra-smooth paper and polypropylene combination label with a permanent acrylic adhesive. Offers excellent adhesion to corrugated packaging. Recommended for a wide variety of applications, for example, enclosing packing slips, invoices, material safety data sheets, and certificates of conformance.

3" ID 8" OD

Size			Part #	Labels Per Roll	Rolls/ Carton	Carton Weight
W	x	L				
6.625	x	6	10004425*	660	2	20 lbs.

* Perforation between labels

8000T Heat Seal Kit

A glossy, white, thermoplastic label with excellent smear/scratch resistance that can withstand heat up to 290° F. This kit comes with a specially matched resin ribbon that will survive 50 industrial bleach wash cycles.

3" ID 8" OD

Look for new, lower pricing on Part #s: 10002539, 10002540

Size			Part #	Labels Per Roll	Rolls/ Kit
W	x	L			
2.5	x	0.75	10002539*	4,800	3
3.25	x	1.125	10002540*	3,200	3

*Labels have perforations and sensing notches. Kit includes 3 rolls of labels and 1 resin ribbon roll

M= Made to order (1 kit minimum required)



Desktop Printers

Z-Perform 2000D

A standard, direct thermal, bright white, coated, paper label with an all-temp permanent acrylic adhesive that survives at temperatures as low as -65° F and can be applied at temperatures as low as -40° F.

1" ID 5" OD

W	Size		Part #	Labels Per Roll	Rolls/ Carton	Carton Weight
	x	L				
2	x	1	10010028*	2,340	6	10 lbs.
3	x	2	10010029*	1,240	6	11 lbs.
3	x	3	10010030*	840	6	11 lbs.
4	x	2	10010031*	1,240	6	12 lbs.
4	x	2	10012163	1,240	6	12 lbs.
4	x	3	10010032*	840	6	12 lbs.
4	x	4	10010033*	640	6	12 lbs.
4	x	6	10010034*	430	6	12 lbs.

* Perforation between labels

Z-Perform 2000D Floodcoated

A standard, direct thermal, bright white, coated, paper label with an all-temp permanent acrylic adhesive that survives at temperatures as low as -65° F and can be applied at temperatures as low as -40° F.

1" ID 5" OD

W	Size		Part #	Color	Labels Per Roll	Rolls/ Carton	Carton Weight
	x	L					
4	x	6	10010035*	Yel.	430	6	12 lbs.
4	x	6	10010035-1*	Grn.	430	6	12 lbs.
4	x	6	10010035-2*	Org.	430	6	12 lbs.
4	x	6	10010035-3*	Red	430	6	12 lbs.

* Perforation between labels Colors/PMS: Yellow/Pantone Yellow, Green/ 365, Red/185, Orange/021

Z-Perform 2000T

A standard, thermal transfer, bright white, coated, smooth paper label with a permanent acrylic adhesive. Offers excellent print quality for printing up to 8 inches per second.

1" ID 5" OD

W	Size		Part #	Labels Per Roll	Rolls/ Carton	Carton Weight
	x	L				
2	x	1	10005850*	2,490	6	6 lbs.
4	x	2	10005851*	1,320	6	15 lbs.
4	x	3	10005852*	890	6	15 lbs.
4	x	6	10005853*	460	6	15 lbs.

* Perforation between labels



Desktop Printers

Z-Select 4000D

A premium, direct thermal, bright white, coated, paper label with a all-temp acrylic-based adhesive that survives at temperatures as low as -65°F and can be applied at temperatures as low as -20° F.

1" ID 5" OD

Size			Part #	Labels Per Roll	Rolls/ Carton	Carton Weight
W	x	L				
1	x	3	10010036*	840	6	6 lbs.
1.20	x	0.85	10010037*	2,710	6	6 lbs.
1.25	x	1	10010038*	2,340	6	6 lbs.
2	x	1	10010039*	2,340	4	6 lbs.
2.25	x	0.50	10010040*	4,200	4	6 lbs.
2.25	x	0.75	800262-075*	3,315	12	20 lbs.
2.25	x	1.25	800262-125*	2,100	12	20 lbs.
2.25	x	2	800262-205*	1,370	12	20 lbs.
2.25	x	2.50	10010041*	1,000	4	6 lbs.
2.25	x	3	10010042*	840	6	10 lbs.
2.25	x	4	800262-405*	700	12	20 lbs.
3	x	1	10010043*	2,340	6	11 lbs.
3	x	2	10010044*	1,240	6	11 lbs.
4	x	1	10010045*	2,340	6	12 lbs.
4	x	1.25	800264-125*	2,100	12	28 lbs.
4	x	1.50	10010046*	1,620	6	12 lbs.
4	x	2	10010047*	1,240	6	12 lbs.
4	x	2.50	10010048*	1,000	6	12 lbs.
4	x	3	800264-305*	930	12	30 lbs.
4	x	4	800264-405*	700	12	30 lbs.
4	x	5	800264-505*	565	12	30 lbs.
4	x	6	10010049	475	6	15 lbs.
4	x	6	800264-605*	475	12	30 lbs.

* Perforation between labels

Size			Part #	Labels Per Roll	Rolls/ Carton	Carton Weight
W	x	L				
2.38	x	1	10010050*	2,340	6	10 lbs.

Labels have a center vertical slit creating two 1.1875" x 1.00" labels. * Perforation between labels

Size			Part #	Labels Per Roll	Rolls/ Carton	Carton Weight
W	x	L				
2.25	x	1.25	10010051*	1,910	6	10 lbs.

Labels have a center vertical slit creating two 1.125" x 1.25" labels. * Perforation between labels

Z-Select 4000D Removable

A premium, direct thermal, bright white, coated, paper label with a removable acrylic adhesive.

1" ID 5" OD

Size			Part #	Labels Per Roll	Rolls/ Carton	Carton Weight
W	x	L				
2.375	x	1	10010052*	2,260	6	6 lbs.

Labels have a center vertical slit creating two 1.1875" x 1.00" labels. * Perforation between labels



Desktop Printers

Z-Select 4000T

A premium, thermal transfer, bright white, coated, ultra-smooth, paper label with a permanent acrylic adhesive. Offers excellent print quality for printing up to 12 inches per second.

1" ID 5" OD

Size			Part #	Labels Per Roll	Rolls/ Carton	Carton Weight
W	x	L				
1.188	x	0.84	10009522*	3,000	6	6 lbs.
1.25	x	1	10009523*	2,580	6	10 lbs.
1.5	x	1	83258*	2,260	8	8 lbs.
2	x	1	83259*	2,260	8	8 lbs.
2.25	x	0.75	10009524*	3,320	6	10 lbs.
2.25	x	1.25	800272-125*	2,100	12	20 lbs.
2.25	x	2	10009525*	1370	6	11 lbs.
2.25	x	3	10009526*	930	6	12 lbs.
2.25	x	4	10009527*	700	6	13 lbs.
2.75	x	1.25	83260*	1,850	4	7 lbs.
3	x	1	10009528*	2,580	6	8 lbs.
3	x	2	10009529*	1,370	6	15 lbs.
4	x	1	83340*	2,260	4	8 lbs.
4	x	1.50	800274-155*	1,790	12	30 lbs.
4	x	2	10009530*	1,370	6	15 lbs.
4	x	3	800274-305*	930	12	30 lbs.
4	x	3	83262	810	4	9 lbs.
4	x	4	800274-405*	700	12	30 lbs.
4	x	5	10009531*	570	6	15 lbs.
4	x	6	82868	420	4	15 lbs.
4	x	6	800274-605*	475	12	30 lbs.
4	x	6.50	83257*	380	4	15 lbs.

* Perforation between labels

Size			Part #	Labels Per Roll	Rolls/ Carton	Carton Weight
W	x	L				
2.38	x	1	10005848*	2,580	6	5 lbs.

Labels have a center vertical slit creating two 1.1875" x 1.00" labels.

* Perforation between labels

Z-Select 4000T Removable

A premium, thermal transfer, bright white, coated paper label with a removable acrylic adhesive.

1" ID 5" OD

Size			Part #	Labels Per Roll	Rolls/ Carton	Carton Weight
W	x	L				
4	x	6	10005849*	430	6	15 lbs.

* Perforation between labels



Desktop Printers

Z-Select 4000D 7.5 mil Tag

A premium, direct thermal, bright white, coated, 7.5 mil, paper tag.

1" ID 5" OD

W	Size		Part #	Tags Per Roll	Rolls/ Carton	Carton Weight
	x	L				
1.25	x	2.25	10010053 [^]	980	6	4 lbs.
2.25	x	1.37	10010054 [^]	1,600	6	6 lbs.
3.25	x	1.875	10010055*	1,170	6	8 lbs.
4	x	3	10010056*	730	4	10 lbs.

All tags have a sensing notch [^] Stringhole in tag * Perforation between labels

Z-Perform 1000D 2.4 mil Receipt

A standard, direct thermal, bright white, uncoated, 2.4 mil paper receipt. Ideal for applications requiring limited durability and maximum roll footage per roll.

1" ID 5" OD

W	x	L	Part #	Length	Rolls/ Carton	Carton Weight
2	x	Cont.	10010057	574'	6	18 lbs.
4	x	Cont.	10010058	574'	6	20 lbs.



Desktop Printers

Z-Ultimate 3000T White

A thermal transfer, pearl white, gloss polyester label with permanent acrylic adhesive that provides unparalleled smear and scratch resistance, resistance to moderate chemicals and up to 3 years outdoors. UL/cUL recognized for indoor and outdoor use when used with compatible genuine Zebra resin ribbons.

1" ID 5" OD

W	Size		Part #	Labels Per Roll	Rolls/ Carton	Carton Weight
	x	L				
2	x	0.50	18943*	4,550	8	20 lbs.
2	x	1	17157*	2,530	12	18 lbs.
2	x	1.25	18940*	2,070	8	12 lbs.
3	x	1	18939*	2,530	8	12 lbs.
3	x	3	18942*	910	8	13 lbs.
4	x	2	18950*	1,340	4	15 lbs.
4	x	6	18941*	460	4	15 lbs.

* Perforation between labels

Z-Ultimate 4000T White

A thermal transfer, pearl white, gloss polyester label with a high performance permanent acrylic adhesive that provides unparalleled smear and scratch resistance, resistance to moderate chemicals and up to 3 years outdoors. UL/cUL recognized for indoor and outdoor use when used with compatible genuine Zebra resin ribbons.

1" ID 5" OD

W	Size		Part #	Labels Per Roll	Rolls/ Carton	Carton Weight
	x	L				
2	x	1	10002629*	2,530	8	12 lbs.
3	x	1	10002630*	2530	6	12 lbs.
4	x	2	10002631*	1340	4	15 lbs.

* Perforation between labels



Desktop Printers

PolyPro 3000T

A thermal transfer, white, matte polypropylene label with a high-performance permanent acrylic adhesive. Offers some flexibility for labeling curved surfaces, resistant to scratching and smearing, temperatures up to 200°F and 1-2 years outdoors.

1" ID 5" OD

W	Size		Part #	Labels Per Roll	Rolls/ Carton	Carton Weight
	x	L				
1.50	x	0.50	18930*	3,780	8	12 lbs.
2	x	0.50	18928*	3,780	8	12 lbs.
2	x	1	17154*	2,100	8	12 lbs.
2	x	1.25	18925*	1,720	8	12 lbs.
3	x	1	18924*	2,100	8	12 lbs.
3	x	3	18927*	760	8	13 lbs.
4	x	2	18932*	1,110	4	13 lbs.
4	x	2.50	18929*	900	4	13 lbs.
4	x	6	18926*	390	4	13 lbs.

* Perforation between labels

PolyPro 4000D

A direct thermal, white, matte direct thermal polypropylene label with a high-performance acrylic adhesive offering some flexibility for labeling curved surfaces, resistant to scratching and smearing and temperatures up to 131°F.

1" ID 5" OD

W	Size		Part #	Labels Per Roll	Rolls/ Carton	Carton Weight
	x	L				
2.25	x	1.25	10010063*	2,000	6	11 lbs.

* Perforation between labels

PolyPro 4000D

Jewelry Butterfly Label

A direct thermal, white, matte direct thermal polypropylene label with a high-performance acrylic adhesive offering some flexibility for labeling curved surfaces, resistant to scratching and smearing and temperatures up to 131°F.

1" ID 5" OD

W	Size		Part #	Labels Per Roll	Rolls/ Carton	Carton Weight
	x	L				
2.20	x	0.50	10010062^	4,400	6	11 lbs.

Labels are equipped with black mark sensing.

^ Label with flaps.



Desktop Printers

8000D Jewelry

Jewelry Butterfly Label

A direct thermal, white, polypropylene label with a permanent acrylic adhesive. Provides excellent resistance to ultra violet light.

1" ID 5" OD

W	Size		Part #	Labels Per Roll	Rolls/ Carton	Carton Weight
	x	L				
2.20	x	0.50	10010064	3,510	6	11 lbs.
2.20	x	0.50	10010065 [^]	3,510	6	12 lbs.

Labels are equipped with black mark sensing.

[^] Label with flaps.

8000T Jewelry

Jewelry Butterfly Label

A thermal transfer, white, polypropylene label with a permanent acrylic adhesive. Offers excellent durability and chemical resistance.

1" ID 5" OD

W	Size		Part #	Labels Per Roll	Rolls/ Carton	Carton Weight
	x	L				
2.20	x	0.50	10010066	3,510	6	12 lbs.
2.20	x	0.50	10010067 [^]	3,510	6	12 lbs.

Labels are equipped with black mark sensing.

[^] Label with flaps.

8000D Near-IR

Parcel Shipping Label

A premium, direct thermal, white, coated paper label featuring a permanent acrylic adhesive scannable in both visible and near infrared, and infrared ranges.

1" ID 5" OD

W	Size		Part #	Labels Per Roll	Rolls/ Carton	Carton Weight
	x	L				
4	x	2.25	10010059*	1,060	4	10 lbs.
4	x	6	10010060*	410	4	10 lbs.
4	x	8	10010061*	310	4	10 lbs.

* Perforation between labels

8000T Cling White

A thermal transfer, cling vinyl material available in white or clear. Offers excellent adhesion to glass and plastics.

1" ID 5" OD

W	Size		Part #	Labels Per Roll	Rolls/ Carton	Carton Weight
	x	L				
2	x	1.25	10003860*	1,410	8	10 lbs.

* Perforation between labels



Kiosk Printers

Z-Perform 1000D 3.5 mil Receipt (10 years archivability)

To be used with TTP 2000, 5250 & 7000 Series and KR203 & KR403

Size			Part #	Length	Rolls/ Carton	Carton Weight
W	x	L				
3.125	x	Cont.	10007008	645'	8	23 lbs.

To be used with TTP 5250 & 7000 Series

Size			Part #	Length	Rolls/ Carton	Carton Weight
W	x	L				
4.375	x	Cont.	10007009	645'	8	32 lbs.

To be used with TTP 8000 Series

Size			Part #	Length	Rolls/ Carton	Carton Weight
W	x	L				
8.5	x	Cont.	10007010	565'	4	28 lbs.



Mobile Media Reference Guide

This Reference Guide is designed to easily locate the proper media for your printer and application. Further details, including pricing, for each part number are available on the following pages.

	Description	Part #	Width	Length	Cameo 2	Cameo 3	EM 220	MZ 220	MZ 320	P4T	PA/PT	QL 220	QL 320	QL 420	RW220	RW420/ Print Station
Direct Thermal Labels	Z-Perform 1000D	LD-R7MU5P	2.00"	1.00"								X	O	O	X	O
	Z-Perform 1000D	LD-R2AL5B	2.00"	1.25"						O		X	O	O	X	O
	Z-Perform 1000D	LD-R7A05B	2.00"	2.00"						O		X	O	O	X	O
	Z-Perform 1000D	LD-R7AM5R	2.00"	3.00"						O		X	O	O	X	O
	Z-Perform 1000D	LD-R3TU5B	2.90"	1.00"									X	O		
	Z-Perform 1000D	LD-R2AQ5J	4.00"	2.00"						X					X	
	Z-Perform 1000D	LD-R6A05B	4.00"	3.00"						X					X	
	Z-Perform 1000D	LD-R3AK5B	4.00"	4.00"						X					X	
	Z-Perform 1000D	LD-R4AW5B	4.00"	6.00"						X					X	
	Z-Perform 2000D	LD-R6AD5W	2.9375"	4.9375"						O			X	O		
	Z-Perform 2000D	LD-R3AT5F	3.00"	1.75"						O			X	O		
	Z-Select 4000D	800322-125	2.25"	1.25"							X					
	Z-Select 4000D	800340-305	4.00"	3.00"							X					
	Z-Select 4000D	10001962	3.00"	2.00"						O			X	O		O
PolyPro 4000D	LD-R7BL5B	2.00"	1.00"								X	O	O	X	O	
PolyPro 4000D	LD-R2BF5W	2.00"	1.25"						O		X	O	O	X	O	
Thermal Transfer Labels	Z-Select 4000T	10008549	4.00"	6.00"						X						
	Z-Select 4000T	84932	3.00"	1.00"							X					
	Z-Ultimate 4000T	10010073	2.00"	1.25"						X						
	Z-Ultimate 4000T	10008551	3.00"	3.00"						X						
	PolyPro 4000T	10008424	4.00"	6.00"						X						
	PolyPro 4000T	82414	2.00"	1.00"							X					
	PolyPro 4000T	82413	3.00"	3.00"							X					

- X Media ideal for your mobile printer, meaning it has a width and outer diameter close to the printer's maximum specifications.
- O Media compatible with your mobile printer, but the printer can support a larger width and/or outer diameter.



Mobile Media Reference Guide

This Reference Guide is designed to easily locate the proper media for your printer and application. Further details, including pricing, for each part number are available on the following pages.

	Description	Part #	Width	Length	Cameo 2	Cameo 3	EM 220	MZ 220	MZ 320	P4T	PA/PT	QL 220	QL 320	QL 420	RW220	RW420/ Print Station
Direct Thermal Receipts	Z-Perform 1000D 2.4 mil Receipt	10011041	2.00"	Cont.	o	o		x								
	Z-Perform 1000D 2.4 mil Receipt	10011042	3.00"	Cont.		o			x							
	Z-Perform 1000D 2.4 mil Receipt	10006224	4.00"	Cont.										x		x
	Z-Perform 1000D 2.4 mil Receipt	800398-004	4.00"	Cont.							x					
	Z-Select 4000D 3.2 mil Receipt	LD-R2KH5B	2.00"	Cont.	x	o				o		x	o	o	x	o
	Z-Select 4000D 3.2 mil Receipt	LD-R3KX5B	3.00"	Cont.		x				o			x	o		o
	Z-Select 4000D 3.2 mil Receipt	LD-R4KN5B	4.00"	Cont.						x					x	x
	Z-Select 4000D 3.2 mil Receipt	10011043	2.00"	Cont.	o	o		x								
	Z-Select 4000D 3.2 mil Receipt	10011044	3.00"	Cont.		o			x							
	Z-Select 4000D 3.2 mil Receipt	10008899	2.25"	Cont.			x									
Linerless*	8000D 3.2 mil High-Temp Receipt	10001965	4.00"	Cont.										x		x
	8000D Linerless*	LD-R2LS5W	2.00"	Cont.								x	o	o		
	8000D Linerless*	LD-R4LF5P	4.00"	Cont.											x	

* Requires linerless roller

- | | |
|---|---|
| X | Media ideal for your mobile printer, meaning it has a width and outer diameter close to the printer's maximum specifications. |
| O | Media compatible with your mobile printer, but the printer can support a larger width and/or outer diameter. |



Mobile Printers

Z-Perform 1000D

A standard, direct thermal, bright white, uncoated, paper label with a permanent acrylic adhesive. Ideal for direct thermal paper applications that require limited durability.

0.75" ID 2" OD

Refer to *Mobile Media Reference Guide* for printer compatibility

Size			Part #	Labels Per Roll	Rolls/ Carton	Carton Weight
W	x	L				
2	x	1	LD-R7MU5P	350	36	7 lbs.
2	x	1.25	LD-R2AL5B	280	36	7 lbs.
2	x	2	LD-R7AO5B	185	36	7 lbs.
2	x	3	LD-R7AM5R	125	36	8 lbs.

Labels are equipped with black mark sensing

0.75" ID 2.5" OD

Refer to *Mobile Media Reference Guide* for printer compatibility

Size			Part #	Labels Per Roll	Rolls/ Carton	Carton Weight
W	x	L				
2.90	x	1	LD-R3TU5B	575	36	14 lbs.
4	x	2	LD-R2AQ5J*	300	36	23 lbs.
4	x	3	LD-R6AO5B*	200	36	23 lbs.
4	x	4	LD-R3AK5B*	160	36	24 lbs.
4	x	6	LD-R4AW5B*	105	36	24 lbs.

Labels are equipped with black mark sensing * Perforation between labels

Z-Perform 2000D

A standard, direct thermal, bright white, coated, paper label with an all-temp permanent acrylic adhesive that survives at temperatures as low as -65° F and can be applied at temperatures as low as -40° F.

0.75" ID 2.5" OD

Refer to *Mobile Media Reference Guide* for printer compatibility

Size			Part #	Labels Per Roll	Rolls/ Carton	Carton Weight
W	x	L				
2.94	x	4.94	LD-R6AD5W	130	36	18 lbs.
3	x	1.75	LD-R3AT5F*	350	36	18 lbs.

Labels are equipped with black mark sensing * Perforation between labels

Z-Select 4000D

A premium, direct thermal, bright white, coated, paper label with a all-temp acrylic-based adhesive that survives at temperatures as low as -65° F and can be applied at temperatures as low as -20° F.

1" ID 2" OD

Refer to *Mobile Media Reference Guide* for printer compatibility

Size			Part #	Labels Per Roll	Rolls/ Carton	Carton Weight
W	x	L				
2.25	x	1.25	800322-125*	260	12	2 lbs.
4	x	3	800340-305*	110	12	4 lbs.

* Perforation between labels



Mobile Printers

Z-Select 4000D

A premium, direct thermal, bright white, coated, paper label with a all-temp acrylic-based adhesive that survives at temperatures as low as -65° F and can be applied at temperatures as low as -20° F.

0.75" ID 2.2" OD

Refer to *Mobile Media Reference Guide* for printer compatibility

Size			Part #	Labels	Rolls/	Carton
W	x	L		Per Roll	Carton	Weight
3	x	2	10001962*	210	36	18 lbs.

* Perforation between labels

PolyPro 4000D

A direct thermal, white, matte direct thermal polypropylene label with a high-performance acrylic adhesive offering some flexibility for labeling curved surfaces, resistant to scratching and smearing and temperatures up to 131°F.

0.75" ID 2" OD

Refer to *Mobile Media Reference Guide* for printer compatibility

Size			Part #	Labels	Rolls/	Carton
W	x	L		Per Roll	Carton	Weight
2	x	1	LD-R7BL5B	350	36	7 lbs.
2	x	1.25	LD-R2BF5W	280	36	8 lbs.

Labels are equipped with black mark sensing

Z-Select 4000T

A premium, thermal transfer, bright white, coated, ultra-smooth, paper label with a permanent acrylic adhesive. Offers excellent print quality for printing up to 12 inches per second.

0.75" ID 2.6" OD

Refer to *Mobile Media Reference Guide* for printer compatibility

Size			Part #	Labels	Rolls/	Carton
W	x	L		Per Roll	Carton	Weight
4	x	6	10008549	110	16	17 lbs.

Labels are equipped with black mark sensing

1" ID 2" OD

Refer to *Mobile Media Reference Guide* for printer compatibility

Size			Part #	Labels	Rolls/	Carton
W	x	L		Per Roll	Carton	Weight
3	x	1	84932	270	6	2 lbs.



Mobile Printers

Z-Ultimate 4000T

A thermal transfer, pearl white, gloss polyester label with a high performance permanent acrylic adhesive that provides unparalleled smear and scratch resistance, resistance to moderate chemicals and up to 3 years outdoors. UL/cUL recognized for indoor and outdoor use when used with compatible genuine Zebra resin ribbons.

0.75" ID 2.6" OD

Refer to *Mobile Media Reference Guide* for printer compatibility

W	Size		Part #	Labels Per Roll	Rolls/ Carton	Carton Weight
	x	L				
2	x	1.25	10010073	520	12	12 lbs.
3	x	3	10008551	230	12	16 lbs.

Labels are equipped with black mark sensing

PolyPro 4000T

A thermal transfer, white, Kimdura® matte polypropylene label with a high-performance permanent acrylic adhesive. Offers some flexibility for labeling curved surfaces, resistant to scratching and smearing, temperatures up to 250°F and 1-2 years outdoors.

0.75" ID 2.6" OD

Refer to *Mobile Media Reference Guide* for printer compatibility

W	Size		Part #	Labels Per Roll	Rolls/ Carton	Carton Weight
	x	L				
4	x	6	10008424	80	36	36 lbs.

1" ID 2" OD

Refer to *Mobile Media Reference Guide* for printer compatibility

W	Size		Part #	Labels Per Roll	Rolls/ Carton	Carton Weight
	x	L				
2	x	1	82414	260	12	3 lbs.
3	x	3	82413	90	12	5 lbs.



Mobile Printers

Z-Perform 1000D 2.4 mil Receipt (10 years archivability)

A standard, direct thermal, bright white, uncoated, 2.4 mil paper receipt. Ideal for applications requiring limited durability and maximum roll footage per roll.

0.5" ID 1.8" OD

Refer to *Mobile Media Reference Guide* for printer compatibility

W	Size x	L	Part #	Length	Rolls/ Carton	Carton Weight
2	x	Cont.	10011041	80'	36	9 lbs.
3	x	Cont.	10011042	80'	36	13 lbs.

0.75" ID 2.25" OD

Refer to *Mobile Media Reference Guide* for printer compatibility

W	Size x	L	Part #	Length	Rolls/ Carton	Carton Weight
4	x	Cont.	10006224	100'	36	13 lbs.

1" ID 2" OD

Refer to *Mobile Media Reference Guide* for printer compatibility

W	Size x	L	Part #	Length	Rolls/ Carton	Carton Weight
4	x	Cont.	800398-004	75'	12	5 lbs.

Z-Select 4000D 3.2 mil Receipt (25 years archivability)

A premium, direct thermal, bright white, coated, 3.2 mil receipt paper that provides an ideal solution for applications requiring limited durability.

0.75" ID 2.25" OD

Refer to *Mobile Media Reference Guide* for printer compatibility

W	Size x	L	Part #	Length	Rolls/ Carton	Carton Weight
2	x	Cont.	LD-R2KH5B	81'	36	9 lbs.
3	x	Cont.	LD-R3KX5B	81'	36	13 lbs.
4	x	Cont.	LD-R4KN5B	81'	36	13 lbs.

0.5" ID 1.8" OD

Refer to *Mobile Media Reference Guide* for printer compatibility

W	Size x	L	Part #	Length	Rolls/ Carton	Carton Weight
2	x	Cont.	10011043	55'	36	9 lbs
3	x	Cont.	10011044	55'	36	13 lbs

0.50" ID 1.57" OD

Refer to *Mobile Media Reference Guide* for printer compatibility

W	Size x	L	Part #	Length	Rolls/ Carton	Carton Weight
2.25	x	Cont.	10008899	40'	36	9 lbs



Mobile Printers

8000D 3.2 mil High-Temp Receipt (20 years archivability)

A direct thermal, white, coated, 3.2 mil receipt paper that provides temperature resistance up to 194° F; offers superior durability under fluorescent bulbs and partial UV exposure (through a window).

0.75" ID 2.25" OD

Refer to *Mobile Media Reference Guide* for printer compatibility

W	Size x	L	Part #	Length	Rolls/ Carton	Carton Weight
4	x	Cont.	10001965	74'	36	7 lbs.



Mobile Printers

8000D Linerless

(requires linerless roller)

A premium, direct thermal, white linerless label featuring a permanent acrylic adhesive.

0.75" ID 2.2" OD

Refer to *Mobile Media Reference Guide* for printer compatibility

W	Size x	L	Part #	Length	Rolls/ Carton	Carton Weight
2	x	Cont.	LD-R2LS5W	65'	36	16 lbs.

0.75" ID 2.5" OD

Refer to *Mobile Media Reference Guide* for printer compatibility

W	Size x	L	Part #	Length	Rolls/ Carton	Carton Weight
4	x	Cont.	LD-R4LF5P	85'	20	23 lbs.



www.L-TronDirect.com

800-830-9523

info@L-Tron.com

596 Fishers Station Dr | Victor, NY | 14564 | Suite 1 A

www.L-Tron.com

