



## KEY FEATURES

- Intel Celeron® 2.0GHz w/ 1MB cache
- Microsoft® Windows XP, WEPOS & POS Ready
- 160GB SATA HDD
- 2GB DDR2 Memory (4GB Max)
- Resistive or infrared touch interface
- Wall mount solutions available
- Spill proof water resistant structure
- RAID1 functionality for data security (option)

# TP8300 Series

## Posiflex TP8300 Series

Posiflex presents the TP8300 Series, our highest performance workstation and back office terminal. TP8300 series delivers high performance and scalability to run the most demanding applications to empower your business with a competitive edge. Purpose-built and vigorously tested in both design and production, Posiflex POS and touch screen terminals are built to withstand the harshest environments. Our commitment to quality and reliability promises maximum uptime in business critical environments. Easily integrated with an extensive array of compatible peripherals and service programs, we create a powerful workhorse that works for your business.

**For more information call 888.968.1668 today!**

# Specifications

Function	TP8300
Processor	Intel® Celeron® Processor T3100 [1M Cache, 1.90 GHz, 800 MHz FSB] or Intel® Celeron® Processor 575 [1M Cache, 2.00 GHz, 667 MHz FSB]
Memory	SO-DIMM socket *2, DDR-2 667/800 MHz (Standard), 4GB (Max)
Video Memory	Supports DVMT 5.0
Power Supply	12 VDC Power Adapter, 80W
Housing	Aluminum Alloy
Speaker	Built-in
OS Support	Microsoft® Win XP Pro / POSReady
Safety Certifications	FCC-A, CE-A, RoHS
<b>Display</b>	
LCD	15" LCD (1024 x 768)0
Touch Sensor	Resistive or Infrared [Special Order]
Touch Controller	USB Interface
Tilt Adjustment	From 17.5° to 87.5°
<b>Expansion</b>	
Storage Device	SATA I/II x 2 [one internal & one in base]
Mounting Option	Desktop or wallmount [wallmount bracket sold separately]
<b>Connectivity</b>	
Audio Port	Mic in / Line Out
LAN Port	10/100/1000 T Ethernet
Parallel Port	1
Serial Port	DB9 x 4
USB Port	5
Mouse Port	1 x P/S 2
VGA Port	1
KB Port	1 x P/S 2
CR Port	1 port controls 2 devices [under COM1]
<b>Options</b>	
Wireless LAN	802.11 b/g w/USB Interface
SSD	Supports SATA I [150MB/s]
Secondary HDD	2.5" SATA HDD
RAID Card	RAID 1 HDD or Dual Non-RAID HDD
COM-5 / 6 Add-on	Supports COM5 & COM6

## Port Configurations



## Peripheral Options



SD200  
MSR w/DigitalPersona  
Fingerprint Biometrics



LM6101B  
Rear mount bracket for  
optional 12" 2nd LCD display



PD2602  
Base Mount  
Pole Display



PD302B  
Rear Mount Display

## About Posiflex

Posiflex has four primary objectives - provide revolutionary technology, reliable quality, reasonable pricing and recognized service. As a 25 year design and manufacturer of Point-of-Service (POS) and industrial touch terminals, Posiflex has over 30 patents awarded for innovative design as a POS pioneer, and leader. In partnership with software application companies, Posiflex's products are sold worldwide through VARS and distributors to various vertical industries. Posiflex's comprehensive suite comprises of a wide range of peripherals, terminals ranging from small footprint electronic cash register replacements, to POS terminals, to robust back office file servers in our two ISO 9001/9002/ 14001 certified facilities.

**POSIFLEX™**

Be the Pioneer, Be the Leader  
30689 Huntwood Avenue

Hayward, CA 94544

Toll-free: 888.968.1668

Phone: 510.429.7097

Fax: 510.475.0982

E-mail: sales@posiflexusa.com



[www.L-TronDirect.com](http://www.L-TronDirect.com)

800-830-9523

[info@L-Tron.com](mailto:info@L-Tron.com)

596 Fishers Station Dr | Victor, NY | 14564 | Suite 1 A

[www.L-Tron.com](http://www.L-Tron.com)

