

# MOTOROLA



# MC55A0

# MC55N0

# MC65

# MC67







ACCESSORIES GUIDE





## ONE SET OF ACCESSORIES FOR FOUR DIFFERENT MOBILE COMPUTERS

Our complete family of accessories allows you to easily customize your MC55A0, MC55N0, MC65 and MC67 mobile computers to best meet the needs of your applications, your workers and your IT department. Choose from four slot or single slot cradles, a vehicle mount kit, a snap-on trigger handle for those scan intensive jobs, a magnetic stripe reader for on-the-spot payment processing and more. A single accessory pool serves all four models, delivering a better return on your accessory investment. You can stock fewer spares. And since your existing accessories can be used with the new MC67, you can put the latest mobile computer in the hands of your workers — very cost-effectively

### CRADLES AND CRADLE ACCESSORIES

	<p><b>Single Slot USB Charging Cradle with a bay for spare battery charging — CRD5500-1000UR</b> Requires Power Supply PWRS-14000-148R and country specific three wire grounded AC power line cord.</p>
	<p><b>Four Slot Charge Only Cradle - CRD5501-4000CR</b> Charges four terminals at one time. Requires Power Supply PWRS-14000-241R, DC line cord 50-16002-029R and country specific three wire grounded AC power line cord.</p>
	<p><b>Four Slot Ethernet Charging Cradle — CRD5501-4000ER</b> Charges and provides Ethernet connectivity to four terminals at one time. Requires Power Supply PWRS-14000-241R, DC line cord 50-16002-029R and country specific three wire grounded AC power line cord.</p>
	<p><b>Single Slot Cradle — CRD5501-1000XR</b> Single Slot cradle with a bay for spare battery charging. Supports Ethernet, USB and Modem connectivity. Requires Power Supply PWRS-14000-148R and country specific three wire grounded AC power line cord.</p>
	<p><b>Vehicle Cradle — VCD5500-1001R</b> Charges a terminal only. Does not accommodate spare battery charging.</p>
	<p><b>Wall Mount Cradle Bracket — KT-136648-01R</b> For mounting four slot cradles only.</p>






### CRADLE KITS

	<p><b>Single Slot Cradle Kit (U.S.) — CRD5500-100UES</b> Includes Single Slot USB cradle (CRD5500-1000UR), Power Supply (PWRS-14000-148R), and US three wire grounded AC power line cord (23844-00-00R).</p>
	<p><b>Single Slot Cradle Kit (International) — CRD5500-101UES</b> Includes Single Slot USB cradle (CRD5500-1000UR) and Power Supply (PWRS-14000-148R). Purchase country specific three wire grounded line cord separately.</p>
	<p><b>Four Slot Charge Only Cradle Kit -CRD5501-401CES</b> Includes Four Slot Charge Only cradle (CRD5501-4000CR) and Power Supply (PWRS-14000-241R) with DC line cord (50-16002-029R). Purchase country specific three wire grounded AC power line cord separately.</p>
	<p><b>Four Slot Ethernet Cradle Kit — CRD5501-401EES</b> Includes Four Slot Ethernet cradle (CRD5501-4000ER) and Power Supply (PWRS-14000-241R) with DC line cord (50-16002-029R). Purchase country specific three wire grounded AC power line cord separately.</p>
	<p><b>Vehicle Holder Kit — VCH5500-111R</b> Holder (VCH5500-1000R) and Auto Charge adapter (VCA5500-01R)</p>





### BATTERY CHARGERS AND CHARGER ACCESSORIES

	<p><b>Standard Capacity Spare Battery — BTRY-MC55EAB00</b> 2400 mAh standard capacity spare battery. (For WLAN devices)</p>
	<p><b>Extended Capacity Spare Battery — BTRY-MC55EAB02</b> 3600 mAh extended capacity spare battery.</p>
	<p><b>Standard Capacity Battery 10 pack — BTRY-MC55EAB00-10</b> 2400 mAh standard capacity spare battery, 10 pack. (For WLAN devices)</p>
	<p><b>Standard Capacity Battery 50 pack — BTRY-MC55EAB00-50</b> 2400 mAh standard capacity spare battery, 50 pack. (For WLAN devices)</p>






## BATTERY CHARGERS AND CHARGER ACCESSORIES (CONTINUED)

	<b>Extended Capacity Battery 10 pack — BTRY-MC55EAB02-10</b> 3600 mAh extended capacity spare battery, 10 pack.
	<b>Extended Capacity Battery 50 pack — BTRY-MC55EAB02-50</b> 3600 mAh extended capacity spare battery, 50 pack
	<b>4 Slot Battery Charger — SAC5500-4000CR</b> Charges up to 4 MC55X0/MC65/MC67 Batteries.
	<b>4 Slot Battery Charger Kit — SAC5500-400CES</b> Includes 4 Slot Battery Charger SAC5500-4000CR, PWRS-14000-148R Power Supply and 23844-00-00R US AC Line Cord.
	<b>4 Slot Battery Charger Kit — SAC5500-401CES</b> Includes 4 Slot Battery Charger SAC5500-4000CR and Power Supply PWRS-14000-148R. Purchase country specific three wire grounded AC power line cord separately.




## CABLE ACCESSORIES

	<b>USB Charge and Communication Cable from the Terminal to Host system — 25-108022-04R</b> Charging requires Power Supply (PWRS-14000-249R) and country specific two wire ungrounded AC power line cord.
	<b>Charge-only Cable — 25-112560-01R</b> Charging requires Power Supply (25-112560-01R) and country specific two wire ungrounded AC power line cord.
	<b>USB Client Communication-only Cable — 25-68596-01R</b> From Cradle to the host system.
	<b>DEX Cable — 25-127558-01R</b> DEX Cable.

## POWER SUPPLIES AND ADAPTERS

	<b>AC power supply with barrel jack — PWRS-14000-249R</b> Allows for charging of an MC55X0/MC65/MC67 terminal with either USB (25-108022-01R) or Charge only (25-112560-01R) cable. Order country specific two wire AC power line cord separately.
	<b>Power Supply — PWRS-14000-148R</b> Provides power to the Single Slot Cradle (CRD5500-1000UR) and Four Slot Battery Charger (SAC5500-4000CR). Order country specific three wire grounded AC line cord separately.
	<b>Power Supply — PWRS-14000-241R</b> Provides power to the Four Slot Charge Only and Ethernet Cradles (CRD5501-4000CR and CRD5501-4000ER). Order country specific three wire grounded AC line cord separately.
	<b>Auto Charge Cable — VCA5500-01R</b> 12/24 volt (cigarette lighter adapter)
	<b>Printer Cable — 25-136283-01R</b> Cable for MC55X0/MC65/MC67 that allows connection to a Monarch/Paxar Serial printer to terminal







## POWER LINE CORDS

	<b>DC Cable — 50-16002-029R</b> For power supply PWRS-14000-241R.
	<b>US AC Line Cord — 23844-00-00R</b> Grounded, three wire for power supplies PWRS-14000-148R and PWRS-14000-241R.
	<b>US AC Line Cord — 50-16000-182R</b> Un-grounded, two wire for power supply PWRS-14000-249R.

## INTERNATIONAL AC LINE CORDS

Country	Grounded (For power supplies <b>PWRS-14000-148R</b> and <b>PWRS-14000-241R</b> )	Ungrounded (For power supply <b>PWRS-14000-249R</b> )
Abu Dhabi	<b>50-16000-220R</b> — 1.8 m, grounded, three wire CEE 7/7plug	
Australia	<b>50-16000-217R</b> — 1.8 m, grounded, three wire, AS 3112 plug	<b>50-16000-666R</b> — 1.8 m ungrounded, two wire AS 3112 plug
Bermuda		<b>50-16000-670R</b> — 1.8 m ungrounded, two wire, BS 1363 Plug
Bolivia	<b>50-16000-220R</b> — 1.8 m, grounded, three wire CEE 7/7plug	
Brazil	<b>50-16000-727R</b> — 1.8 m grounded, three wire, NBR 14136 plug	
China	<b>50-16000-217R</b> — 1.8 m, grounded, three wire, AS 3112 plug <b>50-16000-257R</b> — 1.8 m, grounded, three wire, IEC 60320 C13 plug	<b>50-16000-664R</b> — 1.8 m ungrounded, two wire, GB 2099-1-1996 plug
Dubai	<b>50-16000-220R</b> — 1.8 m, grounded, three wire CEE 7/7plug	
Egypt	<b>50-16000-220R</b> — 1.8 m, grounded, three wire CEE 7/7plug	
Europe	<b>50-16000-220R</b> — 1.8 m, grounded, three wire CEE 7/7plug	
Hong Kong	<b>50-16000-219R</b> — 1.8 m, grounded, three wire, BS 1363 plug	<b>50-16000-670R</b> — 1.8 m ungrounded, two wire, BS 1363 Plug
India	<b>50-16000-669R</b> — 1.8 M grounded, three wire, BS 546 Plug	
Iran	<b>50-16000-220R</b> — 1.8 m, grounded, three wire CEE 7/7plug	
Iraq	<b>50-16000-219R</b> — 1.8 m, grounded, three wire, BS 1363 plug	<b>50-16000-670R</b> — 1.8 m ungrounded, two wire, BS 1363 Plug
Israel	<b>50-16000-672R</b> — 1.8 m grounded, three wire, S132 Plug	
Italy	<b>50-16000-671R</b> — 1.8 m grounded, CIE 23-16 plug	
Japan	<b>50-16000-218R</b> — 1.8 m, grounded, three wire, NEMA 1-15P plug	
Korea	<b>50-16000-220R</b> — 1.8 m, grounded, three wire CEE 7/7plug <b>50-16000-256R</b> — 1.8 m, grounded, CEE7/7 plug	
Malaysia	<b>50-16000-219R</b> — 1.8 m, grounded, three wire, BS 1363 plug	<b>50-16000-670R</b> — 1.8 m ungrounded, two wire, BS 1363 Plug
New Guinea	<b>50-16000-217R</b> — 1.8 m, grounded, three wire, AS 3112 plug	
Russia	<b>50-16000-220R</b> — 1.8 m, grounded, three wire CEE 7/7plug	
Singapore	<b>50-16000-219R</b> — 1.8 m, grounded, three wire, BS 1363 plug	<b>50-16000-670R</b> — 1.8 m ungrounded, two wire, BS 1363 Plug
United Kingdom	<b>50-16000-219R</b> — 1.8 m, grounded, three wire, BS 1363 plug	<b>50-16000-670R</b> — 1.8 m ungrounded, two wire, BS 1363 Plug
United States	<b>50-16000-221R</b> — 1.8 m, grounded, USA NEMA 5-15P <b>50-16000-678R</b> — 36 inch grounded, three wire	
Vietnam	<b>50-16000-220R</b> — 1.8 m, grounded, three wire CEE 7/7plug	













## MISCELLANEOUS

	<b>Vehicle Holder Mount — VCD5501-1000R</b> Accommodates the standard and extended battery.
	<b>Hard Case — SG-MC5511110-01R</b> Rigid holster with large swivel clip for rugged applications.
	<b>Soft Case — SG-MC5521110-01R</b> Holster with plastic belt clip
	<b>Spare Stylus, 3 pack — KT-119150-03R</b>
	<b>Spare Stylus, 50 pack — KT-119150-50R</b>
	<b>Spring Loaded Stylus, 10 pack — Stylus-00001-10R</b> Optional spare spring loaded stylus, 10 pack

Continued on back...

**BROCHURE**


MC55A0/MC55N0/MC65/MC67 ACCESSORY GUIDE

<b>MISCELLANEOUS (CONTINUED)</b>	
	<p><b>Stylus with tether, 3 pack — Stylus-00003-03R</b> Spare stylus with tether, 3 pack</p>
	<p><b>Stylus with tether, 50 pack — Stylus-00003-50R</b> Spare stylus with tether, 50 pack</p>
	<p><b>Spare tether, 3 pack — KT-122621-03R</b></p>
	<p><b>Spare tether, 50 pack — KT-122621-50R</b></p>
	<p><b>Magnetic Stripe Reader — MSR5500-100R</b> Reads all 3 tracks of a magnetic stripe card and accommodates power and communication pass through while cradled in a single slot or four slot cradle as well as when a charging cable is attached.</p>
	<p><b>MC55X0/MC65/MC67 Snap-on Trigger Handle — TRG5500-101R</b> For use with Windows OS only.</p>
	<p><b>Hand Strap for the TRG5500-100R Snap-on Trigger Handle — 21-138874-01R</b></p>
	<p><b>Spare Screen Protectors, 3 pack — KT-137521-03R</b></p>
	<p><b>MC55/65/67 Standard Hand Strap with Pin — SG-MC5523341-03R</b></p>
<b>HEALTHCARE SPECIFIC (AVAILABLE FOR MC55A0-HC ONLY)</b>	
	<p><b>Extended Capacity Spare Battery Health Care — BTRY-MC55EAB02-H</b> White</p>
	<p><b>10 pack, Extended Capacity Spare Battery Health Care — BTRY-MC55EAB02-10H</b> White</p>
	<p><b>50 Pack, Extended Capacity Spare Battery Health Care — BTRY-MC55EAB02-50H</b> White</p>
Image not available	<p><b>Spare Stylus, 3 pack. — KT-152738-03R</b> Blue</p>
Image not available	<p><b>Spare Stylus, 50 pack. — KT-152738-50R</b> Blue</p>
Image not available	<p><b>Spare Stylus with Tether, 3 pack. — Stylus-HC005-03R</b> Blue</p>






**BROCHURE**

MC55A0/MC55N0/MC65/MC67 ACCESSORY GUIDE

**HEALTHCARE SPECIFIC (AVAILABLE FOR MC55A0-HC ONLY)**

Image not available	<b>Spare Stylus with Tether, 50 pack. — Stylus-HC005-50R</b> Blue
	<b>MC55X0/MC65/MC67 Disinfectant Ready Hand Strap — SG-MC5523341-01R</b>

**DISCONTINUED ACCESSORIES**

	<b>Four Slot Charge Only Cradle — CRD5500-4000CR</b> Charges four terminals at one time. Requires Power Supply PWRS-14000-241R, DC line cord 50-16002-029R and country specific three wire grounded AC power line cord.
	<b>Single Slot Cradle — CRD5500-1000XR</b> Single Slot cradle with a bay for spare battery charging. Supports Ethernet, USB and Modem connectivity. Requires Power Supply PWRS-14000-148R and country specific three wire grounded AC power line cord.
	<b>Four Slot Charge Only Cradle Kit — CRD5500-400CES</b> Includes Four Slot Charge Only cradle (CRD5500-4000CR), Power Supply (PWRS-14000-241R) with DC line cord (50-16002-029R), and US three wire grounded AC power line cord (23844-00-00R).
	<b>Four Slot Charge Only Cradle Kit — CRD5500-401CES</b> Includes Four Slot Charge Only cradle (CRD5500-4000CR) and Power Supply (PWRS-14000-241R) with DC line cord (50-16002-029R). Purchase country specific three wire grounded AC power line cord separately.
	<b>Spring loaded stylus, 3 pack — Stylus-00001-03R</b> Optional spare spring loaded stylus, 3 pack

Part number BRO-ACC-MC556567. Printed in USA 08/14. MOTOROLA, MOTO, MOTOROLA SOLUTIONS and the Stylized M Logo are trademarks or registered trademarks of Motorola Trademark Holdings, LLC and are used under license. All other trademarks are the property of their respective owners. ©2014 Motorola Solutions, Inc. All rights reserved.



[www.L-TronDirect.com](http://www.L-TronDirect.com)

800-830-9523

[info@L-Tron.com](mailto:info@L-Tron.com)

596 Fishers Station Dr | Victor, NY | 14564 | Suite 1 A

[www.L-Tron.com](http://www.L-Tron.com)

Get in touch with us  
on social media!

